

THE
**JOURNAL OF LARYNGOLOGY,
 RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON, Bartholomew Press, Bartholomew Close, London, E.C.

**SUSPENSION
 LARYNGOSCOPY
 APPARATUS**

AFTER PROFESSOR KILLIAN.

As made for MR. W. G. HOWARTH, F.R.C.S.,
 ST. THOMAS'S HOSPITAL.

This modification of Professor Killian's Instrument comprises, with other advantages: mouth-gag with wider opening, adjustable counter-pressure plate, extra long spatula, and improved swing with swivel joint, securing at the same time the most perfect access and comprehensive view possible.

PRICES.

Complete, as shown, with upright vertical and horizontal adjustment, clamp for operation table, swing hook, set of spatulae, and electric light, £20 11s. 9d.

Without electric light attachment, £19 7s.

The swing only, with gag and counter-pressure plate, £5 15s. 6d.

DOWN BROS., Ltd.,


**Surgical Instrument
 :: Manufacturers ::**

**21 & 23, St. Thomas's St.,
 London, S.E.**

Telegrams :
 "DOWN, LONDON."

(Opposite Guy's
 Hospital).

Telephone :
 HOP. 4400 (4 lines).



GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910.



**GOLD MEDAL
 Allahabad 1910.**

We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions.—*British Medical Journal*, May 3, 1890.

LISTERINE is an efficient, non-toxic ANTISEPTIC of known and definite power, prepared in a form convenient for immediate use.

It is a saturated solution of boric acid, reinforced by the antiseptic properties of ozoniferous oils.



It is unirritating, even when applied to the most delicate tissue.

It does not coagulate serous albumen.

It is quite generally accepted as the standard antiseptic preparation for use where a poisonous or corrosive disinfectant can not be safely used.

It is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle or douche in catarrhal conditions of the nose and throat.

In proper dilution, it may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

There is no possibility of poisonous effect through the absorption of Listerine.

A pamphlet descriptive of the antiseptic, and indicating its utility in medical, surgical and dental practice, may be had upon application to the manufacturers, Lambert Pharmacal Co., Locust and Twenty-first Streets, St. Louis, Missouri, U.S.A., or to their British Agents, Messrs. S. Maw, Son & Sons, 7-12, Aldersgate Street, London, Eng., but the best advertisement of Listerine is

LISTERINE

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** and **NORRIS WOLFENDEN**.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

A. CHEATLE, F.R.C.S. (Pres. Otol. Sect. Internat. Cong.).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).
RICHARD LAKE, F.R.C.S. (Pres. Otol. Sect. R.S.M.).
J. MACINTYRE, M.B., C.M. (Glasgow).
Sir W. MILLIGAN, M.D., M.Ch. (Manchester).
D. R. PATERSON, M.D., M.R.C.P. (Pres. Laryng. Sect. R.S.M.).
Sir StCLAIR THOMSON, M.D., F.R.C.S. (London). (Pres. Laryng. Sect. Internat. Cong.).
LOGAN TURNER, M.D. (Edinburgh).
P. WATSON-WILLIAMS, M.D. (Bristol).
MACLEOD YEARSLEY, F.R.C.S. (London).

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),
To whom all communications should be addressed.

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), **H. S. BIRKETT** (Montreal), **BRADY** (Sydney, N.S.W.)
JOHN DARLING (Edinburgh), **DONELAN** (London), **CLAYTON FOX** (London),
J. S. FRASER (Edinburgh), **PERRY GOLDSMITH** (Toronto), **THOS. GUTHRIE** (Liverpool),
A. HUTCHISON (Brighton), **J. D. LITHGOW** (Edinburgh), **A. MCCALL** (Bournemouth),
CHICHELE NOURSE (London), **W. G. PORTER** (Edinburgh), **PRICE-BROWN** (Toronto),
KNOWLES RENSHAW (Manchester), **LINDLEY SEWELL** (Manchester),
ALEX. R. TWEEDIE (Nottingham), **RAYMOND VEREL** (Aberdeen),
C. E. WEST (London), **G. HAROLD L. WHALE** (London),
WRIGHT (Bristol), and **WYLIE** (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), **DRS. J. BARR** (Glasgow), **HUGO FREY** (Vienna)
A. A. GRAY (Glasgow), **GRAZZI** (Florence), **MIDDLEMASS HUNT** (Liverpool),
A. BROWN KELLY (Glasgow), **E. LAW** (London), **MASSEI** (Naples),
D. PATERSON (Cardiff), **URBAN PRITCHARD** (London), **F. A. ROSE** (London),
A. SANDFORD (Cork), **SENDZIAK** (Warsaw), **H. TILLEY** (London),
E. WAGGETT (London), **R. WOODS** (Dublin).

CONTRIBUTORS TO THIS NUMBER.

MR. W. D. HARMER.
DR. WM. HILL.
DR. JOHN MACINTYRE.

MR. MACLEOD YEARSLEY.
DR. BIRKETT.

DR. ROGERS.
MR. ALEX. R. TWEEDIE.

National Relief Fund.



To H.R.H. THE PRINCE OF WALES,
BUCKINGHAM PALACE, LONDON.

I beg to enclose £ : s. d. as a donation to the
National Relief Fund.

Name _____

Address _____

The envelope containing this coupon need not be stamped.

CONTENTS.

Special Articles—	PAGE
Diathermy in the Treatment of Inoperable Growths of the Nose and Throat.—W. D. HARMER—(With Plate)	481
The Treatment of Inoperable Growths of the Nose and Throat by Radium.—WM. HILL	487
The Treatment of Inoperable Cases by means of X-rays.—JOHN MACINTYRE	496
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE.—LARYNGOLOGICAL SECTION.—Communications by H. J. DAVIS, W. STUART-LOW, HERBERT TILLEY, DAN MCKENZIE, C. W. M. HOPE, E. A. PETERS, JAMES DONELAN	500
Abstracts—	
NOSE.—Vaso-motor Disturbances of the Upper Air Tract.—Some Notes on Hay Fever	510
EAR.—A Case of Atrophy of the Ear associated with Mal-development of the Skull and Atrophy of the Facial Nerve	511
Correspondence	512
Notes and Queries	512

Persistent Hæmorrhage.

COAGULOSE (P., D. & Co.), a sterile, soluble, anhydrous preparation of normal blood serum, containing the fibrin ferment necessary to produce coagulation of the blood, is of great service in all cases of hæmorrhage due to defective coagulation of the blood—*e.g.*, epistaxis, pulmonary hæmorrhage, hæmorrhage during and after turbinectomy, tonsillotomy or other operation. Its administration is also indicated, prophylactically, prior to surgical or dental operations on hæmophilic subjects.

MODE OF USE.—Dissolve the Coagulose in sterile, distilled water, and inject hypodermically; for application to accessible bleeding surfaces the powder may be dusted on sterile gauze.

FURTHER PARTICULARS WILL BE SUPPLIED ON REQUEST.

PARKE, DAVIS & CO., LONDON, W.

“ . . . the best, most instructive and useful Journal going.”

3d.

PUBLISHED
ON WEDNESDAYS.

3d.

THE Clinical Journal

— A WEEKLY RECORD OF —
CLINICAL MEDICINE & SURGERY

With their Special Branches.

Ordinary Subscription Terms, payable in advance	{	52 weeks	=	15/6
		26 "	=	8/-
		13 "	=	4/-

**A SPECIAL REDUCTION OF
TWENTY PER CENT.**

is allowed on the above ordinary subscription terms to those subscribers signifying their intention of taking the Journal for not less than two years.

3d.

3d.

The Medical Publishing Company, Ltd., 23, Bartholomew Close, E.C.

TEXTURÆ ANTIQUÆ, 18-SUMERIAN

'TABLOID' BRAND PLEATED COMPRESSED

(Trade Mark:)

Bandages and Dressings

Ideal for ambulance surgery.
Unique in compactness and
portability. Protective packings.

The illustrations show
the relative sizes of a
'TABLOID' Bandage
and a roller
bandage of
equal width
and length.



*For complete list, see Wellcome's
Medical Diary*

BURROUGHS WELLCOME & CO. 
LONDON

*Ivory statuette of a Sumerian lady with hands crossed
as in statues of Sumerian Royal personages. The
Sumerian shawl, which forms part of the costume, is
draped in the manner characteristic of the period, and
is ornamented as shown in the border to this page.
The grain of the ivory may be seen on the body of
the dress. Date, circa 2000 B.C.*

COPYRIGHT

