

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

WITH THE ASSISTANCE OF
V. E. NEGUS AND F. W. WATKYN-THOMAS

Contents

THE ESTIMATION OF HEARING CAPACITY . . .	SOMERVILLE HASTINGS	
A CLASSIFICATION OF DEAFNESS BASED ON THE EFFECT OF DEAFNESS ON EFFICIENCY IN LIFE . . .	J. KERR LOVE	
HEARING TESTS	T. A. CLARKE	
ANALYSIS OF THE STATISTICAL TABLES . . .	DAVID MAXWELL	
CLINICAL RECORD—		
CHONDROMA OF THE THYROID CARTILAGE . . .	D. F. A. NEILSON	
SOCIETIES' PROCEEDINGS:—		
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOTOLOGY		
ABSTRACTS:—		
THE EAR	THE NOSE AND ACCESSORY SINUSES	THE LARYNX
THE OESOPHAGUS	PHARYNX AND NASOPHARYNX	ENDOSCOPY
REVIEWS OF BOOKS.	GENERAL NOTES.	

Edinburgh: Oliver and Boyd
London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTED BY
V. E. NEGUS AND F. W. WATKYN-THOMAS

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.
4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications should be addressed to "EDITOR, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."
7. The Annual Subscription is Forty Shillings, post free, and is payable in advance.
8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings each.
9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings each.

UNITED STATES OF AMERICA

Orders for this Journal, for single parts or yearly subscriptions, can be sent either through a local bookseller, or to Messrs G. E. STECHERT & Co., 31-33 East 10th Street, New York.

Ems

NATURAL
MINERAL WATER

FOR IRRITATION OF THE THROAT AND LARYNX

EMS
PASTILLES
(in Aluminium Tube)

INVALUABLE FOR
THE PUBLIC
SPEAKER

Excellent
for Chronic Bronchitis
and Catarrh of the
Respiratory Organs

EMS
SALT
(in Glass Container)


DISSOLVED IN
HOT MILK

TRADE



MARK

Sole Agents: The Apollinaris Co., Ltd., 4 Stratford Place, London, W.1




Eustachian Sounds. Made of stainless steel as suggested by
F. PEARCE STURM, M.Ch., and described in *Lancet*, 16th April 1927.

A. CHARLES KING, LTD.

SURGICAL INSTRUMENT MAKERS

34 DEVONSHIRE STREET, LONDON, W.1

Telephone—Welbeck 2264



CHEVALIER JACKSON'S INSTRUMENTS FOR ŒSOPHAGOSCOPY, LARYNGOSCOPY, AND BRONCHOSCOPY

New Models as made for Walter G. Howarth, F.R.C.S.

Each Instrument is made in accordance with the details of Chevalier Jackson's most recent models, and each is supplied with a *spare light carrier*, i.e., 2 light carriers and 2 lamps. All the models have been redesigned with a view to rendering them more easily cleansed; all the crevices and corners for the dirt have been taken away.

To ensure better visibility the tips of the forceps are *black*.

The Howarth-Jackson's Instruments are **less expensive than other American or English models**, and a further economy has been effected by rendering the instrument tips interchangeable, thus reducing the number of forceps handles and tips required.

The lamps are 2.5 volt and more durable than the usual models.

Manufactured only by

DOWN BROS., LTD.

SURGICAL INSTRUMENT MAKERS

21 and 23 ST THOMAS'S STREET

LONDON, S. E. 1

(Opposite Guy's Hospital)



Telegrams—"DOWN, LONDON."

Telephone—HOP 4400 (4 lines).

<p>2nd Edition. Fully Revised and Enlarged. 20s. net <i>Demy 8vo, 464 pp. 234 Text Illus. and 12 Plates (8 are in colour)</i></p>	<p><i>Demy 8vo, 862 pp. 589 Illustrations 17s. 6d. net</i></p>
<p>Diseases of the Nose, Throat and Ear For Practitioners and Students</p>	<p>Oto-Rhino- Laryngology</p>
<p>Edited by A. LOGAN TURNER, M.D., LL.D., F.R.C.S.E. <i>Cons. Surgeon, Ear and Throat Dept., Royal Infirmary, Edinburgh</i></p>	<p>By Dr GEORGES LAURENS <i>Authorised Translation from the 4th French Edition</i></p>
<p>WITH THE COLLABORATION OF J. S. FRASER, M.B., F.R.C.S.E., J. D. LITHGOW, M.B., F.R.C.S.E., W. T. GARDINER, M.C., M.B., F.R.C.S.E., G. EWART MARTIN, M.B., F.R.C.S.E., and DOUGLAS GUTHRIE, M.D., F.R.C.S.E.</p>	<p>By H. CLAYTON FOX, F.R.C.S. <i>"A surprisingly detailed account of how to examine and treat patients . . . should prove of great value." —British Medical Journal.</i></p>
<p>"There is no other book which includes laryngology and otology with such success."—<i>British Medical Journal.</i></p>	
<p>Bristol: JOHN WRIGHT & SONS LTD. London: SIMPKIN MARSHALL LTD.</p>	

INSTRUMENTS AND EQUIPMENT FOR

**Examination of Ear, Nose and Throat, Operation
 on Tonsils, Adenoids, Mastoid, Nasal Septum**

As supplied to and used in

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH
 THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ALSO THE CHEVALIER JACKSON INSTRUMENTS

ARCHD. YOUNG & SON LTD., 57-61 FORREST RD., EDINBURGH

Surgical Instrument Makers to Royal Infirmary, Edinburgh
 'Phone: 20669. Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

DeVILBISS SPRAY No. 15

FULLY
 GUARANTEED

FOR ALL
 PURPOSES

For Spraying the Nose and Throat with Oils and Aqueous Solutions

Important

The adjustable tip permits spraying in any direction, and is especially important when the bronchial tubes or the post-nasal cavities are to be treated.

When prescribing, please specify

“DeVilbiss Spray No. 15”
(of all Chemists and Surgical Instrument makers)

Complete illustrated Catalogue from
DeVILBISS, CO., LTD., WEST DRAYTON, MIDDLESEX


The use of

Antiphlogistine

as an adjuvant in the management of the

PNEUMONIAS

FOR thirty-five years Antiphlogistine has furnished an excellent combination of ingredients, which has proven of material help in the treatment of pneumonia.



One of the 20 coloured charts
from booklet
"The Pneumonic Lung"

The meticulous care with which the ingredients are selected and blended, the faithfulness with which the original formula has been followed through the succeeding years, the uniformly excellent clinical results obtained with it, have been contributory factors in the establishment of Antiphlogistine as a dependable dressing in pneumonic cases.

The application of Antiphlogistine in the pneumonias, is the application of a principle both rational and scientific. Spread at the onset of the disease, over the thoracic walls, as hot as can be comfortably borne, it adheres to the skin as a jacket and represents an efficient means to the modern practitioner for the application *and maintenance* of continuous moist heat.

THE DENVER CHEMICAL MFG. CO.

LONDON, E.3

For your convenience attach your Rx blank to this coupon and mail.

THE DENVER CHEMICAL MFG. CO.

41 St. Ann's Road, LONDON, E.3

Dear Sirs:

You may send me a complimentary copy of your booklet "The Pneumonic Lung" (sample included).

Name _____

Address _____

AIDS FOR THE DEAF

FREE HOME TRIAL

To Members of the Profession, who may be still unaware of the fact, we desire to intimate that all Acoustic Instruments (whether electrical or non-electrical) are supplied by the Acoustic Department *for 7 days' free trial.*

This provides the opportunity of every instrument supplied being tested out in comfort by the patient at home before purchase. No obligation is incurred.

Fully Illustrated Catalogues free on request

JOHN BELL & CROYDEN

(SAVORY & MOORE (1928) Ltd.)

ACOUSTIC DEPARTMENT:—8 WELBECK STREET, W.1

English Agents for the Zund Burguet Electrophoneide
Apparatus for re-educating the sense of hearing

THE GOLDEN SQUARE THROAT, NOSE AND EAR HOSPITAL

LONDON, W.1

HONORARY MEDICAL STAFF

Surgeons

Mr T. JEFFERSON FAULDER
Sir GEORGE W. BADGEROW
Mr LIONEL COLLEDGE

Mr G. W. DAWSON
Mr GILBERT CHUBB
Mr THEODORE JUST

Assistant Surgeons

Mr ORMEROD
Mr BEDFORD RUSSELL

Mr DINGLEY
Mr SANDIFORD

The Hospital has recently undergone very extensive reconstruction and extension, and now has 73 beds for In-patients and an annual Out-patient attendance of about 40,000.

CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Diseases of the Ear, Nose and Throat is daily given in the Out-patient Department from 2 to 5 p.m. On Tuesdays and Fridays from 6.30 to 8 p.m. also. Major operations are performed daily, except Mondays, in the In-patient Operating Theatres. Minor operations are performed in the Out-patient Department by the Assistant Surgeons on four mornings a week.

Practitioners and Medical Students are admitted to the practice of the Hospital, and Clinical Assistants, whose duty it is to assist the staff, are appointed from time to time among them. For further information apply to the Dean, THEODORE JUST.

CONTENTS

	PAGE
THE ESTIMATION OF HEARING CAPACITY. Somerville Hastings, M.S.	73
A CLASSIFICATION OF DEAFNESS BASED ON THE EFFECT OF DEAFNESS ON EFFICIENCY IN LIFE. J. Kerr Love, M.D.	78
HEARING TESTS. T. A. Clarke, M.B.	83
ANALYSIS OF THE STATISTICAL TABLES. David Maxwell, B.A. (Cantab.), M.B., Ch.B. (Edin.)	105
CLINICAL RECORD—	
Chondroma of the Thyroid Cartilage. D. F. A. Neilson, F.R.C.S.	127
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Section of Otology	131
ABSTRACTS—	
The Ear	136
The Nose and Accessory Sinuses	140
Pharynx and Nasopharynx	142
The Larynx	144
The Œsophagus	147
Endoscopy	148
REVIEWS OF BOOKS	148
GENERAL NOTES	151

‘Adrephine’

*An Aqueous Solution of Adrenalin and
Ephedrine Sulphate.*

BOTH Adrenalin and ephedrine exert a similar action when applied to the mucous membrane of the nose, throat or larynx. In ‘Adrephine’ the prompt, vigorous action of Adrenalin is supplemented by the slower but more sustained effect of ephedrine.

‘Adrephine’ may be used for shrinking the accessible mucous membranes of the respiratory tract prior to examination or operation. It will also be found of service in inflammatory conditions or congestion of the nasal mucous membrane and in the treatment of rhinitis. It is of proved value for the palliative treatment of hay fever.

Supplied in bottles of 1 oz. Further particulars will be sent on request.

PARKE, DAVIS & CO.



50 BEAK ST., LONDON, W.1.