

Directions to Contributors

General. The *Journal of Dairy Research* publishes reports in English on all aspects of dairy science from any country. Material for publication should be sent to the Editor: Dr B. A. Rolls, AFRC Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2BZ, UK. Receipt of all material will be acknowledged. Submission of a paper will be taken to imply that it reports original unpublished work, that it is not under consideration elsewhere, and that if accepted by the *Journal* it will not be published elsewhere in any language without the consent of the Editors. Authors should indicate that they accept the conditions in Directions to Contributors. Authors of accepted articles will be asked to assign their copyright, under certain conditions, to the *Journal* to help protect their material.

Form of papers. Papers should be written in English and should as far as possible be comprehensible to the non-specialist reader. They should be concise, but without omitting necessary material, and contain sufficient detail to allow repetition of the work. Spelling should be that of the *Concise Oxford Dictionary*, Oxford: Clarendon Press. Exceptions will be indicated during technical editing. Do not hyphenate words at the end of a line unless a hyphen is to appear in the printed text.

Papers should be typed with wide margins on one side of A4 or quarto paper of adequate density and uniform size. Text should be double spaced throughout, including References, Figure legends and Table headings and footnotes. Submit a top copy and two good copies (photocopies or carbon), packed flat. Exceptionally, a single copy may be accepted from outside Europe, but this may cause delays.

Authors should consult a recent issue of the *Journal of Dairy Research* to familiarize themselves with Journal conventions and layout. Attention to these and other details will speed publication.

Layout of papers. The paper should generally be divided as follows. (a) *Cover sheet* should give the title of the article, names of the authors each with one forename, together with their affiliations in any non-Cyrillic European language, a shortened version of the title of not more than 45 letters and spaces suitable as a heading, and the name and address of the author to whom correspondence and proofs should be sent. (b) A *Summary*, preferably not more than 300 words, should encapsulate the whole paper, showing clearly the new knowledge acquired. Individual results are rarely necessary. (c) The introduction, which should not have a heading, should not contain a full review of the literature, but should help the non-specialist to understand why the subject of enquiry is interesting or important, and why the authors have chosen the approach described. (d) The *Experimental or Materials and Methods* section should contain adequate descriptions of procedures or appropriate references; sources of all materials (including address, with post or zip code) and sources or strains of animals, microorganisms and so on should be indicated. (e) *Results* should be as concise as possible, without repetition or inclusion of irrelevant material. Tables and illustrations are expensive, and should be used efficiently. (f) The *Discussion* should not repeat the results but discuss their significance. Refer to existing or accepted knowledge in the present tense and the authors' work in the past tense; the difference in tense should clearly show the authors' contribution. A separate conclusion is not necessary, but authors should summarize their main conclusions briefly. Acknowledgements of financial support, technical assistance and

so on are given in a separate paragraph without heading. It is the responsibility of the authors to ensure that individuals or organizations acknowledged as providing materials or otherwise are willing to be identified. (g) *References. Note.* For some types of paper, other divisions may be preferable.

Short Communications. These should be not more than four printed pages, and should not contain a summary. They are appropriate for brief articles, technical notes or methods. They are refereed in the same way as full papers.

Reviews of Dairy Science. These are normally invited, but the Editors are always interested to receive suggestions for topics, with or without possible authors.

References. References should be given in the text as Brown & Jones (1987) or (Schmidt, 1985; Nakamura *et al.* 1989); the first author with *et al.* is used for papers with three or more authors. Where necessary, papers are distinguished as Lenoir (1988*a*), (Litov *et al.* 1990*a, b*). When several references appear together in the text, cite them in chronological order, and alphabetically within years. The Reference list at the end of the paper, which should begin on a fresh page, is given in strict alphabetical order. Each reference should contain authors' names, with initials (in capitals), the year, the title of the paper, the name of the journal in full, the volume and the page range. Titles of articles originally published in another language should be given in English translation, and this indicated by the use of square brackets. References to books should include the town of publication and the publisher, with volume and edition number where appropriate. Authors should refer to a recent issue for the format of references. (Note that the Journal uses the minimum of punctuation.) Unpublished work should be given in the text (use authors' initials and surname) and not in the Reference list. Authors are reminded that they are responsible for checking references.

Units. SI and metric units should be used whenever possible (see *Quantities, Units, Conversion Factors and Nomenclature in Nutritional and Food Sciences*, 1971. London: The Royal Society, and *Specification for SI units and recommendations for the use of their multiples and of certain other units*. London: British Standard Institution publication BS 5555). Note that, strictly, cm, 100 g and 100 ml do not form the basis of SI units. Until SI units are more widely used, the parallel use of familiar units will be accepted. Solutions should be given in terms of molarity (M), e.g. 0.5 M-H₂SO₄. Preferably give compositions based on mass or volume as (e.g.) mg/l or mg/kg rather than percentage. Normality should not be used. Buffers should be given clearly, e.g. 30 mM-Tris-50 mM-boric acid buffer, pH 8.0.

Microorganisms. The organism should be described unambiguously, with genus, species and subspecies (if any) in italic and strain number or source in roman. Usage should conform to current international rules. Shortened forms or synonyms may be used after the first mention if desired.

Chemical formulae. These should be unambiguous. It is permissible to use symbols for inorganic formulae, e.g. Ca, HCl, but citric acid, biotin.

Enzymes. The recommendations of the International Union of Biochemistry (*Enzyme Nomenclature*, 1984. London: Academic Press) should be followed, and the EC number given where known.

Tables. Tables should be numbered and carry headings enabling them to be understood without reference to the text. If necessary, a phrase such as 'for details of method of analysis, see p. 000' may be used. Any abbreviations should be defined. Each Table should be typed on a separate sheet and not included in the text, but their approximate position should be indicated by a marginal mark: e.g. Table 1 near here. Symbols for footnotes should be in the order: †, ‡, §, ||, ¶, ††, etc. The use of *, **, etc., should be limited to indicating levels of significance.

Illustrations. Line drawings and photographs, which must be originals, should be numbered as Figures in Arabic numerals. Drawings should each be on a separate sheet, not larger overall than those on which the paper is typed, and packed flat. Mounting on heavy board is not desirable. In the presentation of results, curves or lines should not extend beyond the experimental points, which should be indicated, symbols used being, in order: ○, ●, △, ▲, □, ■, ×, +. Scale marks should be on the inside of the axes and should extend beyond the last experimental point. Lines and symbols should be drawn with mechanical aids and not freehand.

Attached to each Figure should be a translucent flyleaf on which should be indicated clearly: title of paper and authors, Figure number, all numerals and lettering intended to appear on the final illustration, in the correct positions relative to the drawing underneath. *There should be no letters or numerals on the drawing or photograph itself.* A technique that may be more convenient to authors is to use a double-sized folded piece of translucent paper, with the drawing on one half and the other acting as flyleaf. Each Figure should be provided with a legend such that with the Figure it is comprehensible without reference to the text. Figure legends should be typed on a separate sheet or sheets beginning Fig. 1.

Photographs should be glossy black and white prints and accompanied by a legend as above. Since the size may be altered in printing, scale bars on the photograph are preferable to magnifications in the legend. Only one copy of each illustration is required, but authors should ensure that photocopies provided with the other copies of the paper are of adequate quality to allow referees to judge their value.

Other nomenclature, symbols, abbreviations and conventions. Authors should consult a current issue for guidance. Useful information on biochemical nomenclature and permitted acronyms can be found in *Biochemical Journal* 169, 11–14 and on nutrient nomenclature in the *British Journal of Nutrition*. If authors use other abbreviations or acronyms, they should be defined at first mention. Always use Arabic numerals with units; otherwise use words for 1–10 and figures for more than 10, e.g. 3 weeks, three cows, 34 sheep, but avoid mixed lists. Time should be given by the 24 h clock, e.g. 14.15, without h or hours.

Statistical treatment. Authors should, where possible, discuss their work with a statistician at an early stage and give attention to sample size. Individual results should not normally be given. The methods of statistical analysis should be clearly described; a suitable reference is adequate. Authors should make it clear whether they are quoting SED, SEM, SD, SE and so on. It is better, both in text and Tables, to quote results as e.g. mean 4.0 (SE 0.5) mg rather than the ambiguous 4.0 ± 0.5 mg. Any statement that two groups of values are different should be supported by the level of significance involved, as a single or range of *P* value: ($P = 0.008$) or ($P < 0.01$). Differences should not be claimed or implied if $P > 0.05$.

Ethics of experiments. Authors are expected to adhere to the relevant codes covering human subjects and the use of animals (*British Medical Journal* (1964) **ii**, 177–178; *Guidelines on the Use of Living Animals in Scientific Investigations*, 1987. London: The Biological Council).

Proofs. Authors will be advised when to expect proofs, which should be returned without delay to Mrs B. Gillian Day, AFRC Institute of Food Research, Earley Gate, Whiteknights Road, Reading RG6 2BZ, UK. Proofs are sent for the correction of any printer's or editorial errors, not for addition of new material or revision of the text. Excessive alteration may have to be disallowed or made at the authors' expense, and may delay publication. Order forms for offprints are sent with proofs and should be returned directly to The University Press, Cambridge.

Nutrition Journals from Cambridge

The British Journal of Nutrition

"Recommended for academic or special libraries supporting programmes in nutrition research."

MAGAZINES FOR LIBRARIES

The *British Journal of Nutrition* publishes original work in all branches of nutrition: clinical and non-clinical human nutrition; the nutrition of farm, domestic and laboratory animals and basic studies of nutrient metabolism. The journal aims to advance nutritional concepts on a sound scientific base and to provide the kind of information needed to make rational decisions on practical nutritional questions.

Volumes 65 & 66 in 1991 (6 issues each year), plus annual supplement *Nutrition Research Reviews*. £205 for UK subscribers, £210 elsewhere, airmail £31.50 extra per year. ISSN 0007-1145

The Proceedings of the Nutrition Society

"...should be on the shelves of major research libraries."

MAGAZINES FOR LIBRARIES

The *Proceedings* contains full versions of papers which The Nutrition Society commission to be read at their Symposia. Invited speakers come from all over the world and the topics of the Symposia cover a wide variety of nutritional fields. Some relate mainly to clinical and human nutrition, others to the nutrition of farm, domestic and other animals while some deal with underlying nutritional principles common to all.

Volume 50 in 1991 (3 issues a year). £90 for UK subscribers, £93 elsewhere, airmail £13 per year extra. ISSN 0029-6651

Nutrition Research Reviews

This annual publication contains authoritative reviews of research on a variety of nutritional problems. Contributors are invited as internationally recognised experts and innovators to provide global reviews of recent research developments in specified areas. Individual topics range widely from those which deal mainly with problems of human nutrition to those which are concerned mainly with the nutrition of domestic and farm animals. A principal objective of *Nutrition Research Reviews* is to encourage the exchange of fundamental ideas between workers whose principal interest and practical concerns may lie in very different nutritional fields.

Volume 4 in 1991 (1 issue per year), £40, airmail £13 per year extra. ISSN 0954-4224.

NB *Nutrition Research Reviews* comes free with a subscription to *The British Journal of Nutrition*.

Further information and sample copies are available from: Journals Marketing Department, Cambridge University Press, FREEPOST*, The Edinburgh Building, Cambridge CB2 1BR, England
TEL: (0223) 325806 or FAX (0223) 315052

(* no postage stamp necessary if posted in UK)

In US & Canada, write to Cambridge University Press, 40 West 20th Street, New York, NY 10011-4211, USA



**Cambridge
Journals**

Agriculture Journals from Cambridge

The Journal of Agricultural Science

Published in six parts a year, this leading journal is concerned with the advance of agriculture and the use of land resources throughout the world. It publishes original scientific work related to strategic and applied studies in all aspects of agricultural science, including agronomy and crop physiology, breeding, genetics and pathology; soil science; animal nutrition, physiology and genetics; and the mathematical and statistical methods used in experimentation and data analysis. The journal also publishes book reviews and invited short reviews of scientific topics of current agricultural relevance.

ISSN 0021-8596

Experimental Agriculture

This quarterly journal publishes the results of analytical research into the agronomy of crops, particularly the food, forage and industrial crops of the warmer regions of the earth. International in scope, it is especially concerned with experimental work conducted in the field and is designed to explain agronomic results in biological and environmental terms. It publishes accounts of new methods of experimental crop production and discussions of problems arising from the rapid expansion of agricultural production. Particular emphasis is placed on papers covering Farming Systems and sustainability in tropical regions.

ISSN 0014-4797



Order Form

Please enter my subscription to:
The Journal of Agricultural Science,
Volumes 116 & 117, 1991 @

£175 for UK subscribers; £184 elsewhere; airmail £29 per year extra

Experimental Agriculture, Volume 27, 1991 @

£68 for UK subscribers; £70 elsewhere; £35 for Tropical Agriculture Association Members; airmail £15 per year extra

I enclose a cheque (payable to Cambridge University Press and drawn against a UK bank)

Please invoice me

Please send me a free sample copy of **The Journal of Agricultural Science/Experimental Agriculture** (institutions only)

Name _____

Address _____

Send to: Journals Marketing Dept.,
Cambridge University Press,
*FREEPOST, The Edinburgh
Building, Cambridge CB2 1BR, UK.
Tel: (0223) 325806 Fax: (0223)
315052 (*No postage stamp
necessary if posted in the UK)

DAR91

JOURNAL OF DAIRY RESEARCH

Volume 59 Number 1 February 1992

CONTENTS

Original articles	Pages
Effect of inclusion of saliva salts in the diet on milk yield and composition in dairy cows M. HADJIPANAYIOTOU, P. ROWLINSON, D. G. HARRISON and D. G. ARMSTRONG	1-9
Trials of a novel mastitis sensor on experimentally infected cows J. R. LAKE, J. E. HILLERTON, B. AMBLER and H. C. WHEELER	11-19
Somatic cell counts in relation to infection status of the goat udder D. KALOGRIDOU-VASSILIADOU, K. MANOLKIDIS and A. TSGOIDA	21-28
Efficiency of cleaning agents for an inorganic membrane after milk ultrafiltration G. DAUFIN, U. MERIN, F.-L. KERHERVE, J.-P. LABBE, A. QUEMERAIS and C. BOUSSER	29-38
Determination of ovine casein heterogeneity using gel electrophoresis and immunochemical techniques L. CHIANESE, R. MAURIELLO, L. MOIO, N. INTORCIA and F. ADDEO	39-47
Effects of long-term deep-freeze storage on the condition of the fat in raw sheep's milk E. C. NEEDS	49-55
Identification of the saturated oxo fatty acids in cheese E. Y. BRECHANY and W. W. CHRISTIE	57-64
Detection of propionic acid bacteria in cheese F. D. DRINAN and T. M. COGAN	65-69
Evidence and characterization of temperate bacteriophage in <i>Streptococcus salivarius</i> subsp. <i>thermophilus</i> St18 D. CARMINATI and G. GIRAFFA	71-79
Effect of recombinant chymosin on ewes' milk coagulation and Manchego cheese characterization M. NUÑEZ, M. MEDINA, P. GAYA, A. M. GUILLEN and M. A. RODRÍGUEZ-MARÍN	81-87
New type of Domiati cheese of potential benefit to people with high blood cholesterol N. A. ABOU-ZEID	89-94
Short communications	
Changes in the fractions of carbohydrates and whey proteins during heat treatment of milk acidified with carbon dioxide A. OLANO, M. M. CALVO, E. TROYANO and L. AMIGO	95-99
Isolation and purification of β -lactoglobulin by mass ion-exchange chromatography G. I. IMAFIDON and K.-F. NG-KWAI-HANG	101-104
SDS-solubilized whole-cell protein patterns of <i>Streptococcus salivarius</i> subsp. <i>thermophilus</i> and <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> isolated from Greek yogurts A. ZOURARI, J. COMMISSAIRE and M. J. DESMAZEAUD	105-109
Esterase activities of cell-free extracts from strains of <i>Lactococcus lactis</i> subsp. <i>lactis</i> isolated from traditional Greek cheese E. TSAKALIDOU, E. ZOIDOU and G. KALANTZOPOULOS	111-113

© Proprietors of *Journal of Dairy Research* 1992
Printed in Great Britain by the University Press, Cambridge