### TEXAS A & M UNIVERSITY RADIOCARBON DATES III

C W LINDAU, W M SACKETT, and C W POAG\*

Department of Oceanography, Texas A&M University College Station, Texas 77843

This date list is composed of the ages of tests of fossil populations of the foraminiferal species, *Amphistegina gibbosa*, and algal nodules collected from submerged banks in the N Gulf of Mexico. A Shipek grab sampler was used to collect the *Amphistegina gibbosa* and a few of the algal nodule samples. Algal nodules from the West Flower Garden Bank were obtained from cores at various intervals as indicated in Sec III.

All samples were acid leached to remove possible surface contaminants. Samples, analyzed using standard procedures (Kim *et al*, 1969; Mathews *et al*, 1972), were counted from 2000 to 3000 minutes. Ages are calculated using a <sup>14</sup>C half-life value of 5568 years and 0.95 of the present day activity of the NBS oxalic acid standard. All ages have also been corrected for the isotopic fractionation occurring in nature. Variations in the isotopic ratio,  $\delta^{13}$ C, are reported as the per mil (‰) deviation from the Chicago PDB Standard. Indicated errors refer to one standard deviation calculated from a statistical analysis of sample, standard and background count rates.

#### ACKNOWLEDGMENTS

We are indebted to S Valastro, University of Texas at Austin, for his assistance in helping us with an interlaboratory check.

### I. INTERLABORATORY CHECK SAMPLE

## TAM-184. West Flower Garden Bank, Gulf of Mexico

 $4200 \pm 150$  $2250 \, \mathrm{BC}$ 

Calcium carbonate tests of fossil Amphistegina gibbosa populations from the West Flower Garden Bank (27° 52′ N, 93° 49′ W), coll from water depth 60m. Dated by Texas Radiocarbon Lab as 4160  $\pm$  110, TX-1769 (S Valastro, written commun).

# II. AMPHISTEGINA GIBBOSA SAMPLES Samples were coll with a shipek grab sampler unless noted otherwise.

| Sample no. | Bank     | Water<br>depth<br>(m) | Location            | δ <sup>13</sup> C<br>(‰) | <sup>14</sup> С date<br>вр (1950)<br>AD/вс |
|------------|----------|-----------------------|---------------------|--------------------------|--|
| TAM-190    | Claypile | 42                    | 28°20′N,<br>94°10′W | +1.1                     | Modern                                     |
| TAM-212    | WFG**    | 60                    | 27°52′N,<br>93°49′W | +1.2                     | $4200 \pm 150$<br>2250  BC                 |

<sup>\*</sup> Present address: US Geological Survey, Woods Hole Oceanographic Institution, Woods Hole, Massachusetts 02543.

<sup>\*\*</sup> West Flower Garden

| Sample  |           | Water |          | δ <sup>13</sup> C | <sup>14</sup> C date |
|---------|-----------|-------|----------|-------------------|----------------------|
| Sample  | Bank      | depth | Tantin   | • -               | вр (1950)            |
| no.     | Бапк      | (m)   | Location | (%0)              | AD/BC                |
| TAM-186 |           | 60    | 28°38′N, | +0.9              | $4780 \pm 130$       |
|         |           |       | 89°33′W  |                   | $2830 \; \text{BC}$  |
| TAM-191 |           | 65-70 | 27°58′N, | +0.6              | $3690 \pm 120$       |
|         |           |       | 92°23′W  |                   | $1740~\mathrm{BC}$   |
| TAM-201 | Flying    | 71    | 27°58′N, | +0.8              | $3990 \pm 130$       |
|         | Dutchman  |       | 92°02′W  |                   | 2040 вс              |
| TAM-193 | Applebaum | 77    | 27°50′N, | +0.7              | 3830 + 120           |
|         |           |       | 94°15′W  |                   | 1880 вс              |
| TAM-195 | WFG       | 77    | 27°52′N, | +0.1              | $6370 \pm 170$       |
|         |           |       | 93°49′W  |                   | 4420 вс              |
| TAM-188 | WFG       | 77    | 27°52′N, | +0.5              | $7490 \pm 150$       |
|         |           |       | 93°49′W  |                   | $5540~\mathrm{BC}$   |
| TAM-197 | WFG       | 86    | 27°52′N, | +1.1              | $2540 \pm 110$       |
|         |           |       | 93°49′W  |                   | 590 вс               |
| TAM-199 |           | 87    | 28°01′N, | +1.1              | $3690 \pm 110$       |
|         |           |       | 92°28′W  |                   | 1740 вс              |
| TAM-192 | WFG       | 86    | 27°52′N, | +1.0              | $11,830 \pm 490$     |
|         |           |       | 93°49′W  |                   | 9880 вс              |
| TAM-200 | WFG       | 86    | 27°52′N, | +1.0              | $14,790 \pm 650$     |
|         |           |       | 93°49′W  |                   | 12,840 вс            |
| TAM-196 | WFG       | 95    | 27°52′N, | +1.0              | $6220 \pm 110$       |
|         |           |       | 93°49′W  |                   | 4270 вс              |
| TAM-211 | WFG       | 105   | 27°52′N, | +0.9              | $7140 \pm 160$       |
|         |           |       | 93°49′W  |                   | 5190 вс              |
| TAM-187 | Sweet     | 132   | 27°51′N, | +1.0              | $12,570 \pm 510$     |
|         |           |       | 91°49′W  |                   | 10,620 вс            |
| TAM-189 | Phleger   | 190   | 27°50′N, | +0.9              | $13,490 \pm 560$     |
|         |           |       | 91°54′W  |                   | 11,540 вс            |

### III. ALGAL NODULE SAMPLES

| Sample no. | Bank | Water<br>depth<br>(m) | Location | δ <sup>13</sup> C<br>(‰) | <sup>14</sup> С date<br>вр (1950)<br>AD/вс |
|------------|------|-----------------------|----------|--------------------------|--|
| TAM-209    |      | 53                    | 28°06′N, | +1.3                     | $1190 \pm 120$                             |
|            |      |                       | 91°02W   |                          | <b>ad</b> 760                              |
| TAM-203    |      | 62                    | 28°03′N, | -33.9*                   | $17,920 \pm 710$                           |
|            |      |                       | 92°28′W  |                          | 15,970 вс                                  |
| TAM-213    |      | 90                    | 28°03′N, | -0.5                     | $11,360 \pm 250$                           |
|            |      |                       | 92°28′W  |                          | 9410 вс                                    |

| Sample         |           | Water<br>depth |          | δ <sup>13</sup> C | <sup>14</sup> С date<br>вр (1950) |
|----------------|-----------|----------------|----------|-------------------|-----------------------------------|
| no.            | Bank      | (m)            | Location | (%0)              | AD/BC                             |
| TAM-208        | WFG core  | 91             | 27°52′N, | -4.1              | $19,300 \pm 440$                  |
|                | 45-55cm   |                | 93°49′W  |                   | 17,350 вс                         |
| TAM-207        | WFG core  | 91             | 27°52′N, | -18.6             | $16,970 \pm 380$                  |
|                | 145-155cm |                | 93°49′W  |                   | $15,020 \; \mathrm{BC}$           |
| TAM-206        | Alaminos  | 115            | 28°01′N, | +1.1              | $10,470 \pm 260$                  |
|                |           |                | 91°46′W  |                   | 8520 вс                           |
| TAM-210        | Sweet     | 140            | 27°51′N, | +0.7              | $10,000 \pm 200$                  |
|                |           |                | 91°49′W  |                   | $8050 \; \text{BC}$               |
| TAM-219        | WFG core  | 119            | 27°52′N, | +2.1              | $28,780 \pm 1500$                 |
|                | 510-520cm |                | 93°49′W  |                   | 26,830 вс                         |
| TAM-220        | WFG core  | 82             | 27°52′N, |                   | >30,000                           |
|                | 140-150cm |                | 93°49′W  |                   |                                   |
| TAM-221        | WFG core  | 64             | 27°52′N, | +2.7              | Modern                            |
|                | top       |                | 93°49′W  |                   |                                   |
| TAM-223        | WFG core  | 119            | 27°52′N, |                   | $24,700 \pm 1950$                 |
|                | 55-65cm   |                | 93°49′W  |                   | 22,750 вс                         |
| TAM-224        | WFG core  | 81             | 27°52′N, | +2.9              | $26,870 \pm 1100$                 |
|                | 250-260cm |                | 93°49′W  |                   | 24,920 вс                         |
| <b>TAM-225</b> | WFG core  | 82             | 27°52′N  | +3.1              | $1970 \pm 110$                    |
|                | top       |                | 93°49′W  |                   | 20 вс                             |

<sup>\*</sup> Sample enriched with iron.

### REFERENCES

Kim, S M, Ruch, R R, and Kempton, J P, 1969, Radiocarbon dating at the Illinois Geological Survey: Illinois State Geol Survey Environmental Geol Note 28, p 1-19.
Mathews, T D, Fredericks, A D, and Sackett, W M, 1972, Texas A&M University radiocarbon dates II: Radiocarbon, v 14, p. 452-455.