APPLICATION FOR FFPS MEMBERSHIP Please complete in block letters
Name Title
Address
Membership categories (tick appropriate box) Standard £20 ☐ Family £25 ☐ Concessionary (senior citizen, unwaged, student*) ☐ £12 Benefactor £35 ☐ Associate (no Oryx) £10 ☐ Life £1000 ☐ Airmail despatch (see inside cover for standard despatch details) £7.50 ☐ *If student please give date you expect to finish studies
METHODS OF PAYMENT
1. CHEQUE/ POSTAL OR MONEY ORDER/ GIRO CREDIT (Currency: £ sterling only)
I enclose £
2. CREDIT CARD (AMERICAN EXPRESS OR VISA - ONLY FOR OVERSEAS PAYMENTS)
Name of card holder
Card No. Expiry date
3. BANKER'S ORDER Please send to the FFPS, not to your bank.
Name Account No. Bank Sort Code
Name and address of bank Please pay for the credit of Fauna and Flora Preservation Society, Account No. 60336130, Barclays Bank plc (20–12–75), 139/142 North Street, Brighton BN1 1RU my subscription of £ due on and the same amount on the same day each year until further notice. Signature This cancels any previous order in favour of the FFPS.
DEED OF COVENANT
If you pay income tax in the UK you can greatly increase the value of your subscription to the FFPS, at no additional cost to yourself, by signing this Deed of Covenant. I (full name) of
hereby covenant with the Fauna and Flora Preservation Society, whose office is 1 Kensington Gore London SW7 2AR, that for a period of four years from the date hereof, or until my death (whichever shall be the shorter period) I will pay annually to the said Society from the



Geographical Population Analysis

Methods in Ecology Series
Brian A Maurer

Conservation biology has emerged as one of the most important areas of ecology; using concepts from traditional resource management and modern population biology to preserve biological diversity. In order to really understand the problems of decreasing diversity and the solutions to maintaining it, the attention of ecologists must be focussed on larger spatial and temporal scales than they are traditionally used to. The book discusses methods and statistical techniques that can be used to analyze spatial patterns in geographic populations. These techniques incorporate ideas from fractal geometry to develop measures of geographic range fragmentation, and can be used to ask questions regarding the conservation of biodiversity.

- full description of statistical methods
- uses innovative fractal geometry
- applications in the conservation of biodiversity

1994 . 144 pages . 35 illustrations . Paperback . £18.95 . 0632037415

Order Form
Please send me copy/ies of Geographical Population Analysis @ £18.95 plus £1.75 postage and packing
I enclose a cheque for £ (made payable to Marston Book Services)
Please debit my AMEX/Diners Card/Eurocard/Mastercard/Visa
card number
expiry date with the sum of £
Signature Date
Name
Address
Please return to Anna Rivers at the address below:



Blackwell Scientific Publications, Osney Mead, Oxford OX20EL, UK Tel: +44 865 206206 Fax: +44 865 721205

ORYX: NOTES FOR CONTRIBUTORS

General *Oryx* publishes original articles and reports dealing with the conservation of species and habitats world-wide, with particular emphasis on those that are endangered. All submissions are reviewed by at least two referees. It is helpful if authors suggest at least one referee who is qualified to judge the work objectively.

Submissions should be sent to the Editor, FFPS, 1 Kensington Gore, London SW7 2AR.

After acceptance papers may be edited to enhance clarity. Where major changes have been made edited manuscripts are returned to authors before type-setting. Page proofs are sent to all authors for approval before going to press. Contributors receive two free copies of the journal and will be entitled to buy additional copies at £2.00 each, post free. Offprints may be ordered at cost price.

Contributions should be concise but informative, normally in English. Articles should be as short as possible, preferably under 2500 words, and very short articles are acceptable.

Manuscripts should be typed on one side only and double-spaced on A4 paper (208x298 mm). The left-hand margin must be at least 40 mm wide. Two copies should be submitted and authors are also invited to submit papers on disk (IBM compatible or Apple format).

Footnotes should be avoided but, if necessary, should be indicated with asterisks in the text. The author's name and postal address should follow any acknowledgments and references at the end of the article.

References in the text should give the author's name with the year of publication in parentheses. The reference list should be in alphabetical

order and include the full article title.

References should be given according to the abbreviations in the World List of Scientific Periodicals. Thus:

Aveling, C. and Harcourt, A.H. 1984. A census of the Virunga gorillas. *Oryx*, **18**, 8–13.

Hartshorn, M.G. 1983. Wildlife conservation in Central America. In: *Tropical Rain Forest: Ecology and Management* (eds S. L. Sutton, T. C. Whitmore and A. C. Chadwick), pp. 421–423. Blackwell Scientific Publications, Oxford.

Illustrations are welcomed and ideally should be glossy, black-and-white whole-plate prints. Good colour slides are acceptable if black-andwhite photographs are not available.

Line drawings and maps should be in black ink on strong white or translucent paper. Lettering on maps and figures should be sent on a separate copy of the figure along with the unlabelled original.

Captions for figures should be typed consecutively on a separate sheet.

Tables. Each table should be self-explanatory and typed on a separate sheet with an appropriate caption.

Scientific names should be underlined and not placed in parentheses. Species' names should follow a checklist, which should be mentioned in a covering letter where there is a risk of confusion.

The first time a species is mentioned its scientific name should be given. English names should be in lower case throughout except where they incorporate a proper name.



Volume 28 Number 3 July 1994

Contents

Editorial 141

News and Views 142

- New hope for Queen Alexandra's birdwing Another new mammal discovered in Vietnam Turtle eggs as a sustainable natural resource Community management of wildlife in Botswana Partulidae in crisis Elephant management in Zimbabwe turning a liability into an asset
- The Nile crocodile in Zimbabwe a case of sustainable use
- Rhino dehorning in Zimbabwe is it working?

Briefly 149

Can wildlife pay its way? *S. K. Eltringham* **163**

Butterfly ranching: sustainable use of insects and sustainable benefit to habitats

T. R. New 169

Estimation of land-use changes on Kitulo Plateau, Tanzania, using satellite imagery *Jon C. Lovett and Erik Prins* 173

Endangered primates in the Selous Game Reserve and an imminent threat to their habitat Barbara S. Decker 183

A last chance for Kutai National Park – local industry support for conservation

Kathy MacKinnon, Alan Irving and Memet A. Bachruddin 191

The barasingha, or swamp deer, in Suklaphanta Wildlife Reserve, Nepal

J. Henshaw 199

The amphibians of Ranomafana rain forest, Madagascar – preliminary community analysis and conservation considerations

Franco Andreone 207



0030-6053(199407)28:3:1-Z

Cover
Humpback whale
Megaptera novaeangliae
(Jeff Foott Productions/Bruce Coleman Ltd)



Blackwell Scientific Publications

OXFORD LONDON EDINBURGH BOSTON

MELBOURNE PARIS BERLIN VIENNA

Typesetting and composition by J. Morris Printed by Eyre and Spottiswoode, Margate