
ADVERTISING 2009

Display Recruitment Advertising

INFECTION CONTROL & Hospital Epidemiology



2009 Advertising Rates:

Full Page	7 3/4" x 10 3/8"	\$730*
Vert Half	3 1/2" x 10 3/8"	\$560*
Hori Half	7 3/4" x 5 3/16"	\$560*
Trim Size	8 1/4" x 10 7/8"	

*denotes net rate, noncommissionable.

Rates apply to Recruitment Advertising only. Additional \$50 to typeset/design half page ad; \$100 for full page ad.

2009 Advertising Deadlines:

Issue
January
February
March
April
May
June
July
August
September
October
November
December

Space & Art December 3 January 5 January 30 March 3 March 30 May 1 May 28 July 2 July 31 September 3 October 1 October 29


For recruitment as well as commercial advertising information please email Carmela Barhany at cbarhany@press.uchicago.edu; phone 773.702.3120; fax 773.702.0172.

*Please note: Commercial Advertising rates apply to Conference and Publisher Advertising



(10.1017/50195941700028150 Published online by Cambridge University P

THE UNIVERSITY OF CHICAGO PRESS JOURNALS DIVISION



Gain the Attention of Infectious Disease Professionals Across the Spectrum

Clinical Infectious Diseases

The most influential Infectious Diseases Journal with a focus on clinical practice

The Journal of Infectious Diseases

Reach the Most Influential Readers in Infectious Disease Research

Infection Control and Hospital Epidemiology

Reach Key Decision Makers from Physicians to Hospital Administrators

Contact Carmela Barhany • (773) 702-3120 • <u>cbarhany@press.uchicago.edu</u> The University of Chicago Press • <u>www.journals.uchicago.edu</u>


The Society for Healthcare Epidemiology of America

11-1

The Infectious Diseases Society of America

Tegaderm CHG Chlorhexidine Gluconate IV Securement Dressing

See the Evidence for Yourself



Proven more effective than BioPatch® at reducing skin flora on healthy volunteers for up to 10 days.

The *only* transparent IV site dressing integrated with a CHG gel pad proven to reduce skin flora better than BioPatch[®].

You know reducing skin flora at the catheter insertion site helps to reduce or prevent CRBSIs. The CDC recommends transparent dressings and the use of CHG to reduce skin flora at the IV site. In studies, 3M^{TT} Tegaderm^{TT} CHG was proven to be:

- As effective as, or better than BioPatch^{*}, at reducing skin flora on healthy volunteers for up to 10 days'
- More effective than BioPatch* at preventing re-growth of skin flora on healthy volunteers at 7 days'
- Statistically better than BioPatch[®] in overall performance, ease of applying correctly, and ability to the see IV site—as rated by 12 out of 12 clinicians²

Tegaderm[™] CHG is the *only* transparent IV site dressing integrated with a CHG gel pad proven to reduce skin flora, a leading cause of CRBSIs.*

Visit www.3M.com/tegadermchg to see the evidence for yourself.

*3M" Tegaderm" CHG Dressing has not been studied in a randomized, controlled trial as to its effectiveness in preventing CRBSIs.
1 Maki, DG (2008) A Novel Integrated Chlorhexidine-Impregnated Transparent Dressing for Prevention of Vascular Catheter-related Bloodstream Infection: A Prospective Comparative Study in Healthy Volunteers. The Society for Healthcare Epidemiology of America April 2008.
2 Eyberg C., Pyrek, J (2008). A Controlled Randomized Prospective Comparative Pilot Study to Evaluate the Ease of Use of a Transparent Chlorhexidine Gluconate Gel Dressing Versus A Chlorhexidine Gluconate Disk in Healthy Volunteers JAVA p112-117 Vol 13 No 3 I 2008.
© 2009 3M. 3M and Tegaderm are trademarks of 3M. BioPatch is a registered trademark of ETHICON, INC.

