

SUBJECT INDEX

- A
- Absolute magnitudes 13, 20, 91
 cluster main sequence fitting 147
 Geneva photometric system 277, 280
 giant branch 14
 K giants 431
 LMC OB stars 259
 luminosity classification and calibration 5, 49, 259-60, 421, 429, 433
 M giants 34, 431
 O stars 6
 photometric 101, 109, 293, 298-9
 solar 89
 statistical parallaxes 49, 52-3, 393
 trigonometric parallaxes 79, 98, 101, 130, 313, 319
 white dwarfs 122, 133-6
 WN 7 stars 369
 Abundance barium 163, 195
 169-72, 206, 396-7, 405
 CH 159, 396
 CN 159, 396, 398, 405
 CNO 167-8, 173-6, 178, 180-1, 202, 206, 223, 225, 227, 269, 273, 335-6, 338, 369, 396-7 400-1, 405
 calcium 168, 182, 185, 193
 carbon 159, 173, 204, 363, 374
 helium 12, 52, 113, 124, 126, 151-2, 154, 164, 173-6, 178, 180-1, 183, 190, 193, 220-2, 225, 235, 237, 240, 269, 273, 314-16, 321-2, 334-6, 343-5, 364, 369, 372, 374-8, 381, 392, 396-7, 399, 401, 403, 406, 433, 434-6
 hydrogen 257, 339, 369, 374
 iron 286, 384-5, 396-7, 400
 iron peak 17, 19, 158-9, 167-8, 181, 206, 273-4, 396-7, 406
 metal abundance (including heavy elements) 9, 22, 34, 36-9, 50, 53, 89, 101, 107, 109, 111-2, 124, 145, 147, 151-2, 154, 158-9, 161, 164-6, 168, 169, 170-82, 184-90, 192-4, 205-6, 209, 215, 219-20, 225-6, 230, 233-4, 240-1,
 Abundance (cont'd) metal (cont'd) 248, 269-70, 273, 280, 285, 297, 299, 313-7, 319-21, 334, 345-6, 359, 375-9, 396-8, 400-1, 405, 423, 426, 434-5, 445, 452
 metallicity and cluster age 164-5, 170, 177-8, 314, 316-7, 396, 405
 metallicity and galacto-centric distance 164-6, 177-9, 182, 396, 398, 405
 metallicity - [Fe/H] 37, 89, 164-5, 170-3, 176-82, 184-90, 192, 194, 209, 269-70, 280, 299, 313-6, 319-20, 397-8, 400, 405, 434
 metallicity - Preston's ΔS 50, 53-7, 168, 185, 187, 233-6, 394
 nitrogen 8, 12, 128, 168, 200-1, 204, 227, 352, 363, 380, 392, 397, 403, 405
 primordial, in clusters 164, 166-7, 178, 195, 202-3, 205-6, 218, 348, 406
 silicon 286
 sodium 22
 strontium 397, 406
 titanium 22
 Age 163
 Alpha process 167, 397
 Amplitude 66
 interferometry 405
 Anglo-Australian Telescope 65-9, 76, 281-2, 284, 400, 447, 448-9
 Arecibo Observatory 257
 Arnett type supernova 375
 Arp pairs 253
 Atmosphere, model calculations 209, 219-20, 229, 294, 381, 443-4
 Bell and Gustafsson 379-80, 403
 Johnson, H.R. 381
 Kurucz 209, 219-20, 229, 294, 381, 443-4
 Lambert and Luck 381
 Mihalas 219
 Mould 112, 405, 454
 Osmer and Peterson 219
 Peytremann 294
 Tsuji 390
 Auer-van Blerkom effect 372

B

Baade's Field IV

Baade's window

Balmer

continuum

jump

lines

emission in
strength of

series

progression

Blanketing, line

Blocking, band

Blocking, line

Bolometric, correction

scales

Boltzman plasma

Brashear spectrograph

Bruce survey

C

CN bands

CNO processing

Calcium II, H and K
linesCalibration
absolute

Carbon burning

Carnegie image tube

Carson opacities

Cepheids

mass discrepancy
period radius

relation

pulsation modes

Cerro Celán Observatory

Cerro Tololo Inter-

American Observatory

Chandrasekhar limiting

mass

Chromospheres, stellar

265

33

134, 139, 141, 395
30-1, 69, 113, 141,
321, 329, 4436, 30, 88, 90, 128,
134, 136, 156, 158,
185, 259, 371-221, 88
6, 30-1, 89-90, 128,
134, 136, 145, 158,
185, 193, 259-60, 369-
72, 443

369-70

371-2

42, 48, 90, 109, 132,

220, 229-30, 233, 240,

285, 388, 403-5, 439

112

10, 22, 107, 132, 380,

388, 405

20, 65, 66-74, 111-2,

194, 223, 319, 379

325

418

63, 418

36, 158, 164, 166,
180, 197, 199, 205-6,
227, 423, 453

8, 200-2, 204-5, 364,

369, 380, 397, 403

main sequence
fitting

membership NGC 6231

NGC 6475 old disk

open Coma stars

Hyades Pleiades stars

stars Praesepe stars

stars Color luminosity

diagram Convective

core envelope

instability criter- ion

Copenhagen Observatory

Crystallization

sequence Curve-of-growth

C (cont'd)

Clusters

ages

age spreads, in

young

associations

Ara OB1

globular

156, 249, 276, 317-8,
344, 353, 396, 413
156-7, 163, 164-6, 173,
178, 225, 269, 317,
338, 345-6, 398

4, 353

139, 353

143

163-4, 166-7, 169-72,
173, 175-7, 183-4, 188,
195, 202, 209, 223,
247, 269, 271, 273,
317, 330, 335-6, 344-7,
380, 396-7, 413, 434

Omega Centauri

color gradient

evolution of stars

evolution of inte-

gated colors

halo

morphology of HR

diagrams

47 Tuc

Hyades

c₁ anomaly

convergent point

solution

sequences in HR

diagrams

stars

main sequence

fitting

membership

NGC 6231

NGC 6475

old disk

open

Coma stars

Hyades Pleiades

stars stars

Praesepe stars

stars Color luminosity

diagram Convective

core envelope

instability criter- ion

Copenhagen Observatory

Crystallization

sequence Curve-of-growth

147, 154, 260, 317,
396, 429

40, 129, 369, 441

147

159

163

145, 155, 159, 441

89, 159

89-90

see Clusters, Hyades

146, 154

247

158

351, 357

339, 350, 352-3, 360

353, 357-60, 364, 402

384

<u>D</u>		<u>G</u> (cont'd)	
Damping	380, 403	Galactic rotation	55, 144, 430
Degeneracy	334-5, 350, 357	Galaxies	177 ages
Diffusion	9, 128, 155-6, 375	classification	247
Distance scale	<u>53</u>	Hubble sequence	247, 252
Distance moduli		van den Bergh	252
clusters	145, 279	Yerkes	252
Coma cluster	279	coalescence	257
galactic center	56	colors	250-2, 254, 257, <u>345</u> , 347
Hyades cluster	40, 45, 89, 136, 146, 148, <u>151</u> , 152-4, 164, 232, <u>260</u> , 262, 277-8, 282, 396	in color magnitude diagrams	257, 399
LMC	56, 259, 262	dwarf, morphology of	
Magellanic clouds	34	HR diagram	265, 269
NGC 752, 6475, 7092	279	evolution	<u>247</u> , 255, <u>345</u> , 347
Pleiades cluster	260-1, 279	formation	252
Praesepe cluster	<u>277</u> , 278-9	HR diagram	<u>247</u> , <u>263</u>
SMC	56, 262	initial mass function	
Scorpio Centaurus association	262	(IMF)	248-50, 345, 378, 399, 402
Ursa Minor dwarf galaxy	270	integrated properties	247-55, 257, 333, 345, 347, 399, 402
Dominion Astrophysical Observatory	48	luminosity evolution	348
Doppler broadening velocity	380-1, 403	M/L	348
Draper catalogue	94	metallicity	247-52, 255
Draper stars	91, 394	metallicity gradients	252
<u>E</u>		Milky Way	see Milky Way in Object Index
Eclipsing binary	283, <u>433</u>	star formation rate	
evolutionary tracks	see HR diagram	(SFR)	249-51, 399
Eddington flux	117	stellar age distrib-	
Eddington-Sweet currents	327	ution	248, 255
Effective temperatures	<u>65</u>	tidal disruption	257, 274
Ekman Layer	327	types	
Energy distribution,		anemic spirals	253, 400
stellar	67, 69, 117-9, 126, 139, 220, 394, 423, 426, 444	cD disk	257
European Southern Observatory	50, 423, 433	disk	254
Evolution		dwarf	177, 182, 400
cluster	<u>225</u>	dwarf ellipticals	269
galactic	<u>247</u>	elliptical	247, 249-54, 257, <u>345</u> , 347, 399
stellar	<u>323</u> , <u>333</u> , <u>349</u> , <u>357</u> , <u>369</u>	extreme dwarf	251
<u>F</u>		interacting	253-4, 257
Fermi interaction	352	irregular	247, 257
Fernie-Hube distance		ring	253
scale	282	S0	250, 252, 254, 257, 399-400
Flares, stellar	283	spiral	247, 250-3, 257, 399
Fourier techniques	23	Gliese's catalogue	438
<u>G</u>		Gradient, ultraviolet	140-1
Galactic chemical evolution	375-8	<u>H</u>	
Galactic halo	53, 269	HR diagram	
Galactic kinematic model	49	Branches or sequences in	
		asymptotic branch	196-9, 341, 346, 397- 8, 406
		Cepheid instability	
		strip	20, 231, 237
		degenerate	63, 86, 101, <u>121</u> , 129, 131, <u>133</u> , <u>437</u>
		giant branch	3, 16, 119, 168, 190, 195-9, 205-6, 218, 228,

H (cont'd)

HR diagram (cont'd)

- 248, 273, 329, 333-9,
343, 346, 360, 397-8,
401
horizontal branch 190, 195-9, 216, 218,
228, 235-6, 269-71,
328, 333, 335, 341,
343, 346, 348, 397-8
main sequence 101, 130-1, 140, 147-
8, 151-4, 163, 226,
228, 328, 333 378, 396,
402, 405, 423
RR Lyrae instability
strip (gap) 57, 180, 220-1, 270,
344, 398, 400
subdwarf 129
subgiant 380, 397, 491
subluminous 132
supergiant 359-65, 368, 402
T zams 151-3
turnoff 248-9, 334, 336-8, 396-
7, 399
Zero age horizontal
branch 194, 221, 222-4, 228,
238, 328, 334
ZAMS 4, 107, 112, 151-4,
156, 163, 211-12, 313-
4, 321, 329, 333, 396,
416, 427, 429, 445
comparison of theo-
retical and obser-
vational 216-7, 313, 314-6, 387
cooler stars 13
evolutionary tracks 190, 209, 235, 267,
313, 333, 344, 356;
359
figures forms of observa-
tional 16, 18, 44-6, 82-5,
92-3, 96, 102, 106,
108, 110, 113, 149,
164-5, 170, 184, 189,
270, 283, 313, 315,
321, 417
forms of theore-
tical 122, 134-5, 151, 189,
216-7, 222, 224, 232,
239, 304, 308, 313,
315, 321, 328, 336-8,
342
funneling effect in
giant region 383, 387
intrinsic dispersion
giant branch 14, 168, 183-4, 188,
192, 204, 205, 218,
393, 398, 406
horizontal branch 218, 225-7, 398-9, 406,
39, 41, 80-1, 147, 362-
3, 393
isochrones 164, 215, 313, 333,
344-5, 441
- H (cont'd)
- HR diagram (cont'd)
lifetime
horizontal branch 335, 341, 343, 402
main sequence 357
loops in 356, 359
morphology
giant branch 177, 183, 205, 339,
346, 397, 401
horizontal branch 173, 176-8, 181, 221,
225, 269-71, 336, 341,
346, 397-8
subgiant branch 180-1
nearby stars 79, 82-7, 94, 96, 394
new kind 281
second parameter
in globular
clusters 173, 225, 398
slope of sequence 42, 105, 154
star density in 13, 91-3, 96, 101, 155,
195
statistical 13, 15, 17, 39, 40, 43-
6, 63, 79, 81-6, 91,
92-4, 96-7, 101, 102-13,
394
supergiant blue/red 264, 349
ratio 5, 392
upper left of 59, 86, 112
Hale Observatories Hamada-Salpeter mass-
radius relation 122
Hamburg-Cleveland survey 30, 32
Hanbury Brown angular diameters 66
Hauck Mermilliod catalogue 445
Hayashi track, line 36, 304-5, 360-1, 364-
5, 368, 387
Hayes Latham flux 118
calibration 307-8, 362
Hejlesen models 157, 267, 334, 349-50,
357, 359-61, 363-5,
369, 373-4, 385
Helium burning, core 202, 336, 341, 397, 401
core flash 157
shell 202, 356, 397
shell flash 307-8, 362
Henyey determinant 427
Herbig emission stars Hess diagram 13
Hoag Prism 37
Horizontal branch see HR diagram
Horizontal branch, zero-age (ZAHB) 221, 328, 334
Horizontal branch 220-1, 225, 235
stars 219
blue metal-rich 406
masses 247, 252
Hubble sequence

H (cont'd)

	<u>M</u>
Hydrogen burning	204, 350, 352, 357, 359-64, 369, 372, 374, 378, 385, 397, 401, 405-406
I	
Initial mass function, stellar	123, 202, 345-6, 378
Interstellar extinction	50, 55-6, 65, 126, 145, 281, 289-90, 319, 380, 400, 403, 424-7
Interstellar lines	24
Interstellar reddening	25, 30, 55, 126, 140, 145, 163, 212, 229-30, 233, 250, 266, 293-5, 299, 400, 445, 452
K	
K line photometry	161
Kavalur Observatory	25-6
Kelvin-Helmholz time scale	326
Kitt Peak National Observatory	4, 155, 173, 175, 177, 209, 270
L	
LTE	380
non-LTE	383, 386
Landau-diamagnetic susceptibility	325
Landolt-Börnstein tables	91
Late evolutionary phase stars	349
Ledoux criterion	267, 364, 402
Leiden Observatory	40
Leiden Southern Station	229
Lick Observatory	103, 107, 116, 154, 417
Lick proper motion	154
Limb darkening	65-7, 284
Line blanketing	48, 229
Line blocking	10, 22, 48, 132
Log g diagram	209, 443
Log Teff diagram	209, 313, 443
Long-period variables	
18 cm OH maser emission	36
Lowell Observatory	67, 101, 419
Luminosity calibration function	259 429
Lunar occultation	64, 143, 319, 335, 340, 344-5, 401-2, 437
Lunar Planetary Lab	419
Lutz Kelker correction	41, 116
Luyten surveys	63, 103
Luyten catalogue	440
Lyman continuum	65-6, 69
Macroturbulence	
Magellanic Clouds	
distance modulus	259, 262
large	25, 259
metal deficiency	9
Magellanic plane	269, 271
Magnetic fields, stellar	323, 324-7, 329-30, 401
Mass	117
Mass loss	8-10, 20, 119, 123, 193, 225, 226, 228, 248, 255, 267, 329, 345-6, 348, 352, 354, 356-7, 363-5, 370, 374, 376, 378, 392, 394, 398, 402-3, 8-10, 369, 374, 392
Mass exchange (incl. mass transfer)	
Mass luminosity relation	231, 238
Mauna Kea Observatory	157
Maximum likelihood, principle of	49, 52-3, 55, 241
McCormick objective prism survey	438
McDonald Observatory	417-8
Mengel-Gross models	228
Mestel cooling relation	439
Metal abundance	167, 169
Metal poor	273
Metallicity	
and age	170, 316, 396, 405
and galacto-centric distance	165, 177, 182, 396
[Fe/H]	398, 405
Micelson-Pease angular diameters	37, 89, 164, 170, 172
Michigan Spectral Catalogue	-3, 176-7, 184, 209,
Microturbulence	270, 280, 299, 315,
Milky Way Galaxy	319, 397, 405, 434
anticenter	50, 168, 185
center	
nuclear bulge	
Mixing	
Michelson-Pease angular diameters	66
Michigan Spectral Catalogue	91
Microturbulence	230, 383, 384-6, 390, 403
Milky Way Galaxy	
anticenter	37, 53
center	53, 56-7, 394, 413
nuclear bulge	34, 37-8
Mixing	9, 157, 167, 169, 178, 195, 198, 201, 204-6, 218, 248, 255, 323, 352, 357-8, 364, 375, 392, 397-8, 401-2

M (cont'd)

- Mixing length 153, 338, 344, 359, 361, 378, 396, 401, 405
- Morphology 173, 221
- Morton Adams ZAMS 4
- Mount Hopkins Obs. 423
- Mount Stromlo Obs. 144, 196
- Mount Wilson Obs. 209
- Mount Wilson system 430-1
- N
- Neon burning 351
- Neutrino energy losses 267, 341, 351-2, 375, 401-2
- Novae 262, 283
- Nuclear reaction rates 375
- Nucleosynthesis 135, 167, 178, 323, 325, 328, 349-52, 354, 375, 376-8, 402
- O
- Objective prism spectra 29
- Oblique rotator model 9
- Opacity 146, 237, 359, 362, 368, 381, 386, 396, 402, 405
- P
- Palomar Observatory 67, 390
- Palomar survey 63, 103, 269, 438-9
- Parallax
- photometric 79, 191, 400, 413
 - spectroscopic 13, 23, 393
 - statistical 49, 53, 57, 191, 235, 393, 429, 430-32
- trigonometric 13-4, 39, 41, 64, 79, 81-4, 88, 98, 101-4, 107, 116, 120, 122, 129-31, 133-4, 136, 154, 261, 276-7, 280, 313, 317, 319, 393-4, 413, 417, 419, 429, 431
- trigonometric - statistical corrections 14, 41, 80, 107, 116
- Parkes Observatory 36
- Paschen continuum 134
- Perseus arm 265
- Photometric systems
- Barbier-Morguleff 285
 - CO band 173
 - DDO 163-4, 196-7, 202, 398
 - Geneva 277, 280, 285-6, 299-
 - 300, 319-22, 400-1, 426
 - H beta 434
 - HD mag. 94-5, 98
 - Mendoza $\alpha(16) \lambda(9)$ 289-90
- Photometric systems (cont'd)
- multicolor 319
 - multichannel spectro- photometer 86, 101, 124
 - narrow band 451
 - Piccirillo eight color 411
 - RI 22, 39, 41, 103
 - spectrum scanner 120, 139, 423-6
 - six-color Stebbins and Whitford 69, 433-4, 443, 444-5
 - Strömgren four-color 50-1, 103, 112, 122-4, 134, 140-1, 145, 161-2, 209-15, 219, 285, 398, 421
 - thirteen color- Johnson and Mitchell 289
 - UVB 29, 40, 69, 86, 103, 121-2, 163-4, 196, 198, 205, 250-2, 254, 276, 389-99, 406
 - UVB plus infrared (UBVr, UVBRI, UVBRIJK, etc.) 22, 33-4, 39, 41, 66-7, 111, 143, 270, 282, 289, 393, 400, 427
 - ultraviolet satellite 66, 76, 112, 125, 126-8, 286
 - Vilnius 293-5, 297-300, 400
 - VILGEN 300
 - Walraven 229-31, 381, 399
 - Washington broad-band 177, 180, 182
 - Wickramasinghe and Strittmatter 133, 136
 - Wing and White eight color 451-3
 - Pleiades distance modulus 260-1, 279
 - Population halo 14, 21, 22, 43, 105, 107, 163, 345, 406
 - integrated colors 248, 345
 - metal poor 345
 - old disk 14, 21-2, 43, 105, 107, 454
 - stellar 33, 43, 57, 101, 105, 247-52, 263, 273, 345, 393, 399, 445
 - young disk 22, 43
 - Population indicators 33
 - Pretoria Observatory 37
 - Proper motion 40, 48, 63, 64, 101, 112, 394, 405, 413, 417, 429, 437-40
 - Proper motion, reduced 63-4, 103, 121, 394, 405
 - Pulsation theory, stellar 192, 194, 234, 344, 357

R

RR Lyrae stars
 absolute magnitude 53-6, 191, 270
 helium abundance 57, 343-4
 kinematic parameters 53-6
 mass discrepancy 223
 Oosterhoff groups 188, 194, 234
 period frequency
 statistics 188-9, 344
 period radius
 relation 57, 241-3
 Racine wedge 270
 Radcliffe Observatory 144
 Radial velocities 413, 429
 Rayleigh-Taylor
 instability 240
 Redshift, gravitational 283
 Rossland mean opacity 388
 Rotation 323
 core 225
 stellar 7, 12, 145, 147, 152, 155-6, 225, 226-8, 285, 319, 323, 329-30, 396, 398, 401, 427
 Royal Greenwich Obs. 55

S

S-process 157, 159, 167, 169, 172, 325, 336, 401, 406, 411
 Salpeter birthrate
 function 376, 403
 Schulz method 122
 Schönberg-Chandrasekhar
 limit 304-6, 308
 Schwarzschild, K, velocity distribution 49
 Schwarzschild, M,
 criterion 267, 364, 402
 Semi convection 335, 341, 343, 357-9
 362, 376, 378, 402
 Shells, circumstellar 7-8, 20, 59-60, 139, 156, 395, 427
 Siding Springs Obs. 196, 202
 Silicon burning 350
 Solar constant 69
 Solar neighborhood 39, 41, 53, 96
 Space densities
 C and M supergiants 36-7
 Space motion, stellar 42, 101, 132, 413
 415, 417
 Speckle interferometry 66, 282, 390
 Spectra
 extended atmosphere
 phenomena 6, 381, 387
 sphericity effects 381, 387, 388-90, 403
 synthetic 159, 172, 204, 379, 403

S (cont'd)

Spectral classification systems
 Ake for S stars 409, 410-12
 Boeshaar for M dwarfs 17, 21-2, 109-11, 419
 Computer, slit spectra 23, 24, 393
 Computer, objective
 prism spectra 29, 393
 Henry Draper 30
 Keenan for S stars 409-10
 MK 3-5, 13-4, 23-4, 30, 59, 80-1, 84, 86, 91, 141-2, 147-8, 155, 157, 259-62, 294-6, 322, 389, 391-4, 419, 423, 426-7, 429-31, 449, 453
 Mt. Wilson 430-1
 Paris 30, 140
 Photometric 142
 Photometric, M stars 451, 452-4
 Star types 3, 30, 69, 93-4, 146-7, 161-2, 217, 226, 229, 249, 254, 263-4, 294, 328, 391, 398, 400, 427, 443
 abnormal A type 289
 Am 155, 156, 161-2, 285, 286, 289, 293, 396, 400, 405
 AP 155, 156, 285, 286, 289, 293, 323, 325, 328, 396, 400
 BL Her 186, 342
 BY Dra 86
 B 3, 5, 12, 24, 30, 51, 69, 94, 144, 146-7, 249, 254, 262-4, 294, 328, 391, 421, 427, 434, 436
 BaII 16, 62, 157, 159, 172, 204, 299, 398
 Be 7, 12, 293
 Binary 7-9, 12, 48, 79, 86, 104, 118-9, 144-5, 153-6, 163, 262, 277, 293, 319, 369-70, 372, 374, 394, 400, 406, 438-9
 eclipsing 67, 76, 283, 400, 453
 Blue 25
 CH 172, 195, 398
 CN 172, 195
 Carbon 33, 36-7, 393, 409, 429, 430
 Cepheids 20, 59, 229, 230-3, 236, 237, 282, 349, 353-4, 399-400, 406
 Cool 13, 447

S (cont'd)

	<u>S</u> (cont'd)
Star types (cont'd)	Star types (cont'd)
degenerate	see white dwarfs
disk, metal poor	273
disk, old	86, 105, 254, 273, 313, 317, 378, 395, 400
dwarfs, red	39, 42, 248, 299
early-type	31, 215, 443
F	3, 30, 60, 94, 146, 217, 226, 229, 249, 254, 263, 267, 294, 313, 391, 398, 429- 30, 436, 443
field	39, 169
flare	85, 104, 394
G	3, 94, 103, 229, 263, 267, 294, 313, 391-2, 429-30, 447
giant	13, 62-3, 81, 169, 297, 397
A	3, 295, 444
B	3
clump	157
F	4, 295, 429, 444
G	4, 157, 158, 257, 379, 383, 384, 386, 396, 403, 429
K	66-7, 71, 74, 93, 157, 158, 379, 383, 384, 386, 396, 403, 429, 452-3
late type	387
M	34, 38, 66-7, 71, 74, 249, 257, 429
O	260
red	14-5, 62, 175, 177, 196, 199, 225-6, 248 254, 273, 293, 324-5, 363, 387, 399, 409
halo	21, 86, 105, 169, 254, 273, 313, 315, 393, 395, 397, 400, 405
high velocity	22, 42, 48, 63, 103, 105-7, 109, 273, 404, 413, 414-6
horizontal branch	173, 196, 199, 209, 210, 213, 216, 218-21, 223-5, 235, 299, 328, 398
blue metal rich	219
K	94, 103, 294, 313, 394, 429-30
K dwarfs	see main sequence
late type	429
low velocity	42, 107-8
luminous	59, 263, 421
M	33, 37, 94, 103, 294, 392-3, 429-30, 451, 452-4
dMe	84, 88, 394-5
main sequence	8, 21, 39-41, 50, 62, 64, 67, 70-3, 80-1, 93, 102, 126, 225, 228,
	249, 289, 297, 299, 317, 330, 399, 429, 454
	93, 295, 392, 444 8
	42, 79-81, 90, 93-4, 97, 147, 295, 405, 413, 444
	42, 79-81, 90, 94, 101, 395, 405, 423, 424-6
	39, 42-3, 67, 80-1, 101, 248, 299, 395, 438
	21, 22, 39, 67, 81, 84, 101, 103, 109-10, 248, 283, 299, 395, 405, 418-9, 437, 452- 3, 438
	6, 148
	nearer than 22 parsecs 79
	323-4
	neutron
	0
	OB
	OBN/OBC
	Of
	P Cygni
	peculiar
	planetary nebulae
	nuclei
	Population I
	Population II
	pre main sequence
	proper motion
	pulsars
	RR lyrae
	red
	S
	subdwarfs
	0

<u>S</u> (cont'd)	<u>S</u> (cont'd)
Star types (cont'd)	Stellar evolution calculations (cont'd)
subgiants	massive stars 267, 349, 350-4, 357, 358-65, 369,
subluminous	370-4, 375, 376-8, 402-3
supergiants	Stellar surface brightness, visual 281, 283, 400
A	Steward Observatory 112, 134, 209
B	Supergiant blue to red ratio 264-5, 267, 349, 352-3, 354
G	ratio of C type to M type 33-5, 37-8
K	red, minimum M_{bol} 264, 349, 353-4
M	relative numbers of blue, yellow and red 25, 393
O	Supernovae 166, 192, 206, 252, 349, 352, 354, 356, 375-6, 402, 427
red	Surface gravity, $\log g$ 19-20, 24, 209, 215- 9, 229, 233, 293-8, 322, 383-5, 387, 433, 435, 443, 444-5
super metal-rich (SMR)	Temperatures, stellar 20, 22, 65, 66-74, 76, 17, 381 86, 111-2, 194, 209, super super giants 215-9, 223, 229, 293- 15, 150 8, 319, 381, 394, TiO 405, 433, 434-5, 443- 195-6 5, 447, 449
WR	369
white dwarfs	362
Hyades	15, 22, 42, 103, 107, 136 109, 381, 389-90, red 398, 409-12, 451, 454
space density	322
Wolf-Rayet	33-5
Statistical parallax	Temperatures, stellar 20, 22, 65, 66-74, 76, Stellar ages 86, 111-2, 194, 209, 49, 429 215-9, 223, 229, 293- 43, 62, 101, 145, 155- 6, 255, 314, 316-7, 319, 346, 433-5 8, 319, 381, 394, 362 405, 433, 434-5, 443- function 5, 447, 449
Stellar Evolution Calculations	362
by Ciardullo and	15, 22, 42, 103, 107, Demarque 109, 381, 389-90, 314-6, 345, 401 398, 409-12, 451, 454
by Heilesen	398
by Henyey	322
by Sweigart et al.	33-5
evolutionary tracks	Thomas-Fermi model
isochrones	TiO bands
loops in evolutionary	Temperatures, stellar 20, 22, 65, 66-74, 76, tracks 86, 111-2, 194, 209, 356, 359, 361, 368, 215-9, 223, 229, 293- 402 8, 319, 381, 394, 405, 433, 434-5, 443- 5, 447, 449
V	362
U	15, 22, 42, 103, 107, 164, 215, 315-7, 109, 381, 389-90, 328, 333, 335, 338, 398, 409-12, 451, 454
V	398
W	398
X	398
Y	398
Z	398
Van Vleck Observatory	41, 43, 154, 393
Vibrational instability,	Vibrational instability, in massive stars 357-8

V (cont'd)

- Vilnius Observatory 410
 Vogt-Russell theorem 303, 305-7, 362, 400

W

- Wesselink method 57, 241-2
 White dwarfs
 Hyades 134, 136
 masses 112-3, 117, 118-20,
 122-3
 radii 117, 118-9, 121-4
 space density 119, 438-9
 surface gravities 121-4, 134
 Teff 134-5
 Wilson Bappu effect 59, 60, 62, 385, 429-
 32
 age correlation 62
 Winds, stellar 20, 193, 226, 237,
 240, 346, 363-4, 369-
 70, 381, 399

Y

- Yale-IBM research group 345
 Yale parallax 130
 Yerkes Observatory 4, 103, 107, 116,
 417-8

Z

- ZAMS 4, 112, 154, 156, 163,
 277, 313, 321, 333,
 427, 429