

ISSN 0007-1250

# THE BRITISH JOURNAL OF PSYCHIATRY

VOLUME 145



1984

© The Royal College of Psychiatrists

# THE BRITISH JOURNAL OF PSYCHIATRY

Volume 145

Published monthly

JULY 1984

Founded in 1853 as the *Asylum Journal* and known as the *Journal of Mental Science*  
from 1855 to 1963.

---

---

EDITOR

Hugh Freeman

ASSOCIATE EDITORS

Martin Roth    Kenneth Rawnsley

ASSISTANT EDITORS

Sidney Bloch  
Sidney Crown  
John Cutting  
Gaius Davies

Alan Kerr  
Julian Leff  
Margaret Little  
Henry Rollin  
Andrew C. Smith

Philip Snaith  
William Spry  
Peter Tyrer  
Gregor Wilkinson

EDITORIAL MANAGEMENT

Jacqueline Yates

ASSISTANT FOR THE BULLETIN

Alison Campbell

---

---

Correspondence, manuscripts, books for review, for both the *Journal* and the *Bulletin* should be addressed to the Editor, 17 Belgrave Square, London SW1X 8PG (Tel 01-235 8857). See inside front cover for further instructions.

Advertising enquiries, correspondence and copy should be addressed to Mr. Peter T. Mell, Advertisement Manager, PTM Professional Publications Ltd, 282 High Street, Sutton, Surrey SM1 1PQ (Tel 01-642 0162 PBX).

Subscriptions for non-members of the College are payable directly to the printers, Headley Brothers Ltd, to whom all queries about missing or faulty copies should be addressed within six months of publication and who also supply on order Special Publications and Gaskell Books.

**Annual subscription rates 1984 (12 issues post free)**

Inland: Institutions £65.00; Individuals £55.00

Overseas: Institutions £90.00, US\$200.00; Individuals £75.00, US\$165.00

Single copies of the *Journal*, £6.00, US\$12.00 (post free).

**Bargain:** Special American private subscription \$45.00 for 12 issues post free, to personal subscribers affirming the *Journal* is for their own use and naming the institution to which they belong and which already subscribes at the institutional rate. For residents of North America only.

**USA Mailing Agents,** Expeditors of the Printed Word Ltd., 527 Madison Avenue, Suite 1217, New York, NY 10022. 2nd Class postage paid at New York City, NY. (USPS No. 536-870).

Back issues published in 1983 may be purchased from Headley Brothers Ltd and all previous issues from William Dawson & Sons Ltd, Cannon House, Folkestone, Kent, England (Tel 0303 57421).

Printed by Headley Brothers Ltd, Ashford, Kent TN24 8HH, England (Tel 0233 23131).

© 1984 THE ROYAL COLLEGE OF PSYCHIATRISTS

# Piportil

DEPOT PIPOTHIAZINE PALMITATE

## From May & Baker the company that developed Largactil.

New Piportil depot is a unique phenothiazine derivative from May & Baker, the company that helped to revolutionise the treatment of psychoses with the introduction of Largactil.

Clinical trials show Piportil depot to exert a potent antipsychotic action against a wide range of symptoms<sup>1,4</sup> Piportil depot is a fast acting<sup>5,6</sup> phenothiazine, and causes minimal sedation<sup>6</sup> and depression<sup>3,5</sup>

These benefits, together with its four week duration of action<sup>2,7</sup> facilitate rapid and maintained social integration for your psychotic patients,<sup>3</sup> helping you to solve the psychotic puzzle.

### Piportil DEPOT

A new way to treat the  
many facets of psychoses.



**Prescribing Information:** Dosage: (Adults) Initially 25mg (0.5ml) by deep intramuscular injection into the gluteal region to assess susceptibility of patient. Dosage should be increased by increments of 25 or 50mg at appropriate intervals until a satisfactory response is obtained. Most patients respond to a dose of 50-100mg (1-2ml) every 4 weeks. Patients should be stabilised under psychiatric supervision.  
Contra-indications: Marked cerebral atherosclerosis, phaeochromocytoma, renal or liver failure, severe cardiac insufficiency or hypersensitivity to other phenothiazine derivatives. Precautions: A history of convulsive disorders or marked extra-pyramidal reactions to oral phenothiazines, in pregnancy and lactation. Side-effects: Reversible extra-pyramidal reactions, sleep disturbance, depression, blurred vision, asthenia, impotence, dry mouth, nausea, amenorrhoea, galactorrhoea, hypotension, hyperhidrosis and weight gain have been observed occasionally. Corneal or lenticular cloudiness have not been observed with Piportil alone, but in treatment with phenothiazine preparations in high dosage over a long period, there is a risk of such side-effects occurring. Local reactions at site of injection are rare. Presentations: Boxes of 10 x 1ml (50mg) and 10 x 2ml (100mg) ampoules. Product Licence No. 05/0012/0117. **References:** 1. Singh A N, Saxena B. *Curr Ther Res* 1979; 25:121. 2. Albert J M, Eise R, Cooper S F. *Curr Ther Res* 1980; 27:897. 3. Valenave A, Fontane F. *Curr Ther Res* 1980; 27:411. 4. Lapierre Y D et al. *2nd World Congress Psychiat* Barcelona 1978; *Biological Psych Today* 1979; Elsevier Holland Biomedical Press, pages 1087-1094. 5. Johnson R E. *J Int Med Res* 1979; 7:187. 6. Hill T M, Resberg B, Patterson C, Amin A, Wadud A, Herzman W M. *Curr Ther Res* 1978; 24:689. 7. Simpson G, Varga V. *Curr Ther Res* 1975; 17, No. 3:276-280. Further information is available on request. May & Baker Ltd., Dagenham, Essex RM10 7XS. Piportil depot is a trademark. MA 1971.

