

March 1923

Vol. XXXVIII., No. 3

The Journal of Laryngology and Otology

EDITED BY
A. LOGAN TURNER AND J. S. FRASER

Contents

NEURO-OTOLOGICAL EXAMINATION IN ELEVEN VERIFIED CASES OF BRAIN TUMOUR	D. E. S. WISHART
SOME CASES OF OTOSCLEROSIS SHOWING AN UNCOMMON SYMPTOM; OTOSCLEROSIS PARADOXUS	ALBERT A. GRAY
MALINGERING AND ALLIED CONDITIONS OF DEAFNESS	T. B. LAYTON
SOCIETIES' PROCEEDINGS:—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY.	
ABSTRACTS:—	
EAR. PHARYNX. LARYNX. MISCELLANEOUS.	
OBITUARY: HUNTER F. TOD, M.A., M.D., B.Ch. (Cantab.), F.R.C.S. (Eng.)	IRWIN MOORE
GENERAL NOTES.	

Edinburgh: Oliver and Boyd
London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa, occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.
4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."
7. The Annual Subscription is Forty Shillings or Ten Dollars, and is payable in advance.
8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings (One Dollar) each.
9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings (One Dollar) each.

HOSPITAL FOR DISEASES OF THE THROAT

GOLDEN SQUARE, LONDON, W. 1

HONORARY MEDICAL STAFF

SURGEONS.		OUT-PATIENTS.		OPERATIONS.	
Mr JEFFERSON FAULDER	Wednesday, 2 P.M.		Thursday, 10 A.M.	
Mr GEORGE BADGEROW	Monday, 2 P.M.	}	Wednesday, 9 A.M.	
		Friday, 2 P.M.			
Dr IRWIN MOORE	Tuesday, 6 P.M.		Tuesday, 2 P.M.	
Mr LIONEL COLLEDGE	Tuesday, 2 P.M.		Thursday, 2 P.M.	
Mr G. W. DAWSON	Thursday, 2 P.M.		Tuesday, 10 A.M.	
Mr GILBERT CHUBB	Saturday, 9.30 A.M.		Friday, 2 P.M.	
Mr F. J. CLEMINSON	Thursday, 6 P.M.		Friday, 10 A.M.	
ASSISTANT SURGEONS.					
Mr T. H. JUST	Tuesday, 2 P.M.	}	Monday, 10 A.M.	
		Thursday, 2 P.M.			
Mr F. C. ORMEROD	Wednesday, 2 P.M.	}	Thursday, 10 A.M.	
		Thursday, 6.30 P.M.			
Mr BEDFORD RUSSELL	Tuesday, 6 P.M.	}	Wednesday, 10 A.M.	
		Friday, 2 P.M.			

CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Disease is given daily in the Out-Patient Department from 2 to 5 p.m.; on Tuesdays and Fridays from 6.30 to 9 p.m. Major operations are performed at the times specified above, and minor operations by the Assistant Surgeons.

The Hospital contains 60 beds for In-Patients. There is also an Out-Patient attendance of over 60,000 yearly.

Practitioners and Medical Students are admitted to the Practice of the Hospital and from among them Clinical Assistants are chosen, whose duty it is to assist the member of the staff to whom they are appointed. For further information apply to the Dean—LIONEL COLLEDGE.

The STERILIZED MILK CO. Ltd.

ESTABLISHED 1896

178 CULFORD ROAD, KINGSLAND, N. 1.

Telephone—No. 2078 Dalston.

Telegrams—Swallowing, Kinland, London

A CLEAN, SAFE AND CONVENIENT MILK SUPPLY

Delivered in Glass Bottles.

WARRANTED PURE WITH ALL ITS CREAM

and free from disease germs.

Suitable for all purposes. DELIVERED ONCE A WEEK


SOME OF THE ADVANTAGES:

1. Our milk is clean because it is clarified by centrifugal force, which long experience has proved to be the best method.
2. Our milk is safer to use than even the best raw milk, because all germs of TUBERCULOSIS, SCARLET FEVER, DIPHTHERIA, and TYPHOID FEVER are destroyed.
3. Our milk is convenient, because customers have only to take it in once a week, and they have a constant supply of sweet wholesome milk always in the house.
4. No chemical or preservative used.
5. No colouring matter used.
6. It is more easily digested than ordinary raw milk.

GRANDS PRIX:
 Paris, 1900. Brussels, 1910. Buenos Aires, 1910.



Gold Medal, Allahabad, 1910.




A NEW TRACHEOTOMY TUBE

(Pilot permits breathing during introduction)

By Dr A. CUBLEY

Vide Journal of Laryngology and Otology, March 1922.



**Needle for Suturing the Pillars of the Fauces,
 and Forceps for Carrying the Suture.**

By Mr THOS. GUTHRIE, F.R.C.S.

Vide Journal of Laryngology and Otology, April 1920.

Manufactured only by

DOWN BROS., LTD.

Surgical Instrument Makers

21 and 23 ST THOMAS'S STREET, LONDON, S.E. 1

Telegrams
 "DOWN, LONDON."

(OPPOSITE GUY'S HOSPITAL)

Telephone
 HOP 4400 (4 lines).

CONTENTS

	PAGE
NEURO-OTOLOGICAL EXAMINATION IN ELEVEN VERIFIED CASES OF BRAIN TUMOUR. D. E. S. Wishart, B.A., M.B., Toronto	109
SOME CASES OF OTOSCLEROSIS SHOWING AN UNCOMMON SYMPTOM; OTOSCLEROSIS PARADOXUS. Albert A. Gray, M.D.	141
MALINGERING AND ALLIED CONDITIONS OF DEAFNESS. T. B. Layton	146
SOCIETIES' PROCEEDINGS:—	
Royal Society of Medicine—Section of Otology	157
ABSTRACTS:—	
Ear	161
Pharynx	163
Larynx	164
Miscellaneous	165
OBITUARY: Hunter F. Tod, M.A., M.D., B.Ch. (Cantab.), F.R.C.S. (Eng.).	
Irwin Moore	166
GENERAL NOTES	170

NEO=PROTOSIL

A Colloidal Silver Iodide Compound

for the Treatment of Inflammations of Mucous Membrane

NEO-PROTOSIL is serviceable in diseases of the eye, such as simple and purulent conjunctivitis, blepharitis marginalis, keratitis, etc.; also in diseases of the naso-pharynx and accessory cavities, including acute and chronic muco-purulent rhinitis, simple and follicular tonsillitis, pharyngitis, sinusitis, etc.

NEO-PROTOSIL contains about 20 per cent. of silver iodide in a state of colloidal subdivision combined with a soluble protein base. Its solutions are not irritating to mucous membrane, and they do not cause dark stains. Neo-Protosil is employed in aqueous solutions ranging from 1 per cent. to 40 per cent. in strength according to the condition to be treated.

Supplied in bottles of ½ ounce or 1 ounce. Capsules containing 6 grains (for convenience in making solutions) are supplied in bottles of 25 or 100.

PARKE, DAVIS & Co., 50 Beak St., **LONDON, W.1.**
Regent St.,