

9. White MC, Lynch P. Blood contact and exposures among operating room personnel: a multicenter study. *Am J Infect Control* 1993;21:243-248.
10. Wright JG, McGeer AJ, Chyatte D, Ransohoff DE. Exposure rates to patients' blood for surgical personnel. *Surgery* 1993;114:897-901.
11. Shaddock PE, Tyler DS, Lyerly HK, et al. Commercially available surgical gowns do not prevent penetration by HIV-1. *Surgical Forum* 1990;41:77-80.
12. Smith JD, Nichols RJ. Barrier efficacy of surgical gowns. *Arch Surg* 1991;26:756-761.
13. Brown PL. What's new in ASTM's test methods for liquid and viral resistance? *Materials Management in Healthcare* 1994;3(8):14.
14. *Selection of Surgical Gowns and Drapes in Healthcare Facilities, TIR11-006-MM*. Arlington, VA: Association for the Advancement of Medical Instrumentation; September 1994.
15. Belkin NL. Letters to the editor. *AORN Journal* 1994;60(3):365-370.
16. Altman KW, McElhane JH, Moylan JA, Fitzpatrick KT. Transmural surgical gown pressure measurements in the operating theater. *Am J Infect Control* 1991;19:147-155.
17. Belkin NL. Surgical pros and cons. *Surg Gynecol Obstet* 1993;177:514-515.
18. Belkin NL. Are new test methods accurate predictors of gowns' protective barrier effectiveness? *AORN journal* 1994;59(4):897-899.
19. Belkin NL. Cost restraints forcing tough protective equipment choices. *Hospital Materials Management* 1994;19(5):18.
20. Belkin NL. The new American Society for Testing and Materials tests: all that glitters is not gold. *Am J Infect Control* 1994;22(3):172-176.
21. Belkin NL. The challenge of selecting an appropriate protective gown. *Today's OR Nurse* 1994;16(4):5-7.
22. Stull JO. Response. *OR Reports* July/August 1993;2:10.
23. McCullough EA. Methods for determining the barrier efficacy of surgical gowns. *Am J Infect Control* 1993;21:368-374.
24. Telford GL, Quebbeman EJ. Assessing the risk of blood exposure in the operating room. *Am J Infect Control* 1993;21:351-356.
25. *Fairchild's Dictionary of Textiles*. New York, NY: Fairchild Publications; 1979.
26. International Fabricare Institute Technical Operating Information. Water repellents. *IFI Fabricare News* June 1988.
27. Beck WC. Thermal comfort for the patient during surgery: comfort, a physiological as well as a psychological phenomenon. *Gutkrie Journal* 1993;62:159-160.
28. Beck WC, Belkin NL, Meyer KK. A new approach to the surgeon's gown. *The Guthrie Journal* 1994;63(2):73-76.
29. Beck WC, Belkin NL, Meyer KK. Divide and conquer: protection, comfort and cost of the surgeons gown. *Am J Surg*. In press.

---

## CDC Announces Availability of Update Epi

by **Gina Pugliese, RN, MS**  
**Medical News Editor**

The Epi Info computer programs produced by CDC and the World Health Organization provide public domain software for word processing, database management, and statistics work in public health. Version 6 of Epi Info recently was released. It

features a configurable pull-down menu, facilities for producing and using hypertext (active text), additional statistics, and many program-improvements.

Copies of Epi Info, a 600-page instruction manual, and a companion program for geographic mapping (Epi map) are available from USD Inc., 2075A West Park Place, Stone

Mountain, GA 30087; telephone (404) 469-4098; FAX (404) 469-0681.

Epi Info and Epi Map also are available on the worldwide Internet using the following access information: Site:FTP.CDC.GOV; User ID: Anonymous; Directory for Epi Info:/PUB/EPI/EPIINFO; Directory or Epi Map:/PUB/EPI/EPIMAP