789

Index of Subjects

Acid-base balance

Acid-base balance in ruminating calves given sodium hydroxide-treated straw. 54, 655, 1985

Aliphatic amines

The influence of creatinine, lecithin and choline feeding on aliphatic amine production and excretion in the rat. 54, 43, 1985

Alkali-treated straw

Acid-base balance in ruminating calves given sodium hydroxide-treated straw. 54, 655, 1985

Amino acid digestion

The digestion by cattle of silage-containing diets fed at two dry matter intakes. 2. Digestion of total amino acids and of D-alanine and D-glutamic acid. 54, 483, 1985

Amino acid supply

The efficiency of utilization of metabolizable energy and apparent absorption of amino acids in sheep given spring- and autumn-harvested dried grass.

54, 197, 1985

Amino acids

Efficiency of utilization of essential amino acids in growing rats at different levels of intake.

54, 499, 1985

Ammonia nitrogen

Ammonia-nitrogen turnover in the rabbit caecum and exchange with plasma urea-N.

54, 285, 1985

Amniotic fluid

Retinol transport proteins and concentrations in human amniotic fluid, placenta, and fetal and maternal sera. 54, 577, 1985

Anabolic steroids

The effects of a combined implant of trenbolone acetate and oestradiol- 17β on protein and energy metabolism in growing beef steers. 54, 681, 1985

α-1-Antitrypsin

α-1-Antitrypsin metabolism in the protein-deficient weanling rat.
 54, 65, 1985

Arginine excess

Dietary effects of pancreatic lesions induced by excess arginine in rats. 54, 37, 1985

Na+,K+-ATPase

Magnitude of ouabain-sensitive respiration in the liver of growing, lactating and starved sheep.

54, 293, 1985

Bagass

The effect of dietary bagasse on the activities of some key enzymes of carbohydrate and lipid metabolism in mouse liver. 54, 415, 1985

Biotin deficiency

Biotin deficiency and susceptibility to fatty liver and kidney syndrome in broiler chicks: reduced 6-phosphofructokinase (EC 2.7.1.11) activity but normal fructose 2,6-bisphosphate content in birds with hepatomegaly. 54, 535, 1985

Blood metabolites

The effect of intragastric infusion of glucose, lipids or acetate on fasting nitrogen excretion and blood metabolism in sheep. 54, 189, 1985

Body-mass index

The impact of adjustment of a weight-height index (W/H²) for frame size on the prediction of body fatness. 54, 335, 1985

Breath hydrogen

Dose dependence of breath hydrogen and methane in healthy volunteers after ingestion of a commercial disaccharide mixture, Palatinit*. 54, 389, 1985

Caecum

Ammonia-nitrogen turnover in the rabbit caecum and exchange with plasma urea-N.

54, 285, 1985

Casein

The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. 54, 87, 1985

Cellulose

Cellulose and pectin alter intestinal β -glucuronidase (EC 3.2.1.31) in the rat. 54, 21, 1985

Cholesterol

The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. 54, 87, 1985

Digestibilities of casein and soya-bean protein in relation to their effects on serum cholesterol in rabbits. 54, 355, 1985

Choline

The influence of creatinine, lecithin and choline feeding on aliphatic amine production and excretion in the rat. 54, 43, 1985

Condensed tannins

The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 3. Rates of body and wool growth. **54**, 211, 1985

Copper

The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. 54, 87, 1985

Cowpeas (Vigna unguiculata)

The use of cowpeas (*Vigna unguiculata*) in improving a popular Nigerian weaning food. **54**, 343, 1985

Creatinine

The influence of creatinine, lecithin and choline feeding on aliphatic amine production and excretion in the rat. 54, 43, 1985

Cyst(e)ine

The effect of increasing methionine supply on the methionine conversion to cyst(e)ine in sheep.

54, 121, 1985

Defaunation

Quantitative effects of defaunation on rumen fermentation and digestion in sheep.

54, 105, 1985

Dietary fat

The effect of guar gum and level and source of dietary fat on glucose tolerance in growing pigs.

54, 27, 1985

Dietary fibre

Cellulose and pectin alter intestinal β -glucuronidase (EC 3.2.1.31) in the rat. 54, 21, 1985 The effect of guar gum and level and source of dietary

fat on glucose tolerance in growing pigs.

54, 27, 1985

The effect of dietary bagasse on the activities of some key enzymes of carbohydrate and lipid metabolism in mouse liver. 54, 415, 1985

The effect of 'fibre-filler' (F-plan diet) on iron, zinc and calcium absorption in rats.

54, 585, 1985

Dietary fibre fermentation in the rat intestinal tract: effect of adaptation period, protein and fibre levels, and particle size. 54, 635, 1985

Digestion of polysaccharides, protein and lipids and adult cockerels fed on diets containing a pectic cell-wall material from white lupin (*Lupinus albus* L.) cotyledon. 54, 669, 1985

Dietary protein

Dietary effects of pancreatic lesions induced by excess arginine in rats. 54, 37, 1985

Dietary rehabilitation

Biochemical aspects of malabsorption in marasmus: effect of dietary rehabilitation. 54, 567, 1985

Dietary survey

What sort of teenager has high intakes of energy and nutrients? 54, 325, 1985
Family food purchases and home food consumption: comparison of nutrient contents. 54, 373, 1985

Digesta-flow marker

Ytterbium acetate as a particulate-phase digesta-flow marker. **54**, 509, 1985

Digestion

Use of a nylon-bag technique for pig-feed digestibility studies. 54, 719, 1985

Energy supplements

Effects of supplemental dietary energy on leucine metabolism in sheep. 54, 705, 1985

Energy utilization

The efficiency of utilization of metabolizable energy and apparent absorption of amino acids in sheep given spring- and autumn-harvested dried grass.

54, 197, 1985

Enzyme activities

The effect of dietary bagasse on the activities of some key enzymes of carbohydrate and lipid metabolism in mouse liver. 54, 415, 1985

Ethano

Influence of chronic ethanol intake on obesity, liver steatosis and hyperlipidaemia in the Zucker fa/fa rat. 54, 5, 1985

Paradoxical effect of ethanol on liver lipogenesis in the genetically-obese Zucker rat. 54, 15, 1985

Fasting nitrogen loss

The effect of intragastric infusion of glucose, lipids or acetate on fasting nitrogen excretion and blood metabolism in sheep. 54, 189, 1985

Fatty liver and kidney syndrome

Biotin deficiency and susceptibility to fatty liver and kidney syndrome in broiler chicks: reduced 6-phosphofructokinase (EC 2.7.1.11) activity

but normal fructose 2,6-bisphosphate content in birds with hepatomegaly. 54, 535, 1985

Ferroxidase

Duodenal xanthine oxidase (EC 1.2.3.2) and ferroxidase activities in the rat in relation to the increased iron absorption caused by peroral xylitol.

54, 493, 1985

Fetal growth

Glucose and protein metabolism during late pregnancy in triplet-bearing ewes given fresh forages ad lib. 54, 521, 1985

Fibre

The effect of provision of the first-limiting amino acid, gastrointestinal microbial activity and the level of nitrogen intake on protein utilization and energy digestibility in rats.

54, 727, 1985

Comparative effects of wheat bran and barley husk on nutrient utilization in rats. 1. Protein and energy. 54, 741, 1985

'Fibre-filler'

The effect of 'fibre-filler' (F-plan diet) on iron, zinc and calcium absorption in rats. 54, 585, 1985

Folat

Masked vitamin B_{12} and folate deficiency in the elderly. 54, 613, 1985

Food intake

What sort of teenager has high intakes of energy and nutrients? 54, 325, 1985

Family food purchases and home food consumption: comparison of nutrient contents. **54**, 373, 1985

Forage digestion

The digestion of fresh perennial ryegrass (Lolium perenne L. cv. Melle) and white clover (Trifolium repens L. cv. Blanca) by growing cattle fed indoors.

54, 763, 1985

Frame size

The impact of adjustment of a weight-height index (W/H²) for frame size on the prediction of body fatness. 54, 335, 1985

Gastric emptying

Gastric emptying of barley-soya-bean diets in the pig: effects of feeding level, supplementary maize oil, sucrose or cellulose, and water intake.

54, 437, 1985

Gastric secretion

The development of acid and pepsin (EC 3.4.23.1) secretory capacity in the pig; the effects of age and weaning. 1. Studies in anaesthetized pigs.

54, 305, 1985

Gastrointestinal fermentation

Effect of monensin on feed utilization and gastrointestinal fermentation in the hamster (Mesocricetus auratus). 54, 147, 1985

Gastrointestinal tract

A comparative study of phytate hydrolysis in the gastrointestinal tract of the golden hamster (Mesocricetus auratus) and the laboratory rat.

54, 429, 1985

Germ-free chick

Protein turnover of breast-muscle in germ-free and conventional chicks. 54, 131, 1985

Glucose absorption

Absorption and metabolism of glucose by the mesenteric-drained viscera of sheep fed on dried-grass or ground, maize-based diets.

54, 449, 1985

Glucose homeostasis

Intestinal absorption of sorbitol and effects of its acute administration on glucose homeostasis in **54**, 53, 1985 normal rats.

Glucose metabolism

Insulin action and glucose metabolism in sheep fed on dried-grass or ground, maize-based diets.

54, 459, 1985

Glucose and protein metabolism during late pregnancy in triplet-bearing ewes given fresh forages ad **54**, 521, 1985 lib.

Giucose tolerance

The effect of guar gum and level and source of dietary fat on glucose tolerance in growing pigs.

54, 27, 1985

β-Glucuronidase (EC 3.2.1.31)

Cellulose and pectin alter intestinal β -glucuronidase (EC 3.2.1.31) in the rat.

Gold thioglucose

Effect of gold thioglucose-induced obesity on adipose tissue weight and cellularity in male and female mice suckled in large and small litters: investigations into sex differences and site differences.

54, 645, 1985

Golden hamster (Mesocricetus auratus)

A comparative study of phytate hydrolysis in the gastrointestinal tract of the golden hamster (Mesocricetus auratus) and the laboratory rat.

54, 429, 1985

Growth hormone

Endocrine regulation of metabolism in sheep given kale (Brassica oleracea) and ryegrass (Lolium perenne) - clover (Trifolium repens) fresh-forage **54**, 165, 1985 diets.

Guar gum

The effect of guar gum and level and source of dietary fat on glucose tolerance in growing pigs. **54**, 27, 1985

Guinea-pig

Experimental zinc deficiency in guinea-pigs: clinical signs and some haematological studies.

54, 421, 1985

DL-2-Hydroxyl 4-methylthiobutanoic acid

Comparative metabolism of L-methionine, DLmethionine and DL-2-hydroxy 4-methylthiobutanoic acid by broiler chicks. **54**, 621, 1985

Hypomagnesaemia

The effect of potassium and magnesium infusion on plasma Mg concentration and Mg balance in ewes. **54**, 713, 1985

Insulin

Insulin action and glucose metabolism in sheep fed on dried-grass or ground, maize-based diets. **54**, 459, 1985

International Congress of Nutrition

Welcome to the XIIIth International Congress of Nutrition. 54, 1, 1985

Intestinal absorption

Effect of leucine on intestinal absorption of tryptophan in rats. **54**, 695, 1985

Intragastric infusion

The effect of intragastric infusion of glucose, lipids or acetate on fasting nitrogen excretion and blood 54, 189, 1985 metabolism in sheep.

Iodine deficiency

Low-iodine diet for the production of severe I deficiency in marmosets (Callithrix jacchus jacchus) **54**, 367, 1985

Iron absorption

Duodenal xanthine oxidase (EC 1.2.3.2) and ferroxidase activities in the rat in relation to the increased iron absorption caused by peroral **54**, 493, 1985

The effect of 'fibre-filler' (F-plan diet) on iron, zinc and calcium absorption in rats. **54**, 585, 1985

Iron availability

Further studies in rats on the influence of previous iron intake on the estimation of bioavailability of Fe. **54**, 79, 1985

Iron intake

Further studies in rats on the influence of previous iron intake on the estimation of bioavailability of

54, 79, 1985

Kale (Brassica oleracea)

Endocrine regulation of metabolism in sheep given kale (Brassica oleracea) and ryegrass (Lolium perenne) - clover (Trifolium repens) fresh-forage diets. **54**, 165, 1985

Kidney bean (Phaseolus vulgaris) toxin

Effect of kidney bean (Phaseolus vulgaris) toxin on tissue weight and composition and some metabolic 54, 95, 1985 functions of rats.

Magnitude of ouabain-sensitive respiration in the liver of growing, lactating and starved sheep.

54, 293, 1985

Studies of zinc metabolism in pregnant and lactating **54**, 401, 1985 rats.

Lecithin

The influence of creatinine, lecithin and choline feeding on aliphatic amine production and excretion in the rat. **54**, 43, 1985

Lectin toxicity

Effect of kidney bean (Phaseolus vulgaris) toxin on tissue weight and composition and some metabolic **54**, 95, 1985 functions of rats.

Letters to the Editors

54, 321, 1985 54, 777, 1985

Leucine

Effect of leucine on intestinal absorption of tryptophan in rats. **54**, 695, 1985

Leucine metabolism

Effects of supplemental dietary energy on leucine metabolism in sheep. **54**, 705, 1985

Liver lipogenesis

Paradoxical effect of ethanol on liver lipogenesis in the genetically-obese Zucker rat. **54**, 15, 1985

Liver microsomal enzymes

Effect of dietary protein, dichlorodiphenyltrichloroethane (DDT) and hexachlorocyclohexane (HCH) on hepatic microsomal enzyme activity in rats.

54, 563, 1985

Liver steatosis

Influence of chronic ethanol intake on obesity, liver steatosis and hyperlipidaemia in the Zucker fa/fa **54**, 5, 1985

Lotus pedunculatus

The role of condensed tannins in the nutritional value of Lotus pedunculatus for sheep. 3. Rates of body and wool growth. 54, 211, 1985

Magnesium balance

The effect of potassium and magnesium infusion on plasma Mg concentration and Mg balance in ewes. **54**, 713, 1985

Malabsorption

Biochemical aspects of malabsorption in marasmus: **54**, 567, 1985 effect of dietary rehabilitation.

Biochemical aspects of malabsorption in marasmus: effect of dietary rehabilitation. **54**, 567, 1985

Marmoset (Callithrix jacchus jacchus) Low-iodine diet for the production of severe I deficiency in marmosets (Callithrix jacchus jacchus) 54, 367, 1985

Methionine

The effect of increasing methionine supply on the methionine conversion to cyst(e)ine in sheep.

54, 121, 1985 Responses to oral methionine supplementation in sheep fed on kale (Brassica oleracea) diets containing S-methyl-L-cysteine sulphoxide.

54, 753, 1985

Methionine metabolism

Comparative metabolism of L-methionine, DLmethionine and DL-2-hydroxy 4-methylthiobutanoic acid by broiler chicks. **54**, 621, 1985

S-Methyl-L-cysteine sulphoxide

Responses to oral methionine supplementation in sheep fed on kale (Brassica oleracea) diets containing S-methyl-L-cysteine sulphoxide.

54, 753, 1985

N^t-Methylhistidine

The rate of degradation of myofibrillar proteins of skeletal muscle in broiler and layer chickens estimated by N^{τ} -methylhistidine in excreta.

54, 157, 1985

Microbial activity

The effect of provision of the first-limiting amino acid, gastrointestinal microbial activity and the level of nitrogen intake on protein utilization and energy digestibility in rats. **54**, 727, 1985

Microbial nitrogen

Estimation of microbial nitrogen in nylon-bag residues by feed 15N dilution. 54, 473, 1985

Milk substitute

Digestion, absorption and utilization of single-cell protein by the preruminant calf. The true digestibility of milk and bacterial protein and the apparent digestibility and utilization of their constituent amino acids. **54**, 219, 1985

Mineral absorption

The effect of 'fibre-filler' (F-plan diet) on iron, zinc and calcium absorption in rats. **54**, 585, 1985

Effect of monensin on feed utilization and gastrointestinal fermentation in the hamster (Meso-**54**, 147, 1985 cricetus auratus).

Muscle protein

The rate of degradation of myofibrillar proteins of skeletal muscle in broiler and layer chickens

estimated by N^{τ} -methylhistidine in excreta.

54, 157, 1985

Nitrogen balance

Efficiency of utilization of essential amino acids in growing rats at different levels of intake.

Nitrogen exchange

Ammonia-nitrogen turnover in the rabbit caecum and exchange with plasma urea-N.

54, 285, 1985

Nitrogen kinetics

Nitrogen digestion and metabolism in sheep consuming diets containing contrasting forms and **54**, 175, 1985 levels of N.

Nylon-bag method

Use of a nylon-bag technique for pig-feed digestibility studies. **54**, 719, 1985

Nylon-bag technique

Estimation of microbial nitrogen in nylon-bag residues by feed 15N dilution. 54, 473, 1985

Obesity

Influence of chronic ethanol intake on obesity, liver steatosis and hyperlipidaemia in the Zucker fa/fa **54**, 5, 1985

Paradoxical effect of ethanol on liver lipogenesis in the genetically-obese Zucker rat. **54**, 15, 1985

Effect of gold thioglucose-induced obesity on adipose tissue weight and cellularity in male and female mice suckled in large and small litters: investigations into sex differences and site differences.

54, 645, 1985

Old age

Masked vitamin B₁₂ and folate deficiency in the elderly.

54, 613, 1985

Ouabain-sensitive respiration

Magnitude of ouabain-sensitive respiration in the liver of growing, lactating and starved sheep.

54, 293, 1985

Palatinit®

Dose dependence of breath hydrogen and methane in healthy volunteers after ingestion of a commercial disaccharide mixture, Palatinit®. **54**, 389, 1985

Pancreas

Dietary effects of pancreatic lesions induced by excess 54, 37, 1985 arginine in rats.

Pectin

Cellulose and pectin alter intestinal β -glucuronidase 54, 21, 1985 $(EC\ 3.2.1.31)$ in the rat.

Pepsin (EC 3.4.23.1)

The development of acid and pepsin (EC 3.4.23.1) secretory capacity in the pig; the effects of age and weaning. 1. Studies in anaesthetized pigs.

54, 305, 1985

Perennial ryegrass (Lolium perenne)

The digestion of fresh perennial ryegrass (Lolium perenne L. cv. Melle) and white clover (Trifolium repens L. cv. Blanca) by growing cattle fed indoors. **54**, 763, 1985

Pesticides

Effect of dietary protein, dichlorodiphenyltrichloroethane (DDT) and hexachlorocyclohexane (HCH) on hepatic microsomal enzyme activity in rats. **54**, 563, 1985 Index of Subjects

793

Phenylketonuria

Net protein utilization determined by rat bioassay of a protein hydrolysate and a diet for children with phenylketonuria 54, 349, 1985

Phytate hydrolysis

A comparative study of phytate hydrolysis in the gastrointestinal tract of the golden hamster (Mesocricetus auratus) and the laboratory rat.

Potassium supplementation

The effect of potassium and magnesium infusion on plasma Mg concentration and Mg balance in ewes.

54, 713, 1985

Preruminant calf

Digestion, absorption and utilization of single-cell protein by the preruminant calf. The true digestibility of milk and bacterial protein and the apparent digestibility and utilization of their constituent amino acids.

54, 219, 1985

Pregnancy

Studies of zinc metabolism in pregnant and lactating rats. 54, 401, 1985

Preweaning nutrition

Effect of gold thioglucose-induced obesity on adipose tissue weight and cellularity in male and female mice suckled in large and small litters: investigations into sex differences and site differences.

54, 645, 1985

54, 429, 1985

Protein degradability

Estimation of the degradability of dietary protein in the sheep rumen by in vivo and in vitro procedures. 54, 545, 1985

Protein digestibility

Digestibilities of casein and soya-bean protein in relation to their effects on serum cholesterol in rabbits. 54, 355, 1985

Protein malnutrition

α-1-Antitrypsin metabolism in the protein-deficient weanling rat. 54, 65, 1985

Protein metabolism

Glucose and protein metabolism during late pregnancy in triplet-bearing ewes given fresh forages ad lib. 54, 521, 1985

The effects of a combined implant of trenbolone acetate and oestradiol- 17β on protein and energy metabolism in growing beef steers.

54, 681, 1985

Protein quality

Net protein utilization determined by rat bioassay of a protein hydrolysate and a diet for children with phenylketonuria 54, 349, 1985

The effect of provision of the first-limiting amino acid, gastrointestinal microbial activity and the level of nitrogen intake on protein utilization and energy digestibility in rats. 54, 727, 1985

Comparative effects of wheat bran and barley husk on nutrient utilization in rats. 1. Protein and energy. 54, 741, 1985

Protein requirements

Human protein requirements: obligatory urinary and faecal nitrogen losses and the factorial estimation of protein needs of Nigerian male adults.

54, 605, 1985

Protein turnover

Protein turnover of breast-muscle in germ-free and conventional chicks. 54, 131, 1985

The rate of degradation of myofibrillar proteins of skeletal muscle in broiler and layer chickens estimated by N^{τ} -methylhistidine in excreta.

54, 157, 1985

Protozoa

Quantitative effects of defaunation on rumen fermentation and digestion in sheep.

54, 105, 1985

Reproduction

Some nutritional properties of unrefined sugar and its promotion of the survival of new-born rats.

54, 593, 1985

Retinol-binding protein

Retinol transport proteins and concentrations in human amniotic fluid, placenta, and fetal and maternal sera. 54, 577, 1985

Rumen fermentation

Quantitative effects of defaunation on rumen fermentation and digestion in sheep.

54, 105, 1985

Rumen metabolism

Estimation of the degradability of dietary protein in the sheep rumen by in vivo and in vitro procedures. 54, 545, 1985

Silage diet

The digestion by cattle of silage-containing diets fed at two dry matter intakes. 2. Digestion of total amino acids and of p-alanine and p-glutamic acid. 54, 483, 1985

Single-cell protein

Digestion, absorption and utilization of single-cell protein by the preruminant calf. The true digestibility of milk and bacterial protein and the apparent digestibility and utilization of their constituent amino acids.

54, 219, 1985

Sorbitol absorption

Intestinal absorption of sorbitol and effects of its acute administration on glucose homeostasis in normal rats.

54, 53, 1985

Sorghum (Sorghum bicolor)

The use of cowpeas (Vigna unguiculata) in improving a popular Nigerian weaning food.

54, 343, 1985

Soya-bean protein

Digestibilities of casein and soya-bean protein in relation to their effects on serum cholesterol in rabbits.

54, 355, 1985

Sugar

Some nutritional properties of unrefined sugar and its promotion of the survival of new-born rats.

54, 593, 1985

Sugar substitute

Dose dependence of breath hydrogen and methane in healthy volunteers after ingestion of a commercial disaccharide mixture, Palatinit*. 54, 389, 1985

Thyroxine

Endocrine regulation of metabolism in sheep given kale (*Brassica oleracea*) and ryegrass (*Lolium perenne*) – clover (*Trifolium repens*) fresh-forage diets.

54, 165, 1985

Transthyretin

Retinol transport proteins and concentrations in human amniotic fluid, placenta, and fetal and maternal sera. 54, 577, 1985

Triplet-bearing ewes

Glucose and protein metabolism during late pregnancy in triplet-bearing ewes given fresh forages *ad lib*. **54**, 521, 1985

Tryptophan

Effect of leucine on intestinal absorption of tryptophan in rats. 54, 695, 1985

Unrefined sugar

Some nutritional properties of unrefined sugar and its promotion of the survival of new-born rats.

54, 593, 1985

Vitamin B₁₂

Masked vitamin B₁₂ and folate deficiency in the elderly. 54, 613, 1985

Vitamin B₁₂ absorption

Vitamin B_{12} absorption in the neonatal piglet. 1. Studies in vivo on the influence of the vitamin B_{12} -binding protein from sows' milk on the absorption of vitamin B_{12} and related compounds. 54, 245, 1985

Vitamin B_{12} absorption in the neonatal piglet. 2. Resistance of the vitamin B_{12} -binding protein in sows' milk to proteolysis in vivo.

54, 257, 1985

Vitamin B_{12} absorption in the neonatal piglet. 3. Influence of vitamin B_{12} -binding protein from sows' milk on uptake of vitamin B_{12} by microvillus membrane vesicles prepared from the small intestine of the piglet. 54, 269, 1985

Weaning food

The use of cowpeas (Vigna unguiculata) in improving a popular Nigerian weaning food.

54, 343, 1985

Weight-height index

The impact of adjustment of a weight-height index (W/H²) for frame size on the prediction of body fatness. **54**, 335, 1985

White clover (Trifolium repens)

The digestion of fresh perennial ryegrass (Lolium perenne L. cv. Melle) and white clover (Trifolium repens L. cv. Blanca) by growing cattle fed indoors.

54, 763, 1985

White lupin (Lupinus albus L.)

Digestion of polysaccharides, protein and lipids and adult cockerels fed on diets containing a pectic cell-wall material from white lupin (*Lupinus albus* L.) cotyledon. 54, 669, 1985

Wool growth

The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 3. Rates of body and wool growth. 54, 211, 1985

Xylitol

Duodenal xanthine oxidase (EC 1.2.3.2) and ferroxidase activities in the rat in relation to the increased iron absorption caused by peroral xylitol.

54, 493, 1985

Ytterbium

Ytterbium acetate as a particulate-phase digesta-flow marker. 54, 509, 1985

Zinc

The importance of the non-protein components of the diet in the plasma cholesterol response of rabbits to casein. 54, 87, 1985

Zinc deficiency

Experimental zinc deficiency in guinea-pigs: clinical signs and some haematological studies.

54, 421, 1985

Zinc metabolism

Studies of zinc metabolism in pregnant and lactating rats. 54, 401, 1985