

MATHEMATICAL PROCEEDINGS

(formerly *Proceedings*)

*of the
Cambridge Philosophical Society*

VOLUME 119



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

40 West 20th Street, New York, NY 10011-4211, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge Philosophical Society 1996

Printed in Great Britain by the University Press, Cambridge

INDEX FOR VOLUME 119

PAGE

Berrick, A. J. & Tan, G. C. The minimal extension of P -localization on groups	243
Bray, J. N., Curtis, R. T. & Hammas, A. M. A. A systematic approach to symmetric presentations I. Involuntary generators	23
Brown, B. M., Evans, W. D. & Ismail, M. E. H. The Askey–Wilson polynomials and q -Sturm–Liouville problems	1
Brown, G., Koumandos, S. & Wang, K.-Y. Positivity of more Jacobi polynomial sums .	681
Bshouty, D., Hengartner, W. & Hossian, O. Harmonic typically real mappings	673
Bunce, L. J. & Hamhalter, J. Extension of Jauch–Piron states on Jordan algebras	279
Cariñena, J. F. & Martínez, E. Geometric characterization of linearisable second-order differential equations	373
Ciach, L. J., Jajte, R. & Paszkiewicz, A. On the almost sure approximation of self-adjoint operators in $L_2(\theta, 1)$	537
Cochran, T. D. Non-trivial links and plats with trivial Gassner matrices	43
Collins, D. J. & Turner, E. C. All automorphisms of free groups with maximal rank fixed subgroups	615
Cromwell, P. R. & Nutt, I. J. Embedding knots and links in an open book II: Bounds on arc index	309
Curtis, R. T., Hammas, A. M. A. & Bray, J. N. A systematic approach to symmetric presentations I. Involuntary generators	23
Dimov, G. D. & Tironi, G. Compactifications and A-compactifications of frames. Proximal frames	321
Doty, S. & Walker, G. Truncated symmetric powers and modular representations GL_n .	231
Dyakonov, K. M. On the zeros and Fourier transforms of entire functions in the Paley–Wiener space	357
Evans, W. D., Ismail, M. E. H. & Brown, B. M. The Askey–Wilson polynomials and q -Sturm–Liouville problems	1
Falconer, K. J. & Howroyd, J. D. Projection theorems for box and packing dimensions .	287
Falconer, K. J. & Mattila, P. The packing dimension of projections and sections of measures .	695
Farhadi, H.-R. Isomorphisms between the second duals of group algebras of locally compact groups	657
Ferleger, S. V. & Sukochev, F. A. On the contractibility to a point of the linear groups of non-commutative L^p -spaces	545
Greenberg, P. Marked homeomorphisms and the realization problem	575
Hamhalter, J. & Bunce, L. J. Extension of Jauch–Piron states on Jordan algebras	279
Hammas, A. M. A., Bray, J. N. & Curtis, R. T. A systematic approach to symmetric presentations I. Involuntary generators	23
Hatcher, A. & Oertel, U. Full laminations in 3-manifolds	73
Hengartner, W., Bshouty, D. & Hossian, O. Harmonic typically real mappings	673
Hitczenko, P. & Montgomery-Smith, S. J. Tangent sequences in Orlicz and rearrangement invariant spaces	91
Hossian, O., Hengartner, W. & Bshouty, D. Harmonic typically real mappings	673
Howroyd, J. D. On Hausdorff and packing dimension of product spaces	715
Howroyd, J. D. & Falconer, K. J. Projection theorems for box and packing dimensions .	287
Huxley, M. N. & Trifonov, O. The square-full numbers in an interval	201

Ismail, M. E. H., Brown, B. M. & Evans, W. D. The Askey–Wilson polynomials and q -Sturm–Liouville problems	1
Jajte, R., Paszkiewicz, A. & Ciach, L. J. On the almost sure approximation of self-adjoint operators in $L_2(0, 1)$	537
Jakubec, S. Congruence of Ankeny–Artin–Chowla type for cyclic fields of prime degree 1	17
Jiang, J. F. Sublinear discrete-time order-preserving dynamical systems	561
Joyal, A., Street, R. & Verity, D. Traced monoidal categories	447
Kaniuth, E. Minimal primal ideal spaces and norms of inner derivations of tensor products of C^* -algebras	297
Katsoulis, E. G. Reflexivity for a class of subspace lattices	67
Kirby, D. & Rees, D. Multiplicities in graded rings II: integral equivalence and the Buchsbaum–Rim multiplicity	425
Koskela, P. Normal solutions of elliptic equations	363
Koumandos, S., Wang, K.-Y. & Brown, G. Positivity of more Jacobi polynomial sums	681
Kwasik, S. & Schultz, R. Fundamental groups of 4-manifolds with circle actions	645
Lapidus, M. L. & Pomerance, C. Counterexamples to the modified Weyl–Berry conjecture on fractal drums	167
Le Merdy, C. Representation of a quotient of a subalgebra of $B(X)$	83
Lee, C.-N. Farrell cohomology and centralizers of elementary Abelian p -subgroups	403
Luft, E. On 2-dimensional aspherical complexes and a problem of J. H. C. Whitehead	493
Majid, S. & Markl, M. Glueing operation for R-matrices, quantum groups and link-invariants of Hecke type	139
Marar, W. L. & Tari, F. On the geometry of simple germs of co-rank 1 maps from \mathbb{R}^3 to \mathbb{R}^3	469
Markl, M. & Majid, S. Glueing operation for R-matrices, quantum groups and link-invariants of Hecke type	139
Martínez, E. & Cariñena, J. F. Geometric characterization of linearisable second-order differential equations	373
Martino, J. & Priddy, S. Unstable homotopy classification of BG_β	119
Mattila, P. & Falconer, K. J. The packing dimension of projections and sections of measures	695
Montgomery-Smith, S. J. & Hitczenko, P. Tangent sequences in Orlicz and rearrangement invariant spaces	91
Morimoto, K., Sakuma, M. & Yokota, Y. Examples of tunnel number one knots which have the property ‘ $1+1=3$ ’	113
Ng, C.-K. Discrete coactions on Hilbert C^* -modules	103
Nutt, I. J. & Cromwell, P. R. Embedding knots and links in an open book II: Bounds on arc index	309
Oertel, U. & Hatcher, A. Full laminations in 3-manifolds	73
Ogi, H. On ground states for CCR algebras and Bogoliubov automorphism groups	419
Paszkiewicz, A., Ciach, L. J. & Jajte, R. On the almost sure approximation of self-adjoint operators in $L_2(0, 1)$	537
Peller, V. V. & Young, N. J. Superoptimal approximation by meromorphic functions	497
Pomerance, C. & Lapidus, M. L. Counterexamples to the modified Weyl–Berry conjecture on fractal drums	167
Powell, G. M. L. Attaching cells to finite complexes, with an application to elliptic spaces	483
Priddy, S. & Martino, J. Unstable homotopy classification of BG_β	119
Rees, D. & Kirby, D. Multiplicities in graded rings II: integral equivalence and the Buchsbaum–Rim multiplicity	425
Rein, G. Cosmological solutions of the Vlasov–Einstein system with spherical, plane, and hyperbolic symmetry	739
Richards, M. J. Some decomposition numbers for Hecke algebras of general linear groups .	383

Rippon, P. J. Towards a higher-dimensional MacLane class	665
Rocha, A. C. Meromorphic extension of the Selberg zeta function for Kleinian groups via thermodynamic formalism	179
Ryba, A. J. E. A natural invariant algebra for the Harada–Norton group	597
Sakuma, M., Yokota, Y. & Morimoto, K. Examples of tunnel number one knots which have the property ‘ $1+1=3$ ’	113
Schultz, R. & Kwasik, S. Fundamental groups of 4-manifolds with circle actions	645
Stallard, G. M. The Hausdorff dimension of Julia sets of entire functions II	513
Street, R., Verity, D. & Joyal, A. Traced monoidal categories	447
Sukochev, F. A. & Ferleger, S. V. On the contractibility to a point of the linear groups of non-commutative L^p -spaces	545
Tan, G. C. & Berrick, A. J. The minimal extension of P -localization on groups	243
Tari, F. & Marar, W. L. On the geometry of simple germs of co-rank 1 maps from \mathbb{R}^3 to \mathbb{R}^3	469
Taylor, M. J. The trace form for tame, abelian extensions of number fields	209
Tironi, G. & Dimov, G. D. Compactifications and A-compactifications of frames. Proximal frames	321
Trifonov, O. & Huxley, M. N. The square-full numbers in an interval	201
Truss, J. K. Betweenness relations and cycle-free partial orders	631
Turner, E. C. & Collins, D. J. All automorphisms of free groups with maximal rank fixed subgroups	615
Valdés, A. Differential invariants of \mathbb{R}^* -structures	341
Verity, D., Joyal, A. & Street, R. Traced monoidal categories	447
Walker, G. & Doty, S. Truncated symmetric powers and modular representations of GL_n	231
Wall, C. T. C. Highly singular quintic curves	257
Wang, K.-Y., Brown, G. & Koumandos, S. Positivity of more Jacobi polynomial sums	681
Werner, W. Beurling’s projection theorem via one-dimensional Brownian motion	729
Willerton, S. Vassiliev invariants and the Hopf algebra of chord diagrams	55
Wójcik, J. On a problem in algebraic number theory	191
Yagita, N. Note on the spectral sequence converging to cohomology of an extra special p -group for odd prime p	35
Yokota, Y., Morimoto, K. & Sakuma, M. Examples of tunnel number one knots which have the property ‘ $1+1=3$ ’	113
Young, N. J. & Peller, V. V. Superoptimal approximation by meromorphic functions	497

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address to which mail should be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and to reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp\{z^{\frac{1}{2}} \sin \theta/(1+y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlinings. Bold faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , \mathfrak{o} , \mathfrak{O} , 0 ; x , X , \times ; ϕ , Φ , \emptyset ; l , l , 1 ; \hat{A} , \in ; \hat{l} , k .

Greek letters can be denoted by \mathbf{Gk} in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \blacksquare may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams redrawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis. Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 119 (Pt 4) 575-762 (1996) 0305-0041 May 1996

CONTENTS

	PAGE
GREENBERG, P. Marked homeomorphisms and the realization problem	575
RYBA, A. J. E. A natural invariant algebra for the Harada–Norton group	597
COLLINS, D. J. & TURNER, E. C. All automorphisms of free groups with maximal rank fixed subgroups	615
TRUSS, J. K. Betweenness relations and cycle-free partial orders	631
KWASIK, S. & SCHULTZ, R. Fundamental groups of 4-manifolds with circle actions	645
FARHADI, H-R. Isomorphisms between the second duals of group algebras of locally compact groups	657
RIPPON, P. J. Towards a higher-dimensional MacLane class	665
BSHOUTY, D., HENGARTNER, W. & HOSSIAN, O. Harmonic typically real mappings	673
BROWN, G., KOUMANDOS, S. & WANG, K-Y. Positivity of more Jacobi polynomial sums	681
FALCONER, K. J. & MATTILA, P. The packing dimension of projections and sections of measures	695
HOWROYD, J. D. On Hausdorff and packing dimension of product spaces	715
WERNER, W. Beurling's projection theorem via one-dimensional Brownian motion	729
REIN, G. Cosmological solutions of the Vlasov–Einstein system with spherical, plane, and hyperbolic symmetry	739

© The Cambridge Philosophical Society 1996
Printed in Great Britain by the University Press, Cambridge

CAMBRIDGE
UNIVERSITY PRESS



0305-0041(199605)119:4;1-7