Vol. 66 579

Index of Authors

Numerals followed by the letter A refer to Abstracts of Communication read at Meetings for Original Communications of the Nutrition Society

- Abayomi JC, Watkinson H, Topping J & Hackett AF The prevalence of underweight and probable undernutrition in first-trimester pregnant women, 63A
- Al Olan MS, Clifford MN, Johnston KL & Morgan LM The effect of consuming an apple-derived product on glucose tolerance and insulin in vivo, 98A
- Al-Raees G, Earland J & Musaiger AO Prevalence of chronic diseases amongst Bahraini older adults, 95A.
- Alyahya K, Almazeedi Z, Morgan JB, Berry J, Lanham-New SA & Lee WTK Low vitamin D status and poor eating habits among Kuwaiti adolescent females: a public health concern for optimisation of bone health, 27A
- Ames JM, Mills DJS, Tuohy KM & Gibson GR Dietary glycated protein modifies detrimentally the human colonic microbiota, 86A.
- Anderson AS Nutrition interventions in women in low-income groups in the UK, DOI: 10.1017/S0029665107005265, 25.
- Andronicou AML, Hackett AF, Maxwell S, Richard J & Krska J Reasons, motivations and attitudes of individuals aged 18–25 years, trying to lose weight with various methods and with the use of over-the-counter oral solid weight-loss formulations, 46A.
- Angeloni C, Leoncini E, Calonghi N, Pagnotta E, Biagi PL & Hrelia S Induction of phase II enzymes by sulforaphane leads to cardioprotection. 111A.
- Anil E The impact of EPA and DHA on blood lipids and lipoprotein metabolism: influence of apoE genotype, DOI: 10.1017/S0029665107005307, 60.
- Appleton KM, Woodside JV, Yarnell JWG, Arveiler D, Haas B, Amouyel P, Montaye M, Ferrieres J, Ruidavets JB, Ducimetiere P, Bingham A & Evans A Alcohol consumption and depressed mood: different associations in Northern Ireland and France, 40A.
- Appleton KM, Hayward RC, Gunnell D, Kessler D, Ness AR, Peters TJ & Rogers PJ No association between plasma concentrations of n-3 long-chain PUFA and self-reported depressed mood in a non-clinical population, 39A.
- Archer ZA & Mercer JG Brain responses to obesogenic diets and dietinduced obesity, DOI: 10.1017/S0029665107005356, 124.
- Astbury NM, Simpson EJ, Taylor MA & Macdonald IA Effects of breakfast on physiological and psychological responses to foods eaten later in the day, 66A.
- Bailey CA, Parsons A & Brooke-Wavell K Associations of body composition with bone mineral density and proximal femoral geometry in sedentary premenopausal women, 47A.
- Bannon S, Walton J, Hannon EM & Flynn A Dietary fibre (DF) intakes from food sources in Irish children aged 5–12 years, 47A.
- Barker ME, Lawrence WT, Woadden JM, Crozier SC & Skinner TC Women of low educational attainment have lower food involvement and eat fewer fruits and vegetables, 48A.
- Barnes MS, Mullee A, Bonham MP, Robson PJ, Strain JJ & Wallace JMW The association among vitamin D status, body composition and glucose metabolism in apparently-healthy normal-weight and overweight women, 35A.
- Barton M, Stewart-Knox B & Kearney J Determinants of food choice in adults of low-socio-economic status: a qualitative investigation, 98A.
- Beath SV, Gabriel M, Hogg L, Hartt D, Gordon G, Taylor J & Gupte G Developing services for young adults who underwent small bowel transplantation in childhood, 7A.
- Beath SV, Patchell C, Van Mourik ID, Cash AJ, Lloyd C & Kelly DA Impact of cholestasis and restricted breast-feeding on develop-

- mental outcome in children undergoing liver transplantation before the age of 12 months, 11A.
- Bekaert B, Cooper ML, Green F, McNulty H, Pentieva K, Scott J, Molloy A & Rayman MP Selenium status influences the effect of folate, vitamin B₁₂ and pyridoxal 5'-phosphate on homocysteine concentrations, 36A.
- Berry SEE, Chowienczyk PJ, Jiang B, McNeill K, Mulla UZ & Sanders TAB The effect of increasing fruit and vegetable intake on endothelial function, 92A.
- Berry SEE, Sherwood R, Chowienczyk PJ, Mulla Z & Sanders TAB Increasing fruit and vegetable intake does not favourably affect plasma lipids and folate status, 102A.
- Boddy LM, Hackett AF & Stratton G Tracking the prevalence of obesity and overweight in Liverpool schoolchildren. 108A.
- Bonham MP, Duffy EM, Wallace JMW, Robson PJ, Myers GJ, Davidson PW, Clarkson TW, Shamlaye CF & Strain JJ Fatty acid status of a high-fish-consuming population of pregnant women from Seychelles, 72A.
- Borland SE, Robinson SM, Crozier SR, Godfrey KM, Inskip HM & The Sws Study Group Do women reduce alcohol, tea and coffee consumption, and stop smoking when pregnant? Longitudinal data from the Southampton Women's Survey, 64A.
- Bosi P see Lallès J-P, 260.
- Bremang MP, Callow LJ & Weekes CE An audit of dietitian-prescribed snacks and supplements to elderly care inpatients at a London teaching hospital, 4A.
- Brotherton AM, Abbott J & Aggett PJ Percutaneous endoscopic gastrostomy (PEG) placement: patient and carer perceptions of decision-making, 9A.
- Brown JE, Chana K & Mahende C Differences in the absorption and excretion of soya-milk isoflavones in Oriental and Caucasian men, 99A.
- Büyüktuncer Z, Akgül E, Köksal G, Hanna K, Ellahi B, Yarali H & Tokgözoğlu L The effects of soyabean-phyto-oestrogen-rich diet on lipid profile, endothelial function and menopausal symptoms, 79A.
- Burley VJ, Greenwood DC, Cade JE, Moreton J, Chan D, Tu Y-K, Thomas JD & Forman D Obesity and risk of pancreatic cancer: a systematic literature review, 93A.
- Burr ML Secondary prevention of CHD in UK men: the Diet and Reinfarction Trial and its sequel, DOI: 10.1017/S0029665107005241, 9.
- Burton FL, Malkova D, Caslake MJ & Gill JMR Exercise-induced changes in postprandial leptin concentrations are related to changes in fat and carbohydrate oxidation rates, 50A.
- Byrne M, Ellahi B, Higgins S & Howlin D Nutritional and physical well being: a role for the mental health services, 41A.
- Cade JE, Taylor EF, Burley VJ & Greenwood DC Dietary patterns and risk of breast cancer: analysis from the UK Women's Cohort Study, 93A.Calder PC see Sijben JWC, 237.
- Catalán V, Gómez-Ambrosi J, Silva C, Gil MJ, Hernández-Lizoáin JL, Baixauli J, Rotellar F, Cienfuegos JA, Salvador J & Frühbeck G Differential expression of cancer-related genes in omental adipose tissue in human obesity, 56A.
- Cawood AL, Ding R, Napper FL, Young R, Williams J, Ward M, Gudmundsen O, Payne S, Vik H, Shearman CP, Ye S, Gallagher PJ, Grimble RF & Calder PC Long-chain n-3 fatty acids enter advanced atherosclerotic plaques and are associated with decreased inflammation and decreased inflammatory gene expression, 2A.
- Chaparro CM see Dewey KG, 412.
- Chapman M, Howell A, Cuzick J, Flyvbjerg A, Hopwood P, Jebb S, Parfitt G & Harvie M The effect of intermittent v. chronic energy restriction on weight loss in premenopausal women: preliminary results from a randomised pilot trial to reduce breast cancer risk, 99A.

- Childs CE, Romijn T, Enke U & Calder PC n-3 Fatty acids in the maternal diet during rat pregnancy alter expression of cell surface markers on cytotoxic T-cells in both the mother and the fetus and increase the proportion of natural killer cells in the fetal thymus, 71A.
- Chomtho S see Wells JCK, 423.
- Chomtho S, Wells JCK, Williams JE & Fewtrell MS Infant body composition and later health outcomes: prospective follow-up study, 26A.
- Chomtho S, Wells JCK, Williams JE & Fewtrell MS Infant growth and later body composition: evidence from the four-component model, 18A.
- Chong MFF, Fielding BA & Frayn KN Metabolic interaction of dietary sugars and plasma lipids with a focus on mechanisms and de novo lipogenesis, DOI: 10.1017/S0029665107005290, 52.
- Choudhury K & Griffiths HR Dietary enrichment with almond (Prunus amygdalis) supplementation: effects on CVD risk biomarkers, 36A.
- Clarke VJ, Vauzour D, Gordon MH, Ames JM, Muller R & Spencer JPE Polyphenol content and antioxidant activity of beer, 51A.
- Clegg M, Shafat A, Dobson M & Rowland M The effect of lactulose and inulin on gastric emptying in men, 79A.
- Coates EM, Popa G, Gill CIR, McCann M, McDougall GJ, Stewart D & Rowland I Colon-available raspberry extract exhibit anti-cancer effects on in vitro models of colon cancer, 67A.
- Collard KJ Measurement of physiologically-available iron in plasma by HPLC following sample preparation by ultrafiltration or solid-phase extraction. 17A.
- Comrie F, Cochrane N, Aucott L, Lemon J & McNeill G Results from a new online method for measuring undergraduate student diet, 30A.
- Connor CA, Kroon PA & Hughes DA Apple procyanidins inhibit TNFαinduced pro-inflammatory effects in human umbilical vascular endothelial cells, 80A.
- Costarelli V, Karystinou F, Noutsou C, Yiannakoyris N & Vamvakari MG Dietary antioxidant intake among young Greek female smokers and non-smokers. 85A.
- Costarelli V, Kolotourou M, Kondakis K, Tzavara C, Moschonis G & Manios Y Prevalence of obesity in preschool Greek children using two different classification methods, 94A.
- Cottrell EC & Ozanne SE Developmental programming of energy balance and the metabolic syndrome, DOI: 10.1017/S0029665107005447, 198.
- Craig LCA, Devereux G, McNeill G, Newman G, Turner SW, Martindale S, Helms PJ & Seaton A Maternal and neonatal plasma selenium and risk of early childhood wheeze, 94A.
- Cronin C, Hannon EM & Flynn A Dietary determinants of micronutrient intake in Irish children aged 5–12 years, 41A.
- Culkin A, Gabe S & Madden A Clinical outcomes can be improved by increasing patient knowledge with an information booklet, 5A.
- Cuskelly GJ, Mooney KM & Young IS Folate and vitamin B₁₂: friendly or enemy nutrients for the elderly, DOI: 10.1017/S0029665107005873, 548.
- Daly TJ, Aherne SA, O'Connor TP & O'Brien NM The effects of plant sterols on the viability and proliferation of Caco-2 cells, 80A.
- Dart JE, Abraham M, Travis SPL, Jewell DP & Whelan K Calcium intakes in patients with coeliac disease and inflammatory bowel disease: are they meeting British Society of Gastroenterology guidelines? 6A.
- Davidson I & Smith S Strategies to improve ingestive behaviour with reference to critical illness. DOI: 10.1017/S0029665107005605, 346.
- Davies AA, Moore SE, Fulford AJ & Prentice AM Low-grade inflammatory markers: levels and determinants in a rural West African population, 20A.
- Decsi T, Bokor SZ, Martin-Bautista E, Campoy C, Laitinen K, Von Rosen-Von Hoewel J, Schmid MA, Gage H, Koletzko B, Morgan J & Raats MM Representation of early nutritional programming in policy documents on infant nutrition: comparison of five European countries, 16A.
- Denise Robertson M Metabolic cross talk between the colon and the periphery: implications for insulin sensitivity, DOI: 10.1017/S0029665107005617, 351.
- Dewey KG & Chaparro CM Session 4: Mineral metabolism and body composition Iron status of breast-fed infants, DOI: 10.1017/S002966510700568X, 412.
- Diéguez C see López M, 131.

- Donnellan CF, Leaper JH, Hamlin SM & Millson CE Use of percutaneous endoscopic gastrostomy tubes to provide nutrition following liver transplantation, 8A.
- Drevon CA see Haugen F, 171.
- Duffy EM, Bonham MP, Wallace JMW, Robson PJ, Myers GJ, Davidson PW, Clarkson TW, Shamlaye CF & Strain JJ Iron status of pregnant women and their neonates participating in the Seychelles Child Development Nutrition Study, 72A.
- Duncan AJ see Rungapamestry V, 69.
- Dunger DB, Salgin B & Ong KK Session 7: Early nutrition and later health Early developmental pathways of obesity and diabetes risk, DOI: 10.1017/ S0029665107005721, 451.
- Duthie SJ, Grant G, Rucklidge GJ, Reid MD, Duncan GJ, Pirie LP & Horgan G Biochemical and proteomic changes in the colon and liver of rats in response to long-term folate deficiency, 111A.
- Eberhardie C Nutritional supplements and the EU: is anyone happy? DOI: 10.1017/S0029665107005824, 508.
- Eckel RH Mechanisms of the components of the metabolic syndrome that predispose to diabetes and atherosclerotic CVD, DOI: 10.1017/S0029665107005320, 82.
- Elgass S, Scarlett G, Cooper A & Chopra M An in vitro investigation into the cancer-protective role of lycopene, 52A.
- Elia M, Mulligan J, Betts P & Stratton RJ Relationship between birth weight and handedness. 3A.
- Elizabeth Weekes C Controversies in the determination of energy requirements, DOI: 10.1017/S0029665107005630, 367.
- Emmett P, Coulthard H & Harris G Long-term consequences of early fruitand-vegetable feeding practices in the weaning period, 76A.
- Emmett P, Steer C, Hibbeln J, Davis J & Golding J Fish eating in pregnancy in relation to depression during and after pregnancy, 64A.
- Evans CEL, Thomas JD, Greenwood DC & Cade JE Survey of packed lunches in British primary schoolchildren age 8–9 years, 61A.
- Evans GH, Shirreffs SM & Maughan RJ The rate of gastric emptying and blood ²H accumulation following repeated ingestion of glucose–electrolyte solutions, 76A.
- Evans S, Macdonald A, Daly A, Holden C, Hopkins V, Hendriksz C & Chakrapani A Home enteral tube feeding in children with inherited metabolic disorders: safety issues, 6A.
- Fewtrell MS, on behalf of the EARNEST consortium Session 6: Infant nutrition: future research developments in Europe EARNEST, the early nutrition programming project: EARly Nutrition programming long-term Efficacy and Safety Trials and integrated epidemiological, genetic, animal, consumer and economic research, DOI: 10.1017/S0029665107005708, 435.

Fewtrell MS see Wells JCK, 423.

- Fielding BA see Chong MFF, 52.
- Finnerty T, Randell N, Rowbottom S, Vogele C, Dabinett J, Reeves S & Jeanes Y Investigation into factors influencing dietary intake and physical activity in children aged 10–11 years, 44A.
- Forster SE, Gariballa SE & Powers HJ Plasma selenium, zinc, copper and glutathione peroxidase concentrations in older subjects during both acute illness and recovery, 37A.
- Frayn KN see Chong MFF, 52.
- Fuller Z see Rungapamestry V, 69.
- Gabe SM see Lloyd DAJ, 530.
- Gallagher AM, Neville CE, Murray LJ, Strain JJ, Boreham CAG, Young I & McNulty H Is there a relationship between B-vitamin status and bone mineral density in young adults? Evidence from the Young Hearts Project, Northern Ireland. 104A.
- Gao D, Griffiths HR & Bailey CJ Palmitate induces insulin resistance in monocytes and increases expression of the integrin CD11b, 44A.
- Gardner DS & Symonds ME Environmental influences on pre- and postnatal growth in sheep, 21A.
- George TW, Niwat C, Gordon MH & Lovegrove JA Effects of acute consumption of fruit- and vegetable-juice shots on vasodilation and risk factors for CVD, 61A.

- Gerasimidis K, McGrogan P, Hassan K & Edwards CA Use of special diets, nutritional supplements and alternative therapists in a paediatric population of inflammatory bowel disease, 29A.
- Gibbs RA, Rymer C & Givens DI The effect of dietary source of very-longchain n-3 PUFA on the EPA and DHA concentrations of edible chicken tissues. 60A.
- Gibson GR see Parracho H, 405.
- Gilmour A, Ritchie MR, Mackinnon LJ, Wong V, Charlton C, Steel CM, Gates SEE, Smith J & Gibbs TJ Monitoring phyto-oestrogen exposure in patients with breast cancer after diagnosis, 31A.
- Gregg R & Ellahi B Promoting diet related change: An evaluation of a Community Cooks scheme, 42A.
- Griffin BA, Paynton SE, Lloyd DAJ, Gabe SM, Mateos AR & Lovegrove JA Plasma long-chain n-3 PUFA status in patients receiving long-term home parenteral nutrition, 92A.
- Gupte G, Beath S, Protheroe S, Murphy MS, Davies P, Sharif K, McKiernan P, De Goyet JDV, Booth I & Kelly D Improved outcome of referrals for intestinal transplantation in the UK, 3A.
- Gupte G, Mehta C, Sharif K & De Giovanni J Occluded superior vena cava! They think it's all over. 12A.
- Hackett AF, Boddy LM, Johnson B & Stratton G Is food choice of 9–10-year-old children in Liverpool related to physical fitness? 42A.
- Haggarty P B-vitamins, genotype and disease causality, DOI: 10.1017/ S0029665107005861, 539.
- Hall BM & Neild PJ Methicillin-resistant Staphylococcus aureus (MRSA) in gastrostomy sites: prevalence, route of transmission and relationship to clinical infection and symptoms. 8A.
- Hamer C Impact of combination therapy with peginterferon α -2a and ribavirin on the energy intake and nutritional status of adult patients with hepatitis C, 10A.
- Hamill LL, Keaveney EM, Price RK, Wallace JMW, Strain JJ & Welch RW Assessment of antioxidant biomarkers in human plasma and urine after consumption of wheat bran and aleurone fractions, 88A.
- Hanna K, Lyons-Wall P, Eaglesham G & O'Neill S Excretion of isoflavonoids in Australian women who do and do not report obvious consumption of soya foods, 108A.
- Hannon EM & Flynn A Contribution of ready-to-eat breakfast cereals to nutrient intakes in Irish children aged 5–12 years, 43A.
- Hannon EM, Cashman KD, Kiely M & Flynn A Phylloquinone intakes and food sources in Irish children aged 5-12 years, 112A.
- Hanson LÅ Session 1: Feeding and infant development Breast-feeding and immune function, DOI: 10.1017/S0029665107005654, 384.
- Harman NL, Pourfarzam M, Neely RDG & Griffin BA Plasma sterols as markers of cholesterol absorption and synthesis: inter-relationships with plasma lipids and apoE genotype, 35A.
- Harper J Glucose control in the intensive care unit: how it is done, DOI: 10.1017/S0029665107005629, 362.
- Haugen F & Drevon CA The interplay between nutrients and the adipose tissue, DOI: 10.1017/S0029665107005423, 171.
- Haughey O, Kleemann S & Younger K Disadvantaged groups of women's perceptions of their nutrition service needs: a qualitative study, 107A.
- Hawkins ML, Davies GJ, Chaplin MF, Dillon JF, Cotton JP & Dettmar PW Antioxidant vitamin intakes in the progression of gastrooesophageal reflux disease, 50A.
- Hawkins ML, Davies GJ, Chaplin MF, Dillon JF, Cotton JP & Dettmar PW Comparison of dietary assessment methods within a population suffering from gastro-oesophageal reflux disease, 67A.
- Headland KR, Errard L, Tucker GA & Brameld JM Dietary polyphenols regulate lipolysis in cultured pig fat explants, 109A.
- Hearty AP & Gibney MJ A novel approach to dietary analysis: exploration of food intake at the meal level, 62A.
- Heaton J, Eady JJ, Fairweather-Tait SJ, McArdle HJ, Srai KS & Elliott RM BeWo cells as an in vitro model for iron transport across the placenta, 17A.
- Hedin C, Whelan K & Lindsay JO Evidence for the use of probiotics and prebiotics in inflammatory bowel disease: a review of clinical trials, DOI: 10.1017/S0029665107005563, 307.
- Hetherington MM Cues to overeat: psychological factors influencing overconsumption, DOI: 10.1017/S0029665107005344, 113.

- Hill T, Cotter A, Wallace J, Robson PJ, Boreham C, Dubitzky W, Murray L, Flynn A, Kiely M & Cashman KD Vitamin D status and bone mineral density in adolescents: The Young Heart's Project, 56A.
- Hill AJ The psychology of food craving, DOI: 10.1017/S0029665107005502, 277.
- Hiller FC, Ells LJ, Summerbell CD, Shucksmith J, Crawley H, Harbige LS, Hamilton-Shield J & Wiggins A A systematic review of the effect of nutrition, diet and dietary change on learning, behaviour and performance of school-aged children, 43A.
- Hoey L, McNulty H, McCann MEE, McCracken KJ, Scott JM, Blaznik Marc B, Molloy AM, Graham C & Pentieva K Unmetabolized folic acid content of eggs produced by hens fed diets with added folic acid, 100A.
- Holub I, Gostner A, Hessdoerfer S, Theis S, Bender G, Willinger B, Allolio B, Kozianowski G & Scheppach W Influence of low-glycaemic sweetener isomalt on metabolic variables and vascular risk factors in patients with type 2 diabetes, 70A.
- Horigan G, Barnes MS, Dalrymple D, Strain JJ, Bonham MP, Duffy EM & Wallace JMW Bone mineral density in a representative sample of men and women aged 20–40 years, 89A.
- Horigan G, Ward M, McNulty H, Purvis J, Strain JJ & Scott JM Riboflavin lowers blood pressure in patients with premature CVD homozygous for the methylenetetrahydrofolate reductase (MTHFR) C677T polymorphism, 95A.
- Hossack AE, Stamp E, Northover ES, Mathers JC & Adamson AJ A longitudinal study of tracking of adiposity from early adolescence to young adulthood: Northumberland, UK (ASH 17), 62A.
- How PS, Cox R, Ellis JA & Spencer JPE The impact of plant-derived flavonoids on mood, memory and motor skills in UK adults, 87A.
- Hyppönen E, Fararouiei M, Robertson C & Järvelin MR Vitamin D and linear growth: cohort study on long-term effects of rickets and large-dose supplementation, 19A.
- Innis SM Human milk: maternal dietary lipids and infant development, DOI: 10.1017/S0029665107005666, 397.
- Inskip H, Dunn N, Robinson S, Oestmann A, Barnett J, Godfrey K, Cooper C, Kendrick T & The Sws Study Group Depression and erythrocyte folate levels among women in the Southampton Women's Survey: cross-sectional and longitudinal analyses. 105A.
- Jackson KG, Armah CK, Cheghani F, James L, Doman I & Minihane AM Fish oil fatty acids improve postprandial vascular reactivity, 96A.
- Jofre-Monseny L see Minihane AM, 183.
- Johnson L, Mander A, Jones LR, Emmett PM & Jebb SA A prospective analysis of dietary fat, fibre and energy intake in relation to fatness in childhood, 48A.
- Johnson L, Mander A, Jones LR, Emmett PM & Jebb SA Is sugar-sweetened beverage consumption associated with increased fatness in children? 25A.
- Johnson L, Mander A, Jones LR, Emmett PM & Jebb SA Using reduced rank regression to find a dietary pattern related to fat mass in childhood, 77A.
- Johnson IT Phytochemicals and cancer, DOI: 10.1017/S0029665107005459, 207.
- Johnston Molloy C, Murtagh M, Corish C, Kearney J & Glennon C An exploration of food provision, and commitment to the introduction of a nutrition incentive scheme, in the preschool setting, 109A.
- Jones K, Ellahi B, Androuhara C & Lumb PM Adherence to Mediterranean diet across the adult population of Symi aged 18–84 years, 82A.
- Jones KS, Bluck LJC, Wang LY & Coward WA Stable-isotope studies to measure phylloquinone kinetics and bioavailability, 37A.
- Joyce T & Gibney MJ Intake of total fat, SFA, MUFA and PUFA in Irish children aged 5–12 years, 49A.
- Joyce T, McCarthy SN & Gibney MJ Frequency of consumption of addedsugar meals and relationship to percentage total energy from added sugars in a representative sample of Irish adults aged 18–64 years and Irish children aged 5–12 years, 49A.
- Kelly CNM, Batt V, Fallon M, S & Gabhainn NS From science to policy: experience of the Breastfeeding in Ireland Strategic Action Plan, 22A.
- Kelly MT, Fletcher A, Brennan SF, Wallace JMW, Robson PJ, Welch RW, Hannon-Fletcher MP & Livingstone MBE Increased portion size leads to

- a sustained increase in energy intake over 4d in normal-weight and overweight men and women, 77A.
- Keogh S, Cullen M & McKevitt A An investigation of Irish consumers' use and understanding of nutrition labels on pre-packaged foods, 105A.
- Kerr MA, McCaffrey TA, Rennie KL, Wallace JM, Hannon-Fletcher MP & Livingstone MBE Snacks v. meals: similarities and differences among children and adolescents, 78A.
- Kleemann S, Haughey O & Younger K Low-income groups' perceived barriers to healthy eating: a qualitative study, 63A.
- López M, Tovar S, Vázquez MJ, Williams LM & Diéguez C Peripheral tissue-brain interactions in the regulation of food intake, DOI: 10.1017/ S0029665107005368, 131.
- Lallès J-P, Bosi P, Smidt H & Stokes CR Nutritional management of gut health in pigs around weaning, DOI: 10.1017/S0029665107005484, 260.
- Landman JP & Wootton SA Professional regulation of nutritionists: where are we now? DOI: 10.1017/S0029665107005496, 269.
- Langhans W Signals generating anorexia during acute illness, DOI: 10.1017/S0029665107005587, 321.
- Lawrence W, Barker M & The Food Choice Group 'He says "I ain't fat. You are. I don't need to diet": who is controlling the food choices of women with low educational attainment? 53A.
- Le Couteur J & Rowbotham DS Specialist dietetic input for gastroenterology outpatients: is there a need for joint clinics? 7A.
- Lee PA, Siu KYK, Hipgrave R, David D, Lee WTK, Lovell DP, Kiely M, Cashman K, Berry JL & Lanham-New SA Associations between dietary intake of calcium and vitamin D, anthropometry measures and indices of bone health in Caucasian women: preliminary results from the D-FINES study, 83A.
- Lentjes MAH, Mulligan AA, Bhaniani A, Bingham SA, Khaw KT & Welch AA Trends in consumption of foods among supplement users within the Norfolk arm of the European Prospective Investigation into Cancer (EPIC-Norfolk), 29A.
- Lindsay JO see Hedin C, 307.
- Lloyd DAJ & Gabe SM Managing liver dysfunction in parenteral nutrition, DOI: 10.1017/S002966510700585X, 530.
- Lomer MCE, Cook W, Jan-Mohamed H, Thompson RPH & Powell JJ Iron absorption is normal in inflammatory bowel disease but assessing iron requirements is complex, 11A.
- Lovegrove JA CVD risk in South Asians: the importance of defining adiposity and influence of dietary polyunsaturated fat, DOI: 10.1017/S0029665107005514. 286.
- Lucey A, Paschos G, Cashman KD, Martínéz JA, Thorsdottir I & Kiely M Associations between bone turnover and inflammatory status in young overweight adults, 73A.
- Lunny PM, Robson PJ, Neville CE, Murray LJ, Boreham CAG & Gallagher AM Is dietary glycaemic index associated with increased risk of metabolic syndrome in young adults? Evidence from the Young Hearts Project, Northern Ireland, 110A.
- McCaffrey TA, Rennie KL, Kerr MA, Wallace JM, Hannon-Fletcher MP, Jebb SA, Coward WA & Livingstone MBE Can the method of calculating energy density influence the interpretation of the relationship between energy density and fat mass in children? 78A.
- McCarron A, Prynne CJ, Stephen AM & Wadsworth MEJ Trends in phytate and fibre (NSP) consumption over seventeen adult years in a British birth cohort, 70A.
- McCartney AL see Parracho H, 405.
- McCartney DMA, O'Neill MT, Walsh J, Younger KM & Kearney JM Socioeconomic differences in diet- and health-related attitudinal variables among young Dublin women, 53A.
- McGloin AF & Delaney L Irish mothers' perception of their own and their child's weight status, 100A.
- McGrath DR, Frydoonfar HR, Hunt JJ, Dunkley CJ & Spigelman AD Potential mechanisms for the chemoprotective effect of cruciferous vegetables in colo-rectal cancer: a clinical trial of indole-3-carbinol, 38A.
- McNeil CJ, Maloney CA, Hay SM & Rees WD Sources of dietary protein and lipid interact to modify maternal and fetal development in the pregnant rat. 21A.

- McNulty B, Pentieva K, Marshall B, Ward M, Molloy AM, Scott JM & McNulty H Folate status in pregnant women in relation to compliance with current folic acid recommendations for the prevention of neural-tube defects, 65A.
- Marriott LD, Robinson SM, Poole J, Borland SE, Lawrence WT, Inskip HM, Cooper C & The Southampton Women's Survey (Sws) Study Group The evaluation of an FFQ to determine energy, macronutrient, calcium, iron and zinc intakes of infants aged 6 months, 24A.
- Martins C, Tolhurst E & Morgan LM A comparison of the revised restraint scale, the three-factor eating questionnaire and the Dutch eating-behaviour questionnaire in predicting disinhibition, 81A.
- Mason P One is okay, more is better? Pharmacological aspects and safe limits of nutritional supplements, DOI: 10.1017/S0029665107005812, 493.
- Mathe N, Gandy J, McCarthy D & Brodie DA Ethnic-specific equations v. a generalised equation in Afro-Caribbeans using the BodPod (self testing), 81A
- Mathers JC see Tyson J, 42.
- Mavrommatis Y, Thies F, Ross K, Gordon MJ, McLeod E, Sneddon A, Rucklidge G, Reid M, Duncan G, Mayer C, Horgan G, Arthur J & De Roos B The effects of fish oil and DHA on soluble epoxide hydrolase in apoE^{-/-} mice, 103A.
- Mercer JG see Archer ZA, 124.
- Micha R, Leeds A & Nelson M Glycaemic potency of composite breakfast meals, 88A.
- Micha R, Rogers PJ & Nelson M Glycaemic load of breakfast and cognitive function in adolescent children, 83A.
- Middleton SJ Is intestinal transplantation now an alternative to home parenteral nutrition? DOI: 10.1017/S0029665107005575, 316.
- Minihane AM, Jofre-Monseny L, Olano-Martin E & Rimbach G ApoE genotype, cardiovascular risk and responsiveness to dietary fat manipulation, DOI: 10.1017/S0029665107005435, 183.
- Minihane AM, Olano-Martin E, Gill-Garrison R, Valdes AM, Grimaldi K, Lovegrove JA & Jackson KG The impact of the apoE genotype on fasting and postprandial TAG, 34A.
- Mitra SR, Foster PC, Judd PA, Ellahi B & Lowe NM Cultural differences in the sources of dietary Ca in post-menopausal Caucasian and South Asian women living in Blackburn, Lancashire, UK, 69A.
- Mohamed MS Assessment of the nutritional status of a sample of adult patients with asthma, 103A.
- Mohamed MS, Saad HH & El Khalek MA Daily consumption of marjoram (Origanum majorana L.) and lettuce (Lactuca sativa L.) oils improves the health status of patients with asthma, 104A.
- Mooney KM see Cuskelly GJ, 548.
- Moore C, Gitau R, Frost GS, Griffin BA, Jebb SA, Sanders TA & Lovegrove JA Strategy to alter the amount and composition of dietary carbohydrate and fat in free-living individuals participating in the RISCK trial. 86A.
- Mostyn A, Williams PJ, Litten JC, Perkins KS, Corson AM, Clarke L & Symonds ME Differences in fatty acid-binding protein (FABP) 3 and 4 mRNA expression in skeletal muscle and subcutaneous adipose tissue between normal-birth-weight and low- and high-birth-weight porcine off-spring at days 7 and 14 of postnatal life, 57A.
- Muldowney S, Cashman KD, Higgins JR, Moore T & Kiely M Vitamin D status in women living in Ireland at different stages of pregnancy, 71A.
- Muldowney S, Lucey A, Paschos G, Martinéz JA, Thorsdottir I, Cashman KD & Kiely M Wintertime vitamin D status in adults aged 20–40 years from Iceland, Spain and Ireland, 89A.
- Mulla UZ, Berry SEE, Sherwood R & Sanders TAB Plasma 8-isoprostane F2α concentrations are associated with plasma total cholesterol. 73A.
- Murphy EF, Cashman KD & Wood RJ Trans-10, cis-12 conjugated linoleic acid isomer increases transcellular calcium transport without affecting TRPV6 and Calbindin D9k expression in human Caco-2 cells, 45A.
- Murphy EF, Hooiveld GJEJ, Muller M, Calogero RA & Cashman KD The effect of trans-10, cis-12 conjugated linoleic acid on gene-expression profiles related to lipid metabolism in human Caco-2 cells, 58A.
- Neville CE, Woodside JV, Murray LJ, Cran GW, Boreham CAG, McCarron P & Young IS The relationship between plasma antioxidants and respiratory health in young adulthood: The Northern Ireland Young Hearts Project, 68A.

- Newbold CJ Editorial, DOI: 10.1017/S0029665107005393, 157.
- Niwat C, George TW, Gordon MH & Lovegrove JA Effect of acute intervention with flavonoid-rich juice on the plasma antioxidant capacity, 52A.
- O'Brien YM, Deakin TA, Horan FM, Kearney JM, McCarthy SN, Gibney MJ & Harrington KE A structured patient-education programme for individuals with type 2 diabetes: The X-PERT Programme in Ireland, 74A.
- O'Callaghan YC, Kenny O & O'Brien NM The bioaccessibility of α-tocopherol and retinol from a range of vitamin-enriched foods, 112A.
- O'Connor EM, Mølgaard C, Michaelsen KF, Jakobsen J & Cashman KD An investigation of a possible nutritional interaction between vitamin D and K status in Danish girls, 90A.
- O'Connor A, Phelan N, Boran G, Gibney J & Roche HM Cardiovascular risk profiles of women with polycystic ovary syndrome (PCOS) compared with women who are insulin resistant or insulin sensitive and matched for age and BMI, 74A.
- O'Connell OF, Ryan L & O'Brien NM Effect of fibre on the bioaccessibility of carotenoids from a combination of vegetables, 113A.
- O'Neill F, Mavroeidi A, Reid DM & Macdonald HM Comparison of daily nutrient intakes estimated from 7 d food diaries with that estimated from the first 4 d, 85A.
- O'Reilly M, Tully O, Houlihan G, Sugrue S & Gallagher C Percutaneous endoscopic gastrostomy in patients with Cystic Fibrosis, 90A.
- O'Sullivan LP, Ryan L & O'Brien NM Uptake and secretion of micellarised lutein from spinach (Spinacia oleracea) using a Caco-2 intestinal cell model, 55A.
- Olano-Martin E see Minihane AM, 183.
- Oliver E, Phillips C, Toomey S & Roche HM Co-culture of adipocytes with macrophages promotes a pro-inflammatory state and dampens insulin responsiveness in adipocytes that is attenuated by long-chain n-3 PUFA, 34A
- Oliver KL, Davies GJ & Dettmar PW Diet and lifestyle as triggers for heartburn: patient perception, 84A.
- Ong EGP, Eaton S, Wade AM, Horn V & Pierro A Glutamine decreases risk of sepsis in neonates receiving total parenteral nutrition, 2A.
- Ong KK see Dunger DB, 451.
- Owusu M, Pufulete M & Thomas J The relationship between diet and CVD risk factors in Ghanaian populations from London and Accra, 54A.

 Ozanne SE see Cottrell EC, 198.
- Pakseresht M, Cade JE, Forman D, Malekzadeh R & Sadjadi A *Nutritional* status of adults in north-west Iran, 84A.
- Parracho H, McCartney AL & Gibson GR Probiotics and prebiotics in infant nutrition. DOI: 10.1017/S0029665107005678. 405.
- Pearson J, Gill C, McGlynn A & Rowland I Investigation of dietary factors and faecal water biomarkers in relation to colorectal cancer, 68A.
- Phelan M, Aherne SA, Wong A & O'Brien NM The effects of lignan-rich extracts on human Jurkat T-cells, 82A.
- Philippou E, Neary NM, Chaudhri OB, Brynes AE, Dornhorst A, Leeds AR, Hickson M & Frost GS Modest improvements in weight maintenance on a low-glycaemic index (GI) diet following weight loss in overweight and obese subjects, 75A.
- Phillips C, Goumidi L, Bertrais S, Ferguson J, McManus R, Hercberg S, Lairon D, Roche HM & Planells R Interaction between dietary fatty acids and genetic variation in the metabolic syndrome, 59A.
- Powell-Tuck J Nutritional interventions in critical illness, DOI: 10.1017/S0029665107005253, 16.
- Prentice A Elsie Widdowson Lecture 2006
 - Mining the depths: metabolic insights into mineral nutrition, DOI: 10.1017/S0029665107005836, 512.
- Prentice A, Jarjou LMA, Bennett J, Olausson, H, Laskey MA, Schoenmakers I & Goldberg GR Birth weight and infant growth in The Gambia are not significantly related to maternal plasma 25-hydroxyvitamin D concentration during pregnancy, 19A.
- Price RK, Keaveney EM, Hamill LL, Wallace JM, McNulty H, Ward M, Strain JJ, Ueland PM, Scott JM, Molloy AM & Welch RW Plasma uptake of methyl donors from wheat fractions by human subjects, 114A.

- Rühl R Effects of dietary retinoids and carotenoids on immune development, DOI: 10.1017/S002966510600509X, 458.
- Rabee S, Collings P, Copp J & Kennedy OB Evaluation of health campaigns in schools; Food Awareness Week, East Berkshire, 26A.
- Ralston SH *Genetics of osteoporosis*, DOI: 10.1017/S002966510700540X, 158.
- Ratcliffe B see Rungapamestry V, 69.
- Rayman M, Angus F & Goenaga-Infante H Bioavailability and speciation of selenium from selenium-enriched mushrooms, 55A.
- Rees GA, Richards CJ & Gregory J Nutrient intakes at lunchtime of primaryschool children in Cornwall: a comparison of school meals and packed lunches. 101A.
- Reynolds C, Draper E, Cipolletta C, Loscher CE & Roche HM Nutrientsensitive interactions between NF-κB and PPARγ, 45A.
- Rimbach G see Minihane AM, 183.
- Ritchie MR Use of herbal supplements and nutritional supplements in the UK: what do we know about their pattern of usage? DOI: 10.1017/S0029665107005794, 479.
- Robinson S, Marriott L, Poole J, Crozier S, Borland S, Lawrence W, Law C, Cooper C, Inskip H & The Sws Study Group Dietary patterns in infancy: results from the Southampton Women's Survey (SWS), 15A.
- Rolls ET Sensory processing in the brain related to the control of food intake, DOI: 10.1017/S0029665107005332, 96.
- Roos BDE, Ross K, Rucklidge G, Toomey S, Browne J & Roche HM Hepatic proteomics in IL-1R1 --- mice that are resistant to obesity-induced insulin resistance following a high-fat diet, 58A.
- Rumbold PLS & Dodd CJ Energy intake and appetite responses of adolescent girls following a netball-specific exercise protocol, 38A.
- Rungapamestry V, Duncan AJ, Fuller Z & Ratcliffe B Effect of cooking brassica vegetables on the subsequent hydrolysis and metabolic fate of glucosinolates, DOI: 10.1017/S0029665107005319, 69.
- Ryan L, O'Connell OF & O'Brien NM Analysis of the effect of different cooking processes on the percentage bioaccessibility of carotenoids from tomato and red pepper (Capiscum annuum L.), 113A.
- Salgin B see Dunger DB, 451.
- Samani D, Prosser L, Alston C & McCarthy HD Ethnicity-related variation in upper body fatness in East London schoolchildren, 25A.
- Sarveswaran J, Heuser KG, Dick J, Scantlebury J & Burke D Should malnutrition screening be implemented in general surgical outpatient clinics?
- Saulnier DMA, Hütt P, Mikelsaar M, Bosscher D, Gibson GR & Kolida S Effects of a synbiotic on biomarkers of oxidative stress and faecal microbiota in healthy adults: results of a cross-over double-blind placebo-controlled trial, 101A.
- Schiffman SS Critical illness and changes in sensory perception, DOI: 10.1017/S0029665107005599, 331.
- Schrauwen P High-fat diet, muscular lipotoxicity and insulin resistance, DOI: 10.1017/S0029665107005277, 33.
- Scott JA, Chatziioannidis I, Higgins S, Benatti F, Uusijarvi A, Maldonado J, Totzauer M & Edwards CA Comparison of infant feeding practices in five European centres. 16A.
- Seamans KM, Cusack S, Cashman KD & on behalf of the PHYTOS Consortium Oestrogen receptor genotype and response of bone-health indices to dietary phyto-oestrogen intervention in European post-menopausal women, 59A.
- Sebert S, Budge H, Keisler D, Symonds ME & Gardner DS Juvenile obesity rather than nutrient restriction in utero influences appetite regulation in the growing sheep, 22A.
- Shahkhalili Y, Moulin J, Acheson KJ, Aprikian O, Zbinden I & Mace K Comparison of two models of intrauterine growth retardation (IUGR) for studies investigating later diabetes development in rats, 20A.
- Shaw DI, Hall WL & Williams CM Fatty acid effects on endothelial inflammatory gene expression: impact of the approach, 46A.
- Sijben JWC & Calder PC Differential immunomodulation with long-chain n-3 PUFA in health and chronic disease, DOI: 10.1017/S0029665107005472, 237.
- Simpson EJ, Holdsworth M & Macdonald IA The interstitial glucose profile preceding symptoms attributed to hypoglycaemia, in otherwise healthy women, 97A.

- Smidt H see Lallès J-P. 260.
- Smith S see Davidson I, 346.
- Smith SA, O'Malley CL, Avery L, Lang R, Simpson D, Hillier F, Whittaker VJ & Summerbell CD The feasibility of a school-based intervention (Tees Consumption and Activity in Kids Experience; TeesCAKE) for the prevention of childhood obesity in a socially-deprived area of the UK, 102A.
- Smith GD Life-course approaches to inequalities in adult chronic disease risk, DOI: 10.1017/S0029665107005460, 216.
- Stenhouse L, Salter AM, Gray DA & Tucker GA Processing of oats: effect on antioxidants and induction of gene expression in vascular endothelial cells. 96A.
- Stevenson EJ, Astbury NM, Simpson EJ, Taylor MA & Macdonald IA The metabolic responses to moderate-intensity walking and subsequent food intake following a high-glycaemic-index or low-glycaemic-index breakfast in sedentary females, 87A.
- Stokes CR see Lallès J-P, 260.
- Stratton RJ, Bowyer G & Elia M Greater total vitamin intakes postoperatively with liquid oral nutritional supplements than food snacks, 10A.
- Stratton RJ Malnutrition: another health inequality? DOI: 10.1017/S0029665107005848, 522.
- Stroud M Protein and the critically ill; do we know what to give? DOI: 10.1017/S0029665107005642, 378.
- Sultan J, Di-Franco F, Anderson I, Johnson S, Griffin SM & Seal CJ The effects of oesophago-gastric surgery on antioxidant status, 5A.
- Symonds ME Integration of physiological and molecular mechanisms of the developmental origins of adult disease: new concepts and insights, DOI: 10.1017/S002966510700571X, 442.
- Synott K, Bogue J, Scott J, Amarri S, Benatti F, Gil A, Uusijärvi A, Norrin E, Edwards CA & Other Members of INFABIO project Attitudes and perceived knowledge about food allergy in parents of young children in five European countries. 24A.
- Talián GC, Melegh B, Jakobik V, Tárnok A & Decsi T Plasma carnitine concentrations and carnitine ester profiles in children with coeliac disease, 18A.
- Tarrant R, Sheridan-Pereira M, Younger KM & Kearney JM Determinants of early introduction to solid foods in a sample of healthy term infants, 54A.
- Tierney AC, Lovegrove JA, Gulseth HL, Defoort C, Blaak E, Marin C, Partyka L, Karlström B, Vessby B, Dembinska-Kiec A, Miranda JL, Saris W, Lairon D, Drevon CA, Williams CM, Gibney MJ & Roche HM LIPGENE Dietary Intervention: cohort details and study design, 33A.
- Toomey S, McMonagle J, Moloney A & Roche HM Feeding a diet with conjugated linoleic acid (CLA)-enriched beef improves the diabetic phenotype in ob/ob mice, 60A.
- Tovar S see López M, 131.
- Tyson J & Mathers JC Dietary and genetic modulation of DNA repair in healthy human adults, DOI: 10.1017/S0029665107005289, 42.
- Vázquez MJ see López M, 131.
- Van Heijningen EMB, Thane CW & Stephen AM Soft drinks and fruit juice: impact on energy and nutrient intakes and adiposity of British adults, 106A.
- Vauzour D, Vafeiadou K & Spencer JPE The ability of dietary polyphenols to protect against endogenously-formed neurotoxins, 97A.
- von Schacky C n-3 PUFA in CVD: influence of cytokine polymorphism, DOI: 10.1017/S0029665107005411, 166.
- Walker BR Extra-adrenal regeneration of glucocorticoids by 11β-hydroxysteroid dehydrogenase type 1: physiological regulator and pharmacological target for energy partitioning, DOI: 10.1017/S002966510700523X, 1.
- Wallace JMW, Bonham MP, Duffy EM, Robson PJ, Ward M, McNulty H, Davidson PW, Myers GJ, Clarkson TW, Shamlaye CF, Molloy AM, Scott JM & Strain JJ Homocysteine and related B-vitamin concentration in pregnant women recruited as part of the Seychelles Child Development Study, 65A.
- Walsh E, Hannon EM & Flynn A Macronutrient, fibre and salt intakes in supplement users and non-users in Irish children aged 5-12 years, 51A.

- Walsh JM, O'Neill MT, McCartney DMA, Younger KM & Kearney J An examination of socio-economic variation in food and nutrient intake patterns among young women in Dublin using novel diet scores, 106A.
- Walton J, Hannon EM & Flynn A Nutritional quality of school-day diets in Irish children (5–12 years), 107A.
- Waroonphan S, Paterson E, George TW, Gordon MH & Lovegrove JA Effects of the chronic consumption of fruit- and vegetablejuice shots on oxidative stability of plasma, 66A.
- Watson P, Viana J, Leser S, Kirk T & Gleeson M Influence of milk ingestion on the hormonal and immune responses to prolonged exercise, 39A.
- Watt RG, Dowler E, Hardy R, Kelly Y, McGlone P, Molloy B, Tull KI & Wiggins M Promoting recommended infant feeding practices in a low-income-sample randomised control trial of a peer-support intervention, 23A
- Weaver LT & Ferguson A The growth and feeding of babies 100 years ago: implications for retrospective studies of infant nutrition and adult health, 15A.
- Webb GP Nutritional supplements and conventional medicine; what should the physician know? DOI: 10.1017/S0029665107005782, 471.
- Weekes CE, Emery PW & Elia M A nutrition screening tool based on the British Association for Parenteral and Enteral Nutrition four questions reliably predicts hospitalisation and mortality in respiratory outpatients, 9A
- Wells JCK, Chomtho S & Fewtrell MS Programming of body composition by early growth and nutrition, DOI: 10.1017/S0029665107005691, 423.
- Werneke U Risk management of nutritional supplements in chronic illness: the implications for the care of cancer and depression, DOI: 10.1017/ S0029665107005800, 483.
- Whelan K Enteral-tube-feeding diarrhoea: manipulating the colonic microbiota with probiotics and prebiotics, DOI: 10.1017/S0029665107005551, 299.
- Whelan K see Hedin C, 307.
- Whelan K, Datta A & Kallis S Subjects with different dietary fructooligosaccharide intakes have similar concentrations of faecal bifidobacteria, 4A
- Whittle CR, Strain JJ, Ward M, Molloy AM, Scott JM, McCandless AS & McNulty H Is the C677T methylenetetrahydrofolate reductase (MTHFR) polymorphism a risk factor for osteoporosis? A pilot study, 33A.
- Williams LM see López M, 131.
- Williamson LA, Mann NJ, Sinclair AJ, Kildea D, Small D & Adlercreutz H Effect of flaxseed lignans on biomarkers of breast cancer risk in post-menopausal women, 75A.
- Wong MCY, Feldmann H, Frost G & Lodge J Nutritional metabonomics: optimisation for general serum metabolic profiling using ultra-performance liquid chromatography (UPLC) coupled with quadrupole orthogonal acceleration time-of-flight (QToF) MS, 110A.
- Wong MCY, Wheeler J, Lilley KS, Emery PW, Preedy VR & Wiseman H *Identification of putative protein biomarkers of dietary supplementation with soya foods*, 57A.
- Wong SS, Reilly JJ & Yau CY Nutritional status of elderly patients: assessment of handgrip strength and malnutrition universal screening tool, 91A
- Wong SS, Yau CY & Reilly JJ Nutritional status predicts hospital length of stay and mortality in older adults: assessment of handgrip and malnutrition universal screening tool, 91A.
- Wong V, Ritchie MR, Mackinnon LJ, Gates SEE, Gilmour A, Ravishankar A, Ramnarine S & Gibbs TJ Investigation of the relationship between perceived stress and cholesterol in healthy volunteers, 30A.
- Wootton SA see Landman JP, 269.
- Young IS see Cuskelly GJ, 548.
- Zabron AA, Lloyd DAJ, Ralphs SJL, Woodward JM, Jamieson NV, Middleton SJ & Gabe SM Referral for intestinal transplantation: an audit of patients with intestinal failure. 12A.
- Zevallos V, Ciclitira PJ, Suligoj T, Herencia LI & Ellis HJ Evaluation of quinoa (Chenopodium quinoa Willd.) in coeliac disease, 69A.
- Zulkifli RM, Brameld JM, Parr T & Salter AM Effects of fatty acids on porcine and ovine stearoyl-CoA desaturase (SCD) promoter activities in McArdle cells, 40A.