CORRIGENDUM

First description of monogenean parasites in Lake Tanganyika: the cichlid *Simochromis diagramma* (Teleostei, Cichlidae) harbours a high diversity of *Gyrodactylus* species (Platyhelminthes, Monogenea) – CORRIGENDUM

MAARTEN P. M. VANHOVE, JOS SNOEKS, F. A. M. VOLCKAERT and TINE HUYSE

doi: 10.1017/S0031182010001356 Published by Cambridge University Press, 15 October 2010

Due to a technical calibration error, all metrics in this study have been overestimated by a factor two. The consequences of this are as follows:

RESULTS

Species descriptions: all metrics mentioned in the diagnoses should be divided by two to acquire the correct values.

Figs. 1–2: All scale bars = $10 \,\mu$ m.

Table 2: all metrics should be divided by two to acquire the correct values.

DISCUSSION

Comparisons with other Gyrodactylus spp.: G. cichlidarum displays taller haptoral elements compared to G. sturmbaueri n. sp. Also, the dimensions of the haptoral elements of G. thlapi are not smaller than those of G. thysi n. sp.

G. zimbae n. sp. seems relatively large in comparison to the known African Gyrodactylus fauna, as it is larger (not twice as large) as most species described so far.

REFERENCE

Maarten P.M. Vanhove et al. (2010). First description of monogenean parasites in Lake Tanganyika: the cichid Sinochromis diagramma (Teleostei, Cichlidae) harbours a high diversity of Gyrodactylus species (Platyhelminthes, Monogenea). Parasitology Published by Cambridge University Press, 15 October 2010. doi: 10.1017/S0031182010001356

Parasitology (2011), **138**, 403. © Cambridge University Press 2011 doi:10.1017/S0031182011000242