

Index

- accidentals, 94
- Airy disc, 9
- Alterelli–Parisi (*see* evolution equations)
- American Physical Society (APS), 5
- angular correlations, 24, 92, 314–318
- angular distribution in C-M system, 91, 316
- angular momentum, 33, 176
 - commutation relations, 38
 - eigenstates, 42, 65, 215
 - operators, 38, 38n, 154 (*see also* selection rules)
- anti-baryon, 173, 205
- anti-commutation relations, 155, 159, 172, 201, 205n, 235
- asymptotic freedom, 7, 213, 231, 233 (*see also* quantum chromodynamics (QCD))
- axial vector current (*see* weak neutral current)

- backscattered beam, 275n
- bag models, 191n, 256 (*see also* M.I.T. bag)
- Bates Laboratory, 3, 72, 73n, 74, 94, 125, 194, 210, 274, 287
 - accelerator, 275
 - spectrometers, 275–276
 - storage ring, 276
- baryons, 224 (*see also* nucleon)

- Bessel functions, 13
 - spherical, 36, 70, 290
- Bethe–Goldstone wave function, 210, 283
- Bjorken scaling, 18, 22, 96, 100, 114, 127, 321
 - scaling variable, 97, 106, 320
- Bloch–Nordsieck, 145
- Born approximation, 190
- boundary conditions, 24 (*see also* periodic boundary conditions)
- Breit frame, 189
- Breit–Wigner resonance, 74
- bremsstrahlung, 142

- Cabibbo angle, 245, 249
- canonical quantization, 172
- canonical transformation, 32, 50, 159
- Cauchy principal value, 260
- CC1 expression, 182
- CEBAF, 3, 92, 253, 256, 265–273, 280
 - accelerator, 265–267
 - spectrometers, 268–270 (*see also* TJNAF)
- CERN, 3, 275
- charge distributions, 3, 20, 163, 184
 - Fermi model for nucleus, 184
 - central density, 184
 - half-density radius, 187
 - surface thickness, 184
 - in $^{40}_{20}\text{Ca}$, 187
 - in neutron, 187

- in $^{16}_8\text{O}$, 179
- in $^{208}_{82}\text{Pb}$, 187
- in proton, 184
- charge density, 26, 179
 - (*see also* electromagnetic current)
- charge renormalization (*see also* quantum chromodynamics (QCD), quantum electrodynamics (QED))
- chiral perturbation theory, 191
- chiral soliton models, 191n
- chiral symmetry
 - spontaneously broken, 214n, 233
- circular polarization, 32
- Clebsch–Gordan coefficients, 35, 40, 43n, 44, 161, 162
- C-M frame, 23, 78, 80, 82, 83, 86, 102, 189, 326
- C-M motion, 70, 180, 182n, 214n, 221, 223n, 296–301
 - in harmonic oscillator, 299
- coincidence experiments, 23, 25, 77
 - on $^{18}_{10}\text{Ne}(e, e' 2p)^{16}_8\text{O}_{\text{g.s.}}$, 283
 - on $^{12}_6\text{C}(e, e' p)^{11}_5\text{B}_{\text{g.s.}}$, 92
 - on $^1\text{H}(e, e' \text{K}^+)$, 268
 - on $^1\text{H}(\vec{e}, e' \vec{p})$, 270, 280
 - on $^1\text{H}(e, e' p)\pi^0$, 284
 - on $^1\text{H}(e, e' \pi^+)n$, 284
 - on $^1\text{H}(\gamma, \text{K}^+)\Lambda$, 285
 - on $^2_1\text{H}(\vec{e}, e' \vec{n})$, 94, 280
 - on $^2_1\text{H}(\vec{e}, e' \vec{p})$, 281
 - on $^2_1\text{H}(e, e' p)$, 281
 - on $^2_1\text{H}(e, e' \pi^-)pp$, 284
 - on $^2_1\text{H}(\gamma, p)n$, 272
 - on $^4_2\text{He}(e, e' \text{K}^+)^4_\Lambda\text{H}$, 286
 - on $^{16}_8\text{O}(e, e' p)^{15}_7\text{N}_{\text{g.s.}}$, 180
 - on $^{16}_8\text{O}(e, e' p)^{15}_7\text{N}^*$, 271
 - on $^{208}_{82}\text{Pb}(e, e' p)^{207}_{81}\text{Tl}$, 93
- multiple, 25
- colliding beam e^+e^- , 277
- color, 7, 213, 247
 - (*see also* quantum chromodynamics (QCD), quarks, $SU(3)$)
- completeness, 99, 201
- Compton wavelength, 18, 254
- confinement, 7, 213, 231
 - (*see also* quantum chromodynamics (QCD))
- conserved vector current (CVC), 249
- constituent quarks, 214, 214n, 220, 222, 255, 288
- continuity equation, 48, 292 (*see also* electromagnetic current, conservation)
- continuous wave (c.w.) accelerator, 23, 77, 94
- continuum mechanics, 171, 228
 - (*see also* Hamilton's principal, Euler–Lagrange equations)
- convection (*see* electromagnetic current)
- Coulomb corrections, 133n
 - distortion, 15n, 186
- Coulomb interaction, 17, 25, 174n, 197
- Coulomb multipole (*see* multipole operators)
- Coulomb response functions, 197
 - non-relativistic Fermi gas, 204
- Coulomb sum rule, 203, 204, 205n, 209, 211
 - non-relativistic Fermi gas, 204
 - single-nucleon form factor, 209n, 210
 - two-body correlations, 203, 204, 209, 210, 211
- cross section, 19
 - for (e, e') , 56, 60, 65, 70, 78, 98, 100, 105, 304
 - moving nucleon, 322, 323
 - radiative corrections, 144
 - for $(e, e'X)$, 84, 85, 90, 91
 - angular distribution in C-M, 91, 316
 - for photoabsorption, 60, 303
- current density (*see* electromagnetic current)
- Darmstadt, 274
- de Broglie wavelength, 11

- deep-inelastic scattering (DIS), 4, 7,
 18, 20, 96, 100, 112, 117, 224, 250,
 277, 278, 289, 333, 337
 SLAC data, 100, 100n, 108, 110
 deformed nuclei, 73, 256, 275, 284
 and $^{154}_{68}\text{Gd}(e, e')$, 74, 275
 Δ (1232), (*see* nucleon resonances)
 density–density correlations (*see*
 Coulomb sum rule)
 density functional, 182
 DESY, 3, 275, 278
 HERA, 278
 detectors H1 and ZEUS, 278
 HERMES collaboration, 278
 diffraction pattern, 9, 15
 circular disc, 11, 12
 diffraction zero, 163
 spherical charge distribution, 12, 13
 dimensional regularization, 133n
 Dirac equation, 4, 46, 57, 143, 172, 325
 Dirac hamiltonian, 47, 50
 Dirac matrices, 46
 electromagnetic current, 48
 magnetic moment, 220
 modal matrix, 48
 plane wave solutions, 48, 150, 306,
 325, 326
 point-like particles, 102
 polarization, 306–309
 helicity projection, 307
 spin projection, 307
 projection operators, 49, 57, 120
 propagator, 192
 with electromagnetic field, 47, 50
 with fields $[\phi_0(r), V_0(r)]$, 176
 angular momentum, 176
 form of solution, 178
 M.I.T. bag, 213
 Dirac field, 50
 Dirac hole theory, 49, 234n
 dispersion corrections, 133n
 dispersion matching, 275
 distance scale, 15
 Division of Nuclear Physics (DNP), 5
 Doppler shift, 20, 201
 duty factor, 267
 effective field theory, 7, 182, 233
 for QCD, 233
 chiral symmetry, 233
 lagrangian, 233
 π – π scattering, 233
 pion field, 233
 lagrangians, 191, 233
 elastic scattering, 20, 65, 184–196
 0^+ target, 65
 $1/2^+$ target, 66
 from $^{40}_{20}\text{Ca}(e, e)$, 15
 from $^3_1\text{H}(e, e)$, 164, 165, 276
 from $^3_2\text{He}(e, e)$, 164, 165, 194, 276
 from $^{93}_{41}\text{Nb}(e, e)$, 71
 from $^{17}_8\text{O}(e, e)$, 179
 (*see also* form factors, nucleon)
 electromagnetic current, 14, 123, 229,
 310
 charge density operator, 198, 297
 commutator, 99
 conservation, 57, 58, 62, 65, 80, 89,
 98, 121, 132, 143, 174, 180n, 193,
 206, 259, 292, 321, 325
 convection current, 17, 37, 39, 298
 Dirac current, 48
 hermiticity, 70n, 72n, 310
 intrinsic magnetization, 17, 37, 38,
 72, 166, 294, 298
 local density operators, 32, 97, 156
 localized densities, 33, 37, 45, 69,
 152
 transition densities, 20, 24
 (*see also* one-body, densities;
 standard model)
 electromagnetic field, 31
 field tensor, 26
 electron–positron annihilation, 189
 electron scattering, 3, 14, 19 (*see also*
 individual topics)
 electroweak interactions, 117, 234
 electroweak bosons, 7, 117
 boson exchange, 123
 electroweak currents, 224
 standard model, 17–18, 117, 118,
 234–249
 unitary gauge, 118

- (*see also* standard model, weak neutral current)
- EMC effect, 96, 110
- emittance, 267
- energy conservation, 44, 64, 106, 199, 320
- energy resolution, 143, 267, 275, 276
- energy transfer, 96, 198
- η production, 285
- Euler angles, 44
- Euler–Lagrange equations, 171, 228
- evolution equations, 96n, 278n, 279, 302, 338
- momentum fraction, 305
 - resolution, 305
 - splitting function, 305
- exchange currents, 6, 153, 191, 193
- and ${}^2\text{H}(e, e')\text{pn}_{\text{thresh}}$, 195
 - and ${}^3\text{He}(e, e)$, 194
 - pion-exchange current, 192–195
- Faddeev equations, 195
- Fermi constant, 18, 243, 249
- Fermi distribution, 206
- Fermi gas, 197, 198, 211
- Coulomb response, 200
 - Fermi momentum, 172
 - Fermi motion, 20
 - Fermi sphere, 200, 208, 211n, 212
 - Fermi wave number, 197
 - Pauli correlations, 210
 - relativistic, 206
 - with hard-core interactions, 211
- Fermi's Golden Rule (*see* Golden Rule)
- Feynman diagrams, 53, 131, 142, 190, 192, 258, 324
- Feynman parameterization, 133n
- Feynman rules, 192, 324
- for QCD, 229, 337
 - for QED, 53, 131, 142
 - for standard model, 118
- final-state enhancement, 258
- fine-structure constant, 14, 26, 56
- first quantization, 38, 149
- flavor (*see* quarks)
- form factors, 20, 140
- nucleon, 67, 153, 153n, 174, 190, 252, 253, 258, 261, 280
 - dipole form factor, 187
 - Sachs form factors, 174n, 187, 252
- (*see also* nucleon, spectral representation)
- Fourier transform, 12, 14, 24, 25, 53, 99, 133, 152, 163, 187, 189, 204, 210, 297, 300, 336
- partial, 187
- four-momentum, 18, 19, 24, 52, 78, 104, 321
- conservation of, 78
 - transfer 27, 27n, 77, 96, 150, 189, 257, 325
- Fraunhofer diffraction, 10
- gamma matrices, 47, 56
- γ_5 , 306
 - traces, 50, 112, 120, 308
- gauge
- Coulomb, 31, 32, 132, 132n
 - Landau, 230
 - Lorentz, 52n
 - unitary, 239
- gauge invariance, 143
- (*see also* current conservation)
- Gauss' theorem, 37
- Gell-Mann matrices [*see* $SU(3)$]
- Gell-Mann–Nishijima relation, 236
- giant resonances, 20, 254
- dipole, 92
- GIM identity, 245, 246
- gluons, 7, 213, 220, 226, 273n, 288
- field tensor, 226
 - (*see also* one-gluon exchange, quantum chromodynamics (QCD))
- Golden Rule, 33, 44
- cross section, 55, 61
 - unpolarized electrons, 56
 - unpolarized and unobserved targets, 44, 56, 61, 91, 112

- hadrons, 6, 224
 - hadronization, 25
- hamiltonian, 31
 - interaction with radiation, 37
 - QED, 31
- Hamilton's principle, 228
- harmonic oscillator, 157, 163, 165, 214n, 221, 255, 299 (*see also* shell model, C-M motion)
- Hartree approximation, 172 (*see also* relativistic Hartree theory)
- Hartree–Fock states, 153
 - calculations, 187
- Heaviside–Lorentz (rationalized c.g.s.) units, 26
- Heisenberg equations of motion, 57, 98
- Heisenberg states, 24, 52, 119
- helicity, 39, 43, 113, 173, 234, 307, 308, 328
 - matrix elements of current, 86
 - angular dependence, 89
 - photon, 40, 43
 - unit vectors, 62, 85
- Helmholtz equation, 37
- HEPL, 92, 174, 184, 208, 211, 274
- Higgs
 - field, 241
 - mechanism, 239
 - (*see also* standard model)
- Hilbert space, 36, 38
- hole states, 25, 49, 93, 160, 234n
- Huygens Principle, 10
- hypernucleus, 25, 286

- Illinois betatron, 274
- impulse approximation, 104, 113
- incident flux, 55, 97, 105, 321
- inclusive process, 96n
- infinite momentum frame, 102, 104n, 110, 114, 337
- infrared divergence (*see* quantum electrodynamics (QED))
- in-plane configuration, 23
- interaction representation, 52, 61
- interference, 24, 94, 124
- internal targets, 276, 278
- irreducible tensor operators (ITO), 33, 36, 38, 39, 43, 155
- isospin, 155, 162, 310
 - form factor dependence, 66, 190
 - isospinors, 150
 - isovectors, 249
 - isovector transitions, 170
 - symmetry, 107, 248, 252, 310
- Jacob–Wick, 42, 87
- kinematics, 23, 63, 96
- Kroll–Ruderman theorem, 193
- Kronecker delta, 31

- laboratory frame, 58, 59, 63, 69, 78, 81, 82, 86, 102, 115, 122
- lagrangian density, 171
 - effective for standard model, 243
 - effective for QCD, 233
 - free quarks, 225
 - pion–nucleon, 190
 - pion–photon, 190
 - QCD, 227
 - QHD, 171
 - standard model, 237, 242
 - gauge bosons, 237, 241
 - leptons, 235
 - point nucleons, 236
 - quarks, 245
 - scalar field, 238, 240, 241
 - strong and electroweak, 247
- Laplace's equation, 293, 294
- lattice gauge theory (LGT), 8, 213, 231, 233, 262
- Legendre polynomials, 330
- leptons, 234
 - fields, 234
- light cone, 100, 333–336
 - quark–parton result, 337
 - singularities, 335
 - bilocal operators, 336
 - free field, 335
 - scalar field, 335
 - variables, 333–336
- Lorentz contraction, 302

- Lorentz covariance, 65, 79, 99, 110, 179, 321
 four-vectors, 58, 79, 249, 307
 axial-vector, 249
 scalar invariants 18, 19, 58, 83, 98, 102, 304, 325, 334
 tensors, 19, 56, 57
 pseudotensors, 58, 113
 Lorentz force, 26
 Lorentz transformation, 23, 55, 56
 laboratory to C-M, 78, 81, 83, 85
 Low equation, 337
 Low reduction, 89
 L-S coupling states, 314
 eigenstates of parity, 315
 luminosity, 270, 278

 magnetic field, 26n, 37, 294, 302
 magnetic interaction, 17
 magnetization (*see* electromagnetic current, shell model)
 in nucleon, 186
 Mainz Laboratory, 3, 274
 MAMI accelerator, 276
 MAMI spectrometers, 276
 many-body problem (*see* nuclear many-body problem)
 mass renormalization (*see* quantum electrodynamics (QED))
 Maxwell's equations, 26, 52, 139, 294
 meson exchange, 6
 mesons, 224
 microscopic causality, 335
 missing momentum, 93n, 180
 M.I.T. bag, 213, 218, 255
 Møller potential, 173, 325
 effective, 173
 momentum conservation, 97, 320
 momentum distribution, 25, 281
 in nuclei, 208
 in nucleons, 18, 107, 110
 momentum sum rule, 105, 108
 momentum transfer, 9, 14–15, 25, 70, 81, 96n, 257, 334
 three-momentum, 20n, 70, 81
 (*see also* four-momentum)

 Mott cross section, 60, 100, 144
 effective, 153, 299
 multipole analysis, 17, 31, 68
 multipole operators, 37, 38
 charge (Coulomb) multipoles, 70, 293, 327
 long-wavelength reduction, 45, 167n, 290–295
 magnetic dipole moment, 292
 parity, 45
 quadrupole moment, 293
 static, 292
 symmetry properties of matrix elements, 310–313
 time reversal, 310, 312
 transverse electric and magnetic, 37, 38, 70, 290
 real photons, 290
 muons, 116
 mu-mesic x-rays, 184

 NIKHEF, 3, 93, 274
 non-relativistic quark model of
 nucleon, 214, 257, 281, 284, 288
 baryons, 217
 supermultiplet, 218
 electric charge, 219
 ground-state matrix elements, 218
 form factor, 223
 isoscalar, 219
 isovector, 219
 magnetic moment, 220
 transverse magnetic dipole, 220
 transition matrix elements
 higher excitations, 223
 isovector, 222
 magnetic dipole to Δ (1232), 221, 223
 wave functions
 color, 214, 215, 218
 isospin, 215
 space, 215
 space-spin-isospin, 215, 217
 spin, 216
 spin-isospin, 215, 216, 217
 (*see also* constituent quarks)

- normal-ordered, 162n
- nuclear many-body problem, 154, 288
 creation and destruction operators, 154, 155
 many-body matrix elements, 153
 cross sections and rates, 157
 exact eigenstates, 154
 principal result, 156
 sum of s.-p. matrix elements, 156
 many-body multipole operators, 154
 isospin structure, 154, 156
 (see also one-body, relativistic many-body problem, shell model)
- nuclear matter, 172, 205n, 206, 210
 Bruekner theory, 187
 density, 184
 saturation, 173
- Nuclear Science Advisory Committee (NSAC), 5
- nuclear state vectors, 42
 invariant norm, 79, 99
 rotation of, 42
- nucleon
 anomalous magnetic moment, 150, 190
 form factors, 67, 153, 153n, 190, 252, 253, 258, 261
 magnetic moment, 150, 170, 220, 292
 matrix elements
 electromagnetic current, 150, 251
 weak neutral current, 251
 relativistic electromagnetic vertex, 150, 206
 (see also non-relativistic quark model of nucleon)
- nucleon emission, 20, 73n
 protons, 92
- nucleon resonances, 20
 $\Delta_{33}(1232)$, 20, 206, 255, 256
 E_{1+} amplitude, 254, 284
 excitation of, 74, 221, 223, 254–262
 $N(e, e')\Delta(1232)$, 257, 258
 analytic properties, 258, 259, 260
 Feynman amplitude, 258, 260
 final-state enhancement, 258
 multipole amplitudes, 258
 pole terms, 261
 threshold behavior, 259
 $S_{11}(1535)$, 285 (see also non-relativistic quark model of nucleon)
- Omnès equation, 259
- one-body
 current densities, 149, 152, 154, 156
 densities to $O(1/m)$, 152
 nucleon form factors, 153, 153n, 191
 matrix elements, 155
 Donnelly–Haxton tables, 157, 158, 167
 multipole operators, 158
 isospin dependence, 156, 158
 reduced matrix elements, 157
- one-gluon exchange, 213, 223, 256, 284
- one-pion exchange potential, 193
- operator product expansion, 336
- optics, 9–13
 optical pathlength, 10
- pair production, 50
- parity, 45, 88, 88n, 91, 114, 121, 189
 conservation of, 112, 315
 pseudoscalar, 113
- parity violation, 4, 17, 18, 112, 117, 250–253, 286
- parity violation asymmetry in (\vec{e}, e') , 120, 122, 250
 for $^{12}_6\text{C}(\vec{e}, e)$, 125, 286
 for $N(\vec{e}, e)N$, 251, 288
 for $^2_1\text{H}(\vec{e}, e')$ in DIS, 250
 for $^4_2\text{He}(\vec{e}, e)$, 288
 (0^+) target, 124
 $(0^+, 0)$ target, 124, 126
 (see also quark parton model)
- particle-hole transitions, 73
 and $^{12}_6\text{C}(e, e')$, 167
 and $^{24}_{12}\text{Mg}(e, e')$, 73
 (see also shell model)
- particle production, 57, 78n, 254

- partons, 102
- Pauli Exclusion Principle, 49
- Pauli matrices, 66, 149, 225, 326
- Pauli spinors, 326
- Pauli–Villars regulator, 135, 136
- periodic boundary conditions, 14n, 31
 - continuum limit, 53, 54, 64
 - large box, 14n, 31, 50, 54, 61, 97, 173, 198, 297
 - number of states, 55
- perturbation theory, 131, 213, 233
 - time-dependent, 52
- phase space integral, 83
- photoabsorption, 75, 302 (*see also* S-matrix, cross section)
- photon emission, 37
 - transition matrix element, 43
 - transition rate, 40, 44, 45
- photon exchange, 14, 77, 123
 - virtual photon, 15, 23, 24, 89, 140, 189
- photon propagator, 132, 303
 - Coulomb propagator, 132n
 - transverse photon exchange, 132n (*see also* quantum electrodynamics (QED))
- pion electroproduction, 20, 86, 222, 284, 324–332
 - angular distribution in C-M system, 316, 329
 - isospin, 331
 - $N(e, e' \pi)N$, 324
 - angular correlation coefficients, 329
 - expansion in invariants, 325, 326
 - L–S basis, 328
 - multipole amplitudes, 328–330
 - S-matrix, 324
 - states of definite parity, 329
 - and photoproduction, 324, 326, 330
 - through $\Delta(1232)$, 318
- plane wave, 35
- polarization sum
 - covariant, 62, 303
 - massive vector meson, 144
- polarized electrons, 15, 86, 106n, 112, 117, 267, 276, 277, 306–309
 - and polarized nucleons, 18, 22, 112, 277, 308
 - scattering asymmetry, 114
 - and polarized nucleus, 86 (*see also* parity violation)
- polarization of outgoing proton, 182, 308
 - polarization transfer, 25, 280, 309
- positron, 49
- quantized radiation field, 31, 60
- quantum chromodynamics (QCD), 4–5, 18, 32, 96n, 125, 182, 191, 213, 224–233, 254, 257, 262, 281, 284, 286, 288
 - asymptotic freedom, 231, 233, 255, 337
 - color current, 229
 - confinement, 231, 255
 - conserved currents, 228
 - electromagnetic current, 229
 - equations of motion, 228
 - Feynman rules, 229
 - flavor, 224, 232
 - ghost loops, 231
 - lagrangian, 227
 - local gauge transformation, 227
 - nuclear domain, 233
 - perturbation theory, 233, 279
 - renormalized charge, 232
 - and standard model, 247
 - vacuum, 232n (*see also* color, lattice gauge theory (LGT), quarks, $SU(3)$)
- quantum electrodynamics (QED), 4, 14, 31, 131–145, 302
 - charge renormalization, 136, 140
 - bare charge, 136
 - renormalized charge, 136, 231
 - divergences
 - infrared, 138, 140, 144, 145
 - ultraviolet, 138, 140, 145
 - Feynman rules for S-matrix, 131

- quantum electrodynamics (QED)
 (*continued*)
 closed fermion loop, 132
 electron propagator, 131
 external particles, 132
 photon propagator, 132
 vertex, 131
 mass renormalization, 133, 135
 mass counterterm, 133, 135
 radiative corrections
 electron self-energy, 134
 S-matrix with, 139, 140
 vacuum polarization, 133, 135,
 136, 137, 139n, 231
 vertex, 137, 138, 140
 Ward's identity, 139
 wave function renormalization, 139
 quantum hydrodynamics (QHD), 6,
 75, 171, 182, 205n, 257, 288
 (*see also* relativistic Hartree theory,
 relativistic many-body problem)
 quark model, 213
 (*see also* M.I.T. bag, non-relativistic
 quark model of nucleon,
 quark–parton model)
 quark–parton model, 96, 100, 112,
 113, 115, 336
 parity-violating asymmetry, 126,
 250
 spin structure functions, 115
 structure functions, 107
 quark–parton substructure, 3, 224, 277
 quarks, 7, 22, 25, 100, 104, 107, 113,
 191, 224, 269, 273n, 279, 288
 color, 214–215, 224, 247
 extended domain, 126, 249, 252, 287
 field, 214, 224, 247
 isodoublet, 248
 flavor, 224, 232, 247
 quantum numbers, 213
 helicity distribution, 114
 momentum distribution, 18, 107,
 110
 nuclear domain, 108, 125, 214, 233,
 247, 248, 251, 252, 286
 sea, 108
 valence, 108, 251
 weak neutral charges, 126
 (*see also* non-relativistic quark
 model of nucleon, quark–parton
 model of nucleon, quantum
 chromodynamics (QCD),
 standard model)
 quasielastic scattering, 20, 174, 182,
 186, 197, 211
 in $^{40}_{20}\text{Ca}(e, e')$, 208, 209, 211n
 in $^3_2\text{He}(e, e')$, $^3_1\text{H}(e, e')$, 210, 276
 in $^{208}_{82}\text{Pb}(e, e')$, 208
 quasielastic peak, 20, 176, 200, 211n
 relativistic, 319–323
 radiative corrections, 20n, 133
 (*see also* quantum electrodynamics
 (QED))
 radioactive targets, 276n
 reaction notation, 25n
 reaction plane, 23, 86
 relativistic Hartree theory, 176, 182,
 208n
 and $^{16}_8\text{O}(e, e' p)^{15}_7\text{N}_{\text{g.s.}}$, 180
 and $^{17}_8\text{O}(e, e)$, 179
 charge density in $^{40}_{20}\text{Ca}$, 187
 charge density in $^{16}_8\text{O}$, 179
 charge density in $^{208}_{82}\text{Pb}$, 179, 187
 computer program for, 179
 Coulomb field, 179
 Dirac equation, 178
 radial wavefunctions, 179
 wave functions, 180
 meson field equations, 178
 neutral ρ field $b_0(r)$, 179
 isovector baryon density, 179
 parameters, 179
 (*see also* relativistic many-body
 problem)
 relativistic many-body problem, 171
 baryons
 conserved baryon current, 172
 Dirac equation, 172
 field, 171
 scalar density, 172

- Dirac optical potential, 179, 180, 182
- effective electromagnetic current, 173, 174n, 180
- mean field theory (RMFT), 171, 172, 173, 182, 187, 205n, 206, 208, 209
- baryon field, 173
- ground state, 172
- meson fields, 172
- normalization, 173
- nucleon effective mass, 176
- response functions for $(e, e' N)$, 206
- self-consistency, 176
- relativistic impulse approximation (RIA), 179, 182
- scalar and vector fields, 171
- field equations, 174
- scalar mass, 176
- spin-orbit interaction, 179, 182
- Thomas-Fermi theory, 174
- and $^{40}_{20}\text{Ca}(e, e')$, 174
- and $^{208}_{82}\text{Pb}(e, e')$, 174
- (*see also* relativistic Hartree theory)
- relativistic quantum field theory, 6, 131, 172, 225n
- renormalization group, 231, 302
- response functions, 18, 19, 86, 319, 320
- angle dependence, 86
- scaling, 107
- (*see also* Coulomb response functions)
- response tensors
- lepton, 56, 57, 98, 113, 117
- pseudotensor, 113, 121
- with weak neutral current, 121
- quark, 106, 126
- target, 56, 57, 61, 79, 98, 106, 113, 117, 302, 303
- discrete state, 64
- general form, 58
- pseudotensor, 113, 121
- with weak neutral current, 121, 250
- RF, 267, 277
- Rosenbluth
- cross section, 66, 319
- plot, 72
- separation, 123
- rotation matrices, 33, 42, 44, 89, 90, 328
- rotation operator, 33, 40
- rotation of state vectors, 40
- Saclay, 3, 15, 194, 209, 274
- SAMPLE, 276
- Saskatchewan, 274
- scaling, 18, 174n, 272
- (*see also* Bjorken scaling, y -scaling)
- scattering plane, 23, 80, 86
- Schrödinger equation, 6
- Schrödinger picture, 31, 50, 61
- Schwinger correction, 144, 145
- second quantization, 38n, 151, 154, 198, 236n
- selection rules, 33
- angular momentum, 43, 70, 160, 165
- isospin, 160
- parity, 45, 313
- time reversal, 165, 313
- shell model, 72, 154, 271, 288, 232
- closed j -shells, 159
- elastic charge scattering, 162
- from $(0^+, 0)$ target, 163
- from $^{16}_8\text{O}$, 163
- ground-state density, 163
- elastic magnetic scattering
- from ^3_2He and ^3_1H , 164
- from $^{93}_{41}\text{Nb}$, 166
- hole-hole transition, 161
- intrinsic magnetization, 166
- in $^{51}_{23}\text{V}$, 167
- isovector transitions, 170
- non-interacting ground state, 159
- particle-hole transitions, 160
- in $^{12}_6\text{C}$ to $(1^+, 1)$, 167
- particle-hole operators, 159
- (*see also* shell model, stretched states)
- particle-particle transitions, 159

- shell model (*continued*)
- radial wave functions, 157
 - harmonic oscillator, 157, 163, 165
 - Woods–Saxon, 163
 - stretched states, 169, 170
 - in ${}^{24}_{12}\text{Mg}$ to $(6^-, 1)$, 170
 - in ${}^{208}_{82}\text{Pb}$ to (14^-) , 170
 (*see also* nuclear many-body problem, relativistic many-body problem, one-body)
 - short-range behavior, 25
 - single-particle matrix elements (*see* one-body)
 - 6-*j* symbols, 215
 - SLAC, 3, 18, 74, 96, 100, 112, 117, 250, 274, 277
 - accelerator, 277
 - spectrometers, 277
 - Slater determinant, 214
 - S-matrix, 14, 17
 - for (e, e') , 14, 97, 105
 - for $(e, e' X)$, 24
 - for (\bar{e}, e') , 17, 118, 119, 250
 - for $N(e, e' \pi)N$, 324
 - for photoabsorption, 61
 - with two-body currents, 192
 (*see also* quantum electrodynamics (QED))
 - space-like separation, 335
 - spectral representation, 187
 - two-pion contribution, 190
 - anomalous magnetic moment, 190
 - radius, 190
 - weight functions, 189
 - Yukawa distributions, 190
 - spectrometers, 267–270
 - BLAST, 276
 - CLAS, 269, 284
 - 8 GeV, 277
 - ELSSY, 275
 - HMS, 268
 - HRS, 270
 - OOPS, 276
 - SOS, 268
 - spectroscopic factor, 182
 - spherical harmonics, 91n, 310
 - spherical unit vectors, 35, 69
 - spin–orbit interaction, 179, 182
 - spin spherical harmonics, 177
 - spin structure functions, 18, 22, 115, 116, 278
 - spontaneous symmetry breaking, 238
 - standard model, 234–249, 287, 289
 - covariant derivative, 237
 - currents
 - charge-changing, 246
 - electromagnetic, 246
 - electroweak, 247, 248
 - hadronic, 243
 - leptonic, 243
 - weak neutral, 245, 246
 - fermion mass, 244
 - coupling to Higgs, 244
 - gauge bosons, 236
 - mass, 237
 - physical fields, 240
 - leptons, 234, 235, 243
 - and gauge bosons, 237, 242
 - mass, 235
 - neutrinos, 235n
 - point nucleons, 236, 243
 - and gauge bosons, 237, 243
 - quarks, 244, 245
 - and gauge bosons, 246
 (*see also* quarks)
 - scalar field, 238, 240, 241
 - vacuum expectation value, 238
 (*see also* Higgs)
 - spinor field decomposition, 234
 - unitary gauge, 239
 - particle content, 242
 - weak angle, 241
 - weak hypercharge, 236
 - weak isospin, 235
 - weak quantum numbers, 236
 - stationary state solutions, 172, 178
 (*see also* Dirac equation)
 - strangeness, 25, 269
 - associated production, 25, 269
 - current, 126, 288

- strangeness (*continued*)
 form factors, 253
 (*see also* hypernucleus)
- sum rules (*see* Coulomb sum rule, momentum sum rule)
- superconducting, 267
- superconducting accelerator (SCA), 92, 211, 274
- superfluid, 267
- supermultiplets, 218, 224
- $SU(2)$, 235
 (*see also* angular momentum)
- $SU(3)$
 fundamental representation, 226
 Gell-Mann matrices, 225
 Lie algebra, 225
 structure constants, 225
- symmetrizing operator, 216
- target recoil, 45, 71, 298
- tensor product, 38, 156
- Thomas–Fermi theory (*see* relativistic many-body problem)
- 3-j symbols, 311, 312 (*see also* Clebsch–Gordan coefficients)
- time dilation, 102
- time-ordered product, 337
- time-reversal
 invariance, 72, 165
 operator, 312
 (*see also* multipole operators, selection rules)
- TJNAF, 3, 256, 255, 257, 265–273, 274, 280 (*see also* CEBAF)
- T-matrix, 61, 88, 141
 and cross section, 141, 143
- Tohuko, 274
- traces (*see* gamma matrices)
- transition form factors, 65
 for $0^+ \rightarrow 1^+$, 68
- two-body correlations (*see* Coulomb sum rule)
 and coincidence reactions, 283
- two-body currents (*see* exchange currents)
- ultraviolet divergence (*see* quantum electrodynamics (QED))
- units, 26–27, 51
- unpolarized target, 40 (*see also* Golden Rule)
- vacuum, 26, 49, 238, 255
- vacuum polarization (*see* quantum electrodynamics (QED))
 strong, 108, 209, 232
- vector mesons
 form factors with ρ and ω , 191
 (*see also* quantum hydrodynamics (QHD))
- vector potential, 27
 external, 52, 133
 quantized radiation field, 31
 transverse, 39
- vector spherical harmonics, 35, 38, 310
- virtual Compton scattering, 91n, 99, 337
- virtual photon (*see* photon exchange)
- Ward’s identity, 139
- Watson’s theorem, 259, 332
- wavelength, 10, 18
- weak neutral current, 17–18, 117, 121, 123, 124n, 287, 289
 axial vector, 18, 121, 123
 hermiticity, 251n
 lepton matrix elements, 119, 123
 nucleon matrix elements, 119
 vector, 18, 121, 123
 weak neutral charges, 126, 250
- Weizsäcker–Williams approximation, 302–305
- Wigner–Eckart theorem, 33, 39, 43, 44, 66, 70, 88, 155, 157, 160, 161, 189n, 222, 249, 311, 312, 314
 reduced matrix elements, 40, 160
 double reduced, 155n, 157, 311
- Wigner’s supermultiplet theory, 218n
- Yang–Mills theory 7, 8, 225, 226, 236
- y-scaling, 206, 323
- Yukawa interaction, 227, 244

