European Psychiatry S459

**Conclusions:** A significant number of parents battle with feelings of helplesness and guilt when medication is introduced in the treatment of their children. There is a great need for information provided by the clinicians as well as psychological support in reaching shared decisions regarding pharmacological treatment of children with ASD.

## References:

1. Wang F, Lao UC, Xing YP, Zhou P, Deng WL, Wang Y, et al. Parents' knowledge and attitude and behavior toward autism: a survey of Chinese families having children with autism spectrum disorder. Transl Pediatr. 2022 Sep;11(9):1445-1457.

2. Hock R, Kinsman A, Ortaglia A. Examining treatment adherence among parents of children with autism spectrum disorder. Disabil Health J. 2015 Jul;8(3):407-13.

Disclosure of Interest: None Declared

## **EPV0182**

The effect of Self-Regulation Based Cognitive Psychoeducation Program on emotion regulation and self-efficacy in children diagnosed with attention deficit hyperactivity disorder

Z. Sökmen<sup>1</sup>\* and S. Karaca<sup>2</sup>

<sup>1</sup>Department of Psychiatric Nursing and <sup>2</sup>Marmara UniverDepartment of Psychiatric Nursing, Marmara University, Institute of Health Science, ISTANBUL, Türkiye

\*Corresponding author. doi: 10.1192/j.eurpsy.2024.951

**Introduction:** Attention deficit hyperactivity disorder (ADHD) is a neurodevelopmental disorder with early onset (Christiansen, H., et al. CPR 2019, 1–11), which is characterized by several symptoms, including lack of attention, hyperactivity, and impulsivity that are incompatible with age and developmental level (Caye, A., et al. 2020 JAACAP, 990–997)

**Objectives:** This study aimed to determine the effect of Self-Regulation Based Cognitive Psychoeducation Program on emotion regulation and self-efficacy in children diagnosed with attention deficit hyperactivity disorder (ADHD) and receiving medication. **Methods:** The sample of this study with control group and pre-test, post-test and follow-up randomized experimental design consisted of children followed in the child and adolescent mental health outpatient clinic of a state hospital. The data were evaluated by parametric and non-parametric analyses.

**Results:** A statistically significant increase was determined in the internal functional emotion regulation mean scores of children, who participated in the Self-Regulation Based Cognitive Psychoeducation Program, measured before, immediately after, and 6 months after the intervention (p < 0.05). A statistically significant increase was also found in their external functional emotion regulation mean scores measured before and 6 months after the intervention (p < 0.05). In addition, a statistically significant difference was found between their internal dysfunctional and external dysfunctional emotion regulation mean scores measured before and 6 months after the intervention; however the mean scores of those in the control group 6 months after the intervention were higher than those in the intervention group (p < 0.05). Furthermore, there was a statistically significant increase in their self-efficacy mean scores measured before and 6 months after the intervention (p < 0.05).

**Conclusions:** The Self-Regulation Based Cognitive Psychoeducation Program was found be effective in increasing the levels of emotion regulation and self-efficacy in children with ADHD.

Disclosure of Interest: None Declared

## **EPV0185**

## Interrelations of Intelligence and Social-Adaptive Skills in Adolescents with Multiple Developmental Disorders: A Pilot Study

E. Shvedovskii<sup>1,2</sup>\*, N. Maltseva<sup>3</sup>, D. Melnikova<sup>3</sup>, S. Dronova<sup>3</sup> and A. Bitova<sup>3</sup>

<sup>1</sup>Mental Health Research Center; <sup>2</sup>Moscow State University of Psychology & Education and <sup>3</sup>Regional non-profit social organization "Center for Curative Pedagogics, Moscow, Russian Federation

\*Corresponding author. doi: 10.1192/j.eurpsy.2024.952

Introduction: The relationship between social adaptation and intelligence in adolescents with developmental disorders varies depending on various psycho-social factors. Adolescence is marked by pubertal changes in mental and physical development. Previous research has revealed a moderate correlation between intelligence and various groups of adaptive skills in adolescents with Down syndrome. However, studies involving adolescents with multiple developmental disorders are relatively scarce in the existing literature Objectives: Determine the distribution of intelligence among adolescents with severe multiple disabilities; Identify the connection between intelligence and the level of adaptation in this group; explore the connection between intelligence and independence skills in the subjects.

**Methods:** The study included 11 adolescent participants enrolled in a comprehensive social skills development intervention program at the Center for Curative Pedagogics: 5 girls and 6 boys, mean age -14,0 yrs. Age st.dev: 24,3 and 18.4. ICD-10 DS of participants were: F48.xx, F70.xx, F80.xx, F84.xx, G40.xx, G80.xx, Q74.xx, and Q90.xx. Following tools were used: Leiter-3 scales (LIQ), Vineland-3 Adaptive Behavior Scales (VSS); Perkins I.C.A.N. independence Scales (ICAN).

**Results:** Selected variables including were tested with the Shapiro-Wilk test. p-values of the SW test indicated that data were not distributed normally: LIQ (w=0.953, p=0.685); VSS (w=0.964, 0.821); ICAN (w=0.877;p=0.095).

For the identification of the connections between the intelligence (LIQ) and adaptive functioning (VSS) we used r-Spearman criteria. These parameters showed significant monotonic relationship (rs = 0.961, p<0.001). Mean IQ level of the sample is characterized as mildly impaired (mean = 62.9). The adaptive and the independence skills level of the sample are also far below the low normative results (57.1 and 48.7 respectively). Images 1,2 and 3 shows the distribution of the data. The correlation between IQ (LIQ) and independence skills (ICAN) is not significant (rs = 0.671, p<0.024), as well as the correlation between adaptive and independence skills (rs = 0.733, p<0.010). **Conclusions:** We made an exploratory study of the adolescent participants of the comprehensive social skills development intervention program at the Center for Curative Pedagogics. Results show that non-verbal intelligence of the participants shows strong connection to the adaptive skills, but not to the independence skills.