# The Johns Hopkins University Press

2-4 Brook Street London W1



#### THE CHESAPEAKE BAY IN MARYLAND

#### An Atlas of Natural Resources

Edited and Illustrated by Alice Jane Lippson

The Chesapeake Bay is unique, a biological treasure. Its waters nourish the world's largest crops of oysters and clams, and provide the most important spawning grounds and nursery for striped bass. The Chesapeake Bay in Maryland is an atlas of the aquatic resources in the upper half of the Bay. For each species a specially drawn map shows such things as distribution, spawning areas, and migration paths. There are brief, nontechnical, but expert accounts of the species, and the atlas is fully illustrated with drawings.

64 pages, illustrations and maps in colour cloth £4.10 paper £1.80

#### NORTHWEST PACIFIC OCEAN WATERS IN WINTER

Joseph L. Reid, Jr.

Some of the most striking interactions between the sea and the atmosphere take place in the northwestern Pacific Ocean in winter. The *Boreas* expedition, on which this book is based, was the first attempt to examine these interactions in detail. The observations included sampling for temperature, salinity, oxygen, phosphate, nitrate, and silicate within the upper 1,500 metres; salinity-temperature recordings to 1,500 metres; net hauls for zooplankton; and meteorological recordings.

88 pages  $f_{3.40}$ 

#### THE JOURNAL OF ECOLOGY

EDITORS: A. J. WILLIS and P. J. GRUBB

Vol. 61, No. 2 July 1973

- D. H. N. Spence, R. M. Campbell and Jean Chrystal. Specific leaf areas and zonation of freshwater macrophytes.
- I. Noy-Meir. Data transformations in ecological ordination. I. Some advantages of non-centering.
- E. Pollard. Hedges. VII. Woodland relic hedges in Huntingdon and Peterborough.
- R. A. Tripathi and John L. Harper. The comparative biology of *Agropyron repens* (L.) Beauv. and *A. caninum* (L.) Beauv. I. The growth of mixed populations established from tillers and from seeds.
- P. S. Ramakrishnan and R. Nagpal. Adaptation to excess salts in an alkaline soil population of Cynodon dactylon (L.) Pers.
- J. V. Morley. Tidal immersion of Spartina marsh at Bridgwater Bay, Somerset.
- **R. J. Summerfield.** Factors affecting the germination and seedling establishment of *Narthecium ossifragum* on mire ecosystems.
- John Miles. Natural recolonization of experimentally bared soil in Callunetum in north-east Scotland.
- Sherwood B. Idso and Gerald A. Cole. Studies on a Kentucky Knobs Lake. V. Some aspects of the vertical transport of heat in the hypolimnion.
- D. U. U. Okali and Gladys Dodoo. Seedling growth and transpiration of two West African mahogany species in relation to water stress in the root medium.
- D. U. U. Okali, J. B. Hall and G. W. Lawson. Root distribution under a thicket clump on the Accra Pilans, Ghana: its relevance to clump localization and water relations.
- J. A. Rogers and G. E. Davies. The growth and chemical composition of four grass species in relation to soil moisture and aeration factors.
- P. J. Goodman. Physiological and ecotypic adaptations of plants to salt desert conditions in Utah.
- John S. Eaton, Gene E. Likens and F. Herbert Bormann. Throughfall and stemflow chemistry in a northern hardwood forest.
- M. A. Ayyad. Vegetation and environment of the western Mediterranean coastal land of Egypt.

  I. The habitat of sand dunes.
- G. Russell. Phytosociological studies on a two-zone shore. II. Community structure.
- J. H. Tallis. The terrestrialization of lake basins in north Cheshire, with special reference to the development of a 'schwingmoor' structure.
- B. J. B. Wood, P. B. Tett and A. Edwards. An introduction to the phytoplankton, primary production and relevant hydrography of Loch Etive.

#### BIOLOGICAL FLORA OF THE BRITISH ISLES

- A. R. Beddows. Lolium multiflorum Lam.
- Ross, W. Wein. Eriophorum vaginatum L.

REVIEWS

Subscription price £14.00 per volume of three parts (single parts £5.25 each)

## BLACKWELL SCIENTIFIC PUBLICATIONS LTD OSNEY MEAD · OXFORD

#### THE JOURNAL OF ANIMAL ECOLOGY

EDITORS: H. N. SOUTHERN and L. R. TAYLOR

Vol. 42, No. 2 June 1973

Valerie Standen. The production and respiration of an enchytraeid population in blanket bog.

C. R. Bantock and J. A. Bayley. Visual selection for shell size in Cepaea (Held.).

David Griffiths. The structure of an acid moorland pond community.

David Griffiths. The food of animals in an acid moorland pond.

- M. W. Service. Spatial and temporal distributions of aerial populations of woodland tipulids (Diptera).
- C. W. Coombs and G. E. Woodroffe. Evaluation of some of the factors involved in ecological succession in an insect population breeding in stored wheat.
- N. Gilbert and A. P. Gutierrez. A plant-aphid-parasite relationship.
- W. T. Hinds and W. H. Rickard. Correlations between climatological fluctuations and a population of *Philolithus densicollis* (Horn) (Coleoptera: Tenebrionidae).
- A. J. Underwood. Studies on zonation of intertidal prosobranch molluscs in the Plymouth region.
- John Gage and P. B. Tett. The use of log-normal statistics to describe the benthos of Lochs Etive and Creran.
- John Grahame. Assimilation efficiency of Littorina littorea (L.) (Gastropoda: Prosobranchiata).
- John Grahame. Breeding energetics of *Littorina littorea* (L.) (Gastropoda: Prosobranchiata).
- S. S. Rehr, P. P. Feeny and D. H. Janzen. Chemical defence in central American non-ant-acacias.
- M. Bigger. An investigation by Fourier analysis into the interaction between coffee leaf-miners and their larval parasites.
- J. M. Elliott. The life cycle and production of the leech *Erpobdella octoculata* (L.) (Hirudinea: Erpobdellidae) in a Lake District stream.
- J. M. Elliott. The diel activity pattern, drifting and food of the leech *Erpobdella octoculata* (L.) (Hirudinea: Erpobdellidae) in a Lake District stream.

Reviews

ABSTRACTS

Subscription price £14.00 per volume of three parts (single parts £5.25 each)

BLACKWELL SCIENTIFIC PUBLICATIONS LTD
OSNEY MEAD · OXFORD

# The Journal of General Microbiology

Volume 75, Part 2, April 1973

#### DEVELOPMENT AND STRUCTURE

J. H. Freer, J. P. Arbuthnott and B. Billcliffe. Effects of Staphylococcal α-Toxin on the Structure of Erythrocyte Membranes: a Biochemical and Freeze-etching study.

#### PHYSIOLOGY AND GROWTH

- T. M. Preston and D. S. O'Dell. Deuterium Oxide-induced Reversion of Naegleria gruberi Flagellates.
- B. J. Abbott. Ethanol Inhibition of a Bacterium (Acinetobacter calcoaceticus (in Chemostat Culture.

#### BIOCHEMISTRY

- P. G. MANTLE. Production of Ergot Alkaloids in vitro by Sphacelia sorghi.
- D. H. Jennings and S. Austin. The Stimulatory Effect of the Non-metabolized Sugar 3-O-Methyl Glucose on the Conversion of Mannitol and Arabitol to Polysaccharide and Other Insoluble Compounds in the Fungus Dendryphiella salina.
- J. P. Arbuthnott, J. H. Freek and B. Billcliffe. Lipid-induced Polymerization of Staphylococcal  $\alpha$ -Toxin.
- J. O'Sullivan and P. J. Casselton. The Subcellular Localization of Glyoxylate Cycle Enzymes in *Coprinus lagopus* (sensu Buller).
- H. A. Foster and J. H. Parish. Ribosomes, Ribosomal Subunits and Ribosomal Proteins from Myxococcus xanthus.
- H. A. FOSTER and J. H. PARISH. Synthesis of RNA during Myxospore Induction in Myxococcus xanthus.

#### GENETICS AND MOLECULAR BIOLOGY

- D. P. BINGHAM and B. J. BARNHART. Inhibition of Transformation by Antibodies against Competent Haemophilus influenzae.
- J. Grinsted and R. W. Lacey. Ecological and Genetic Implications of Pigmentation in *Staphylococcus aureus*.
- G. ASKAA, C. CHRISTIANSEN and H. ERNØ. Bovine Mycoplasmas: Genome Size and Base Composition of DNA.
- M. Crandall. Comparison of *Hansenula wingei*, a *Petite*-negative, Obligately Aerobic Yeast, to the *Petite*-positive Yeast *Saccharomyces cerevisiae*.
- M. CRANDALL. A Respiratory-deficient Mutant in the Obligately Aerobic Yeast Hansenula wingei.
- A. RODOLAKIS, P. THOMAS and J. STARKA. Morphological Mutants of Escherichia coli. Isolation and Ultrastructure of a Chain-forming envC Mutant.

#### MEDICAL MICROBIOLOGY

A. S. MSHELBWALA and W. E. ORMEROD. Measurement of the Infectivity of *Trypanosoma cruzi* in Faeces of Rhodnius by Comparison of Dose-response Curves.

#### **TAXONOMY**

- K. NAKAHAMA, A. IMADA, S. IGARASI and K. TUBAKI. Formation of L-Asparaginase by Fusarium Species.
- F. G. PRIEST, H. J. SOMERVILLE, J. A. COLE and J. S. HOUGH. The Taxonomic Position of *Obesum-bacterium proteus*, a Common Brewery Contaminant.

#### SHORT COMMUNICATIONS

- J. A. A. VAN DER WIEL-KORSTANJE and W. DE VRIES. Cytochrome Synthesis by Bifidobacterium during Growth in Media Supplemented with Blood.
- T. Cross, R. W. Attwell and R. Locci. Fine Structure of the Spore Sheath in Streptoverticillium Species.

Proceedings of the London Meeting of Society on 4 and 5 January 1973.

Price £5.50 net (\$16.50 in USA). Annual subscription £48.00 net (\$159.00 in USA) for 1973.

#### CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London NW1 2DB

American Branch: 32 East 57th Street, New York, N.Y. 10022

# THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

#### TERMS OF MEMBERSHIP

Annual Member	s. tece	eivino	the '	Tourn	al		ne	r annı	ım	5.00
Thindar Ivicinoci	3, 100	MAINE	, LILE .	Journ	lai .	•	PC	aimi	dill.	5.00
Annual Member	s, with	hout	the Jo	ourna	1.		pe	r ann	um	1.05
Junior Members	, recei	iving	the J	ourna	ıl .		pe	r ann	um	2.00
Life Members						Co	mpos	ition	fee	60.00
Founders .										100.00
Governors .										500.00

Members of the Association have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

### JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION Vol. 53 No. 3

#### CONTENTS

						PAGE
FRETTER, V. and SHALE, D. Distribution of prosobranch veligers					٠	471
SMITH, D. A. S. Populations of Lacuna species						493
DALY, JOHN M. Tube construction by Platynereis dumerilii .						521
Ennis, G. P. Hatching rhythm in the lobster						531
HERRING, P. J. Carotenoid pigments and lipids of decapods .						539
McLaughlin, Patsy A. Hybridization in Pagurus						563
MAUCHLINE, J. Inter-moult growth of species of Mysidacea [Crusta	cea]					569
EDWARDS, C. Modeeria rotunda and its hydroid						573
EDWARDS, C. Mitrocomella polydiademata and its hydroid						601
Cornelius, P. F. S. Taxonomy of Stygiomedusa					·	609
HARBISON, G. R., SMITH, JR. K. L. and BACKUS, R. H. Taxonomy of	Styg	iomed	lusa f	abulos	a	615
Bone, Q. Myctophid buoyancy.						619
BLAXTER, J. H. S. Illumination and migration in fish larvae .						635
SARGENT, J. R., GATTER, R. R. and McIntosh, R. Lipids in sharks						649
Morris, R. J., Ferguson, C. F. and RAYMONT, J. E. G. Lipid metabolis	sm of	Neon	mysis	intege	er	657
SOUTHWARD, EVE C. Glygocen in Siboglinum atlanticum				ė		665
HELM, M. M., HOLLAND, D. L. and STEPHENSON, R. R. Nutrition o	f oys	ters				673
WHITFIELD, M. Artificial sea waters						685
BANOUB, M. W. and LEB., WILLIAMS, P. J. Organic material in the	ea					695
BRYAN, G. W. and HUMMERSTONE, L. G. Heavy metals in seaweeds					٠	705
HALCROW, W., MACKAY, D. W. and THORNTON, I. Trace metals in	Firth	of C	lyde			721
JOYCE, J. R. Bottom water sampling						741
Abstracts of Memoirs						745
List of Books Received						748

© Copyright by the Marine Biological Association of the U.K. 1973

The 1973 subscription price of the Journal to non-members of the Association is £22.00 net a volume of four parts, post free, or US\$70.00 in U.S.A. and Canada, payable in advance. Subscriptions may be sent to any bookseller or to the Cambridge University Press, and in U.S.A. and Canada to the Cambridge University Press American Branch.

#### CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON NW1 2DB
AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y.10022

Printed in Great Britain at the University Printing House, Cambridge