## NOTES FOR AUTHORS

The *Bulletin of Entomological Research* publishes original research papers concerning insects, mites, ticks or other arthropods of economic importance in agriculture, forestry, stored products, biological control, medicine, animal health and natural resource management. The geographical scope of the *Bulletin* is worldwide but with emphasis on the tropics. Taxonomic papers are accepted if relevant. Short review papers, although normally by invitation, will also be considered for publication.

**Page Format.** The *Bulletin* is printed in a two-column format (column width of 80 mm) with a text area of 170×225 mm.

**Text.** Papers should be typed, on one side of the paper only, with double line spacing and ample margins (at least 1.5 cm) on each side and with no underlining or bold in text except for scientific names. Draft quality print from a word-processor is not acceptable. Standard abbreviations (e.g. fig. and figs) and metric units must be used. Guidelines for taxonomic papers are available.

When the paper has been accepted word-processed text stored on floppy disk is encouraged, providing the software is IBM/DOS compatible, but floppy discs must be accompanied by a hard copy. This will enable papers to be handled rapidly, and with fewer type-setting errors.

**Abstract.** Each paper must commence with a carefully prepared, accurate, informative abstract, in one paragraph, that is complete in itself and intelligible without reference to text or figures. It should not exceed 250 words. A short title should be provided as a running head.

**Tables.** Tables should be reduced to the simplest form, and should not be used where text or illustrations give the same information. They should be submitted on separate sheets at the end of the article and must fit conveniently into single column, full width or landscape (if absolutely necessary) format. Table captions should be typed on a separate sheet.

**Illustrations.** Copies only of artwork should be submitted. The original illustrations should accompany the paper after acceptance and revision. Text figures, line drawings, computer-generated figures and graphs should be of sufficient size and quality to allow for reduction by half or two-thirds. Half-tone photographs are acceptable where they are a real contribution to the text. Figure and captions should be typed on a <u>separate sheet</u>

in the following format:

Figs 23–26. Figs 23–24, <u>Urophora</u> eggs: 23, <u>U. hispanica</u>; 24, <u>U. stigma</u>. Figs 25–26, spermathecae: 25, <u>U. maura</u>; 26, <u>U. stigma</u>; scale lines=0.05 mm.

**Voucher specimens.** The deposition of voucher specimens should be considered where appropriate.

**References.** References must be based on the name and year system, give full journal titles and conform to the following styles:

Powell, W. (1986) Enhancing parasitoid activity in crops. pp. 319–340 in Waage, J. & Greathead, D. (Eds) Insect parasitoids. London, Academic Press (Symposium, Royal Entomological Society of London No. 13).

Southwood, T.R.E. (1978) <u>Ecological methods with</u> particular reference to the study of insect populations. 2nd edn. 524 pp. London, Chapman & Hall

Zhou, X., Carter, N. & Mumford, J. (1989) A simulation model describing the population dynamics and damage potential of the rose grain aphid, Metopolophium dirhodum (Walker) (Hemiptera: Aphididae), in the UK.

<u>Bulletin of Entomological Research</u> 79, 373–380.

Citation of authors in the text should appear in the form: Polaszek (1990) or (Polaszek, 1990). More than one author should be cited in chronological order as: (Holloway et al., 1987; Walker & Huddleston, 1988).

**Offprints.** 50 copies of each paper are provided free to the author (or major author) of each paper. Further copies may be obtained on payment, and the number required should be specified and ordered at proof stage.

**Manuscripts.** Three copies of the manuscript and artwork should be submitted to:

The Editor
Bulletin of Entomological Research
International Institute of Entomology
56, Queen's Gate
London
SW7 5JR, UK.

## **Bulletin of Entomological Research**

Book Reviews4
Walker, A. K. Species of Microgastrinae (Hymenoptera: Braconidae) parasitizing lepidopterous cereal stem borers in Africa
Torr, S. J. Responses of tsetse flies (Diptera: Glossinidae) to warthog (Phacochoerus aethiopicus Pallas)
Strong, L. & Wall, R. Effects of ivermectin and moxidectin on the insects of cattle dung
Riley, J. R., Reynolds, D. R., Smith, A. D., Rosenberg, L. J., Cheng, XN., Zhang, XX., Xu, GM., Cheng, JY., Bao, AD., Zhai, BP., Wang, HK. Observations on the autumn migration of <i>Nilaparvata lugens</i> (Homoptera: Delphacidae) and other pests in east central China
Ratnadass, A., Cissé, B. & Mallé, K. Notes on the biology and immature stages of West African sorghum head bugs Eurystylus immaculatus and Creontiades pallidus (Heteroptera: Miridae)
Quinnell, R. J. & Dye, C. An experimental study of the peridomestic distribution of Lutzomyia longipalpis (Diptera: Psychodidae)
Overholt, W. A., Ogedah, K. & Lammers, P. M. Distribution and sampling of Chilo partellus (Lepidoptera: Pyralidae) in maize and sorghum on the Kenya coast
O'Dowd, D. J. Mite association with the leaf domatia of coffee (Coffea arabica) in north  Queensland, Australia
Kotze, A. C. & Sales, N. Cross resistance spectra and effects of synergists in insecticide-resistant strains of Lucilia cuprina (Diptera: Calliphoridae)
Johnson, C. G. & Johnson, R. P. C. Computer modelling of the migration of Simulium damnosum sensu lato (Diptera: Simuliidae) across the Onchocerciasis Control Programme (OCP) area of West Africa
Harbach, R. E. Review of the internal classification of the genus <i>Anopheles</i> (Diptera: Culicidae): the foundation for comparative systematics and phylogenetic research
Griffiths, N. & Brady, J. Analysis of the components of 'electric nets' that affect their sampling efficiency for tsetse flies (Diptera: Glossinidae)
Githeko, A. K., Service, M. W., Mbogo, C. M., Atieli F. A. & Juma, F. O. Sampling Anopheles arabiensis, A. gambiae sensu lato and A. funestus (Diptera: Culicidae) with CDC light-traps near a rice irrigation area and a sugarcane belt in western Kenya
Campbell, C. A. M. Homoptera associated with the ants Crematogaster clariventris, Pheidole megacephala and Tetramorium aculeatum (Hymenoptera: Formicidae) on cocoa in Ghana
Burckhardt, D. & Couturier, G. The plant-louse Leuronota calycophylli sp. n. (Homoptera, Psylloidea), a pest on the timber species Calycophyllum spruceanum (Rubiaceae) in Peru
Braimah, H. & van Emden, H. F. The role of the plant in host acceptance by the parasitoid  Aphidius rhopalosiphi (Hymenoptera: Braconidae)
Blackwell, A., Young, M. R. & Mordue W. The microhabitat of Culicoides impunctatus (Diptera:  Ceratopogonidae) larvae in Scotland

## © CAB INTERNATIONAL, 1994

All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without prior permission of the copyright owner.