

Distribution Maps of Quarantine Pests for Europe

Distribution maps of quarantine pests for the European Union and for the European and Mediterranean Plant Protection Organization

*Edited by I M Smith, European and Mediterranean Plant Protection
Organization (EPPO) and L M F Charles, CAB International (CABI)*

This book is an essential companion volume to *Quarantine Pests for Europe*, 2nd Edition and *Illustrations of Quarantine Pests for Europe*. The three titles are the result of collaboration between CABI and EPPO in the compilation of data on the pests of phytosanitary significance for the European and Mediterranean region.

This present publication provides updated geographic distributions of over 350 pests for which data sheets and illustrations are already available. A map is provided for each pest showing the current world distribution graphically. This is supported by a list of the countries and provinces in which the pest has been recorded with a coded indication of its current status. Coverage extends to insects, mites, nematodes, fungi, bacteria, viruses and parasitic plants. The pests concerned are either entirely absent from the European and Mediterranean region (A1 list) or have a restricted distribution (A2 list). Text within the book is provided in both English and French.

Readership: *Researchers and professionals in plant quarantine, crop protection and pest management.*

January 1999 768 pages HB
ISBN 0 85199 292 7
£75.00 (US\$140.00)

For further information or to order please contact CABI Publishing, UK or an exclusive CABI Publishing distributor in your area.

Please add £2.00 per book postage and packing (excluding UK).

CABI Publishing

CABI Publishing, CAB International, Wallingford, Oxon OX10 8DE, UK

Tel: +44 (0)1491 832111 Fax: +44 (0)1491 829292 Email: orders@cabi.org

CABI Publishing, CAB International, 10 East 40th Street, Suite 3203, New York, NY 10016, USA

Tel: +1 212 481 7018 Fax: +1 212 686 7993 Email: cabi-nao@cabi.org

NOTES FOR AUTHORS

The *Bulletin of Entomological Research* publishes original research papers, review articles and short communications concerning insects, mites, ticks or other arthropods of economic importance in agriculture, forestry, stored products, biological control, medicine, animal health and natural resource management. The geographical scope of the *Bulletin* is worldwide. Taxonomic papers are accepted if relevant. The *Bulletin* is also produced electronically and is available on the WWW to subscribers. The *Bulletin* also publishes a supplement series.

Page Format. The *Journal* is printed in a two-column format (column width of 80 mm) with a text area of 170×225 mm.

Text. Papers should be typed, on one side of the paper only, with double line spacing and ample margins (at least 1.5 cm) on each side and with no underlining or bold in text except for scientific names. Draft quality print from a word-processor is not acceptable. Standard abbreviations (e.g. fig. and figs) and metric units must be used. Use British rather than American spellings. Use 'z' rather than 's' spellings in words with 'ize'.

Disks. Upon acceptance, authors are requested to submit a computer disk containing the final version of their paper along with the final manuscript to the editorial office. Please do the following: (1) Label disk clearly with author's name, title of journal and short title of the article; (2) Specify which word processing software (including which version) was used (e.g. WordPerfect 6.0); (3) Specify what computer was used; (4) Include both original file and ASCII file on the disk; (5) Keep a backup disk for reference and safety.

Abstract. Each paper must commence with an accurate, informative abstract in one paragraph, that is complete in itself and intelligible without reference to text or figures. It should not exceed 250 words. A short title should be provided as a running head.

Tables. Tables should be reduced to the simplest form and present only essential data. They should be submitted on separate sheets at the end of the article and must fit into single column, full width or landscape (if absolutely necessary) format. Captions should be typed on a separate sheet. The use of vertical rules should be avoided.

Illustrations. Copies of artwork only should be submitted. The original illustrations should accompany the paper after acceptance and revision. Captions should be typed on a separate sheet.

Line drawings

These should be sharp and clear, black ink on white paper to about 1.5 times the intended final size. The lettering and lines should be of sufficient thickness and quality to stand reduction. Computer generated figures and graphs should not contain grey tints or complicated hatching.

Half-tone photographs

Black and white half-tone photographs are acceptable where they are a real contribution to the text. They should be prints of good quality at the intended final size with any required lettering or numbering inserted by the author.

Voucher specimens. The deposition of voucher specimens should be considered where appropriate.

References. References must be based on the name and year system, give full journal titles and conform to the following styles:

Follett, P.A. & Roderick, G.K. (1996) Genetic estimates of dispersal ability in the leucaena psyllid predator *Curinus coeruleus* (Coleoptera: Coccinellidae): implications for biological control. *Bulletin of Entomological Research* **86**, 355–361.

Nevill, E.M., Kappmeier, K. & Venter, G.J. (1993) Tsetse fly research in Zululand. in *Proceedings of the ninth Entomological Congress organized by the Entomological Society of Southern Africa, Johannesburg, 28 June–1 July 1993* Pretoria, Entomological Society of South Africa, p. 81.

Wilson, M.D. & Post, R.J. (1994) Integration of morphometric, cytogenetic and molecular techniques: A case study of *Simulium damnosum*. pp. 215–224 in Hawksworth, D.L. (Ed.) *The identification and characterization of pest organisms*. Wallingford, CAB INTERNATIONAL.

Citation of authors in the text should appear in the form: Polaszek (1996) or (Polaszek, 1996). Authors should be cited in chronological order as: (Blackman *et al.*, 1994; Roberts & Kumar, 1995).

Proofs. Authors will receive two sets of page proofs. One set is for correcting and should be returned as promptly as possible to the address given, the other set is to be retained.

Voucher copy. A voucher copy of the *Journal* is provided free to the author (or major author) of each paper.

Offprints. 50 copies of each paper are provided free to the author (or major author) of each paper. Additional copies may be obtained on payment and the number required must be specified and ordered at proof stage, when prices will be quoted. Orders must be received before the issue has gone to press.

Copyright. Authors will be supplied with a copyright form which must be completed and returned to the Publisher. Papers are accepted on the understanding that the work has been submitted exclusively to the *Journal* and has not been previously published elsewhere unless otherwise stated.

Disposal of material. Once published, all copies of the manuscript, correspondence and artwork will be held for six months before disposal. Authors must contact the Editor if they wish to have any material returned.

Manuscripts. Three copies of the manuscript and artwork should be submitted to:

Editor-in-Chief, Bulletin of Entomological Research, International Institute of Entomology, 56 Queen's Gate, London, SW7 5JR, UK.

Bulletin of Entomological Research

Referees used in 1998	ii
Review Article	
Loxdale, H.D. & Lushai, G. Molecular markers in entomology	577
Devine, G.J. & Denholm, I. An unconventional use of piperonyl butoxide for managing the cotton whitefly, <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae)	601
Fisher, P., Wall, R. & Ashworth, J.R. Attraction of the sheep blowfly, <i>Lucilia sericata</i> (Diptera: Calliphoridae) to carrion bait in the field	611
Kuhlmann, U., Babendreier, D., Hoffmeister, T.S. & Mills, N.J. Impact and oviposition behaviour of <i>Ageniaspis fuscicollis</i> (Hymenoptera: Encyrtidae), a polyembryonic parasitoid of the apple ermine moth, <i>Yponomeuta malinellus</i> (Lepidoptera: Yponomeutidae)	617
Schofield, S. Responses to electrified targets and daily activity of <i>Stomoxys</i> spp. (Diptera: Muscidae) in Zimbabwe	627
Schowalter, T.D. & Ganio, L.M. Vertical and seasonal variation in canopy arthropod communities in an old-growth conifer forest in southwestern Washington, USA	633
Steinbauer, M.J., Clarke, A.R. & Paterson, S.C. Changes in eucalypt architecture and the foraging behaviour and development of <i>Amorbus obscuricornis</i> (Hemiptera: Coreidae)	641
Williams, I.S., Haylock, L.A., Dewar, A.M. & Dixon, A.F.G. Selection for a moderately insecticide resistant clone of <i>Myzus persicae</i> (Hemiptera: Aphididae) on sugarbeet in the absence of pesticides	653
Index of Authors (Volume 88)	659

© CAB INTERNATIONAL, 1998

All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without prior permission of the copyright owner.

Printed and bound in the UK at the University Press, Cambridge