

PROCEEDINGS
OF
THE ROYAL SOCIETY OF EDINBURGH

**PROCEEDINGS
OF
THE ROYAL SOCIETY
OF EDINBURGH**

Section A (Mathematics)

VOL. 94

1983

**PUBLISHED BY
THE ROYAL SOCIETY OF EDINBURGH
22 GEORGE STREET
EDINBURGH EH2 2PQ**

1983

NOTES FOR AUTHORS

Papers to be considered for publication should be sent to the Editorial Secretary, The Royal Society of Edinburgh, 22 George Street, Edinburgh EH2 2PQ, Scotland.

A paper by more than one author must be submitted with a statement, signed by each author, to the effect that the paper in its entirety is approved by the joint authors and naming the author who will be responsible for correspondence with the Society.

Authors will receive fifty (50) offprints free of charge, this number to be shared between joint authors. Additional offprints may be obtained, in units of fifty, at a fixed scale of prices given on a form which will be attached to the proof.

In view of the high cost of publication, authors must prepare their papers as concisely as possible. Manuscripts should be submitted in triplicate and preferably should be typewritten on one side of A4 paper, double spaced with adequate margins. Authors are advised to retain a copy of their papers as the Society cannot accept responsibility for any loss.

Every paper must be accompanied by a Synopsis, in general not exceeding two hundred words, which will be printed in small type at the beginning of the paper.

References within the text should be indicated by bold numbers in square brackets, e.g. [2] or [3, p. 167]. For style of references at end of text, see recent issues of *Proceedings A*.

Authors should ensure that punctuation carries through the mathematics in the proper manner. The use of hyphens should be consistent. In the text avoid such abbreviations as: *iff*, *w.r.t.*, *a.e.*, \forall , \exists , and *thm*.

Footnotes should be avoided. Headings should not be underlined. Every effort should be made to avoid complicated subscripts, superscripts, ranges of summation and integration. Horizontal fraction signs should normally be avoided: use either solidus signs / or negative exponents. Replace $e^{(\dots)}$ by $\exp[\dots]$ if the expression in parenthesis is complicated. Simple formulae should *not* be displayed unless they require a formula number. Use the prime ' or d/dx , but preferably not a dot, to denote ordinary differentiation. If possible use subscripts to denote partial differentiation of $\partial/\partial x$ etc. Bars reaching over several letters should be avoided: use $\sqrt{()}$ or the exponent 1/2 for the square root. Sub-subscripts and super-superscripts should be avoided if possible: bars and other devices over indices cannot be supplied.

Note that confusion very often arises between 1 (one) and *l* (ell); 0 (zero) and O (Capital oh); \circ (composition) and *o* (lower case oh); x and \times ; U and \cup ; c and \subset ; \in (belongs to) and ϵ (epsilon); \emptyset (empty set) and ϕ (phi); $;$ and comma $,$; prime ' and \prime ; K and κ ; p and ρ ; w and ω ; \sum (summation) and Σ (capital sigma); $[]$ (product) and Π (capital pi); v (lower case vee) and ν (Greek nu); a (lower case a) and α (Greek alpha); y (lower case y) and γ (Greek gamma). Please provide pencilled indicators in the margin where necessary. Where capitals and lower case of the same shape have to be printed, please indicate accordingly. Show italics by single underlining (except in the formulae which are set up normally in italics), bold face/Clarendon by wavy underlining and Greek by red underlining.

The statement of theorems, lemmas, et cetera, will be printed in italics and should be underlined. In definitions key words only should be in italics.

Equations should be indicated by numbers in parentheses in the right-hand margin.

Proofs of papers will be sent to the author. The cost of *authors' corrections in excess of five per cent* of the printers' charge for the setting of a particular paper *will be charged to the author*.

Copyright

© 1983 The Royal Society of Edinburgh and the authors of individual papers.

It is the policy of the Royal Society of Edinburgh not to charge any royalty for the production of a single copy of any one article made for private study or research. Requests for the copying or reprinting of any article for any other purpose should be sent to the Royal Society of Edinburgh, 22/24 George Street, Edinburgh EH2 2PQ

CONTENTS

DAVID A. SANCHEZ	
Periodic and constant solutions of matrix Riccati differential equations: $n = 2$	179
ALAIN HARAUX	
Almost-periodic forcing for a wave equation with a nonlinear, local damping term	195
LAWRENCE TURYN	
Perturbation of two-point boundary value problems with eigenvalue parameter in the boundary conditions	213
M. DAVID	
On a Dirichlet-Neumann-Third mixed boundary value problem for the Helmholtz equation	221
S. L. LEE, C. A. MICCHELLI, A. SHARMA and P. W. SMITH	
Some properties of periodic B -spline collocation matrices	235
PETER ROWLINSON	
On the number of simple eigenvalues of a graph	247
MATTHIAS JAKOB and A. C. OFFORD	
The distribution of the values of a random power series	251
NICHOLAS D. ALIKAKOS	
Quantitative maximum principles and strongly coupled gradient-like reaction-diffusion systems	265
E. MÜLLER-PFEIFFER	
On the existence of nodal domains for elliptic differential operators	287
T. S. BLYTH and J. C. VARLET	
On a common abstraction of de Morgan algebras and Stone algebras	301
N. WECK	
Liouville theorems for linear elliptic systems	309
PAUL MASSATT	
A fixed point theorem for α -condensing maps on a sphere	323
Y. G. SEICAS and S. K. NTOUYAS	
A two point boundary value problem for neutral functional differential equations	331
DAVID CHILLINGWORTH and CARMEN ROMERO-FUSTER	
Remarks on the singularity indices of Arnol'd and Berry	339
R. J. H. DAWLINGS	
The idempotent generated subsemigroup of the semigroup of continu- ous endomorphisms of a separable Hilbert space	351