Index of Subjects

Acinetobacter calcoaceticus, typing of, strains isolated from hospital patients by cell envelope protein profiles, 659

African swine fever, an updated survey of, in Malawi, 723

Air, Joseph Lister and infection from the, 569

Antirabies vaccine, persistence of rabies antibody 5 years after pre-exposure prophylaxis with human diploid cell, and antibody response to a single booster dose, 91

Aquaria, enteric pathogens in tropical, 635

Aspergillosis, invasive nosocomial pulmonary: risk factors and hospital building works, 407 Australia, respiratory tract infections due to *Branhamella catarrhalis*: epidemiological data from Western, 445

Bluetongue, infection with, and related orbiviruses in the Sudan detected by the study of sentinel calf herds, 533

 ${\it Branhamella\ catarrhalis}, {\it respiratory\ tract\ infections\ due\ to: epidemiological\ data\ from\ Western\ Australia,\ 445$

Campylobacter, a demographic survey of, salmonella and shigella infections in England, 647 Campylobacters, serogroups of thermophilic, from humans and from non-human sources, Israel 1982–1985, 275

Campylobacters, survival of thermophilic, on fingertips and their elimination by washing and disinfection, 265

Candida albicans, strain differentiation of, by morphotyping, 421

Candidiasis, four outbreaks of nosocomial systemic, 201

China, serodiagnosis of leptospirosis in, by the one-point MCA method, 393

Clostridium botulinum, a food-poisoning incident caused by, toxin A in Japan, 167

Clostridium difficile, comparison of alcohol shock enrichment and selective enrichment for the isolation of, 355

Cytotoxins, properties of strains of Escherichia coli belonging to serogroup 0157 with special reference to production of Vero, VT1 and VT2, 613

Enteric pathogens in tropical aquaria, 635

Escherichia coli, calculation of the expected increases of coliform organisms, and Salmonella typhimurium, in raw blended mutton tissue, 323

Escherichia coli, investigation of the source of haemolytic, infecting weaned pigs, 149

Escherichia coli, properties of strains of, belonging to serogroup 0157 with special reference to production of Vero cytotoxins VT1 and VT2, 613

Escherichia coli, the assessment of two media for the confirmation of, in water samples in singletube tests, 155

Food, an evaluation of a commercially available enzyme immunoassay test for the rapid detection of salmonellae in, and environmental samples, 127

Foot-and-mouth disease virus, enzyme-linked immunosorbent assay (ELISA) for the detection of antibodies against, 733

Fungal, an epidemiologic study of the, skin flora among the elderly in Alexandria, 213 Fusobacteria, the isolation of, from tropical ulcers, 361

Gambia, plasmid content, auxotype and protein-I serovar of gonococci isolated in the, 669 Gonococci, plasmid content, auxotype and protein-I serovar of, isolated in the Gambia, 669

Haemophilus influenzae subtyping by SDS-PAGE of whole-cell polypeptides, 179

Hepatitis B, prevalence and risk factors of, in Spanish prostitutes, 767

HIV antigen, circulation of, in blood according to stage of infection, risk group, age and geographic origin, 701

Hong Kong, incidence of plasmids in multiply-resistant salmonella isolates from diarrhoeal patients in, from 1973-82, 307

Hong Kong, salmonella serotypes and incidence of multiply-resistant salmonellae isolated from diarrhoeal patients in, from 1973-82, 295

Hydatid disease, the changing incidence of human, in England and Wales, 693

Influenza A and B virus IgG and IgM serology by enzyme immunoassays, 55

Influenza A, a new concept of the epidemic process of, virus, 5

Influenza A, egg-grown and tissue-culture-grown variants of, (H3N2) virus with special attention to their use as antigens in seroepidemiology, 745

Influenza A, sequential infection or immunization of ferrets with a series of, (H3N2) strains, 501

Influenza, what is the true nature of epidemic, virus and how do new epidemic viruses spread,

Israeli, food-borne outbreak of group G streptococcal sore throat in an, military base, 249
Israel, serogroups of thermophilic campylobacters from humans and from non-human sources, 1982–1985, 275

Italy, psittacosis in a highly endemic area in, 413

Klebsiella spp., comparison of biochemical and serological typing results and antimicrobial susceptibility patterns in the epidemiological investigation of, 625

Legionella, cross-reactivity among, species and serogroups, 641

Legionella pneumophila: comparison of isolation from water specimens by centrifugation and filtration, 241

Legionella pneumophila in a hospital water system following a noscomial outbreak: prevalence, monoclonal antibody subgrouping and effect of control measures, 783

Legionella pneumophila: monoclonal antibody typing of clinical and environmental isolates,

Legionella pneumophila, widespread, contamination of dental stations in a dental school without apparent human infection, 159

Leptospira interrogans, a new serovar mogdeni of serogroup Tarassovi of, isolated from a sewage plant in England, 373

Leptospiral, serological prevalence of, infection in domestic animals in West Malaysia, 379 Leptospiral, serological studies of British, isolates of the Sejroe serogroup. III. The distribution of leptospires of the Sejroe serogroup in the British Isles, 117

Leptospira, serological studies on British isolates of the Sejroe serogroup of. II. An evaluation of the factor analysis method of identifying leptospires using strains belonging to the Sejroe serogroup, 107

Leptospirosis, one-point method for serological diagnosis of: a microcapsule agglutination test, 399

Leptospirosis, serodiagnosis of, in China by the one-point MCA method, 393

Lister, Joseph, 1827-1912, 567

Lister, Joseph, and infection from the air, 569

Lymphoproliferative disease, detection of, virus by an enzyme-linked immunosorbent assay, 711

Malawai, an updated survey of African swine fever in, 723

Malaysia, serological prevalence of leptospiral infection in domestic animals in West, 379

Meningococci, the Stonehouse survey: nasopharyngeal carriage of, and Neisseria lactamica, 591

Meningococcal, an outbreak of, disease in Stonehouse: planning and execution of a large-scale survey, 579

Measles, an assessment of methods for routine local monitoring of vaccine efficacy, with particular reference to, and pertussis, 485

Measles antibody levels in children of rural and urban areas of Nigeria following vaccination campaign, 85

Measles, the levels of, antibodies in Nigerian children aged 0-12 months and its relationship with maternal parity, 547

Methicillin-resistant, multiply- and, Staphylococcus aureus strains isolated in the German Democratic Republic in 1985 and 1986, 603

Mineral waters, the bacteriological quality of bottled natural, 439

Molluscum contagiosum: characterization of viral DNA and clinical features, 563

Mozambique, Rift Valley fever: a sero-epidemiological survey among pregnant women in, 517

Multiple tube method, most probable numbers of organisms: revised tables for the, 471

Mumps, the epidemiology of, in the UK: a preliminary study of virus transmission, herd immunity and the potential impact of immunization, 65

Mutton, calculation of the expected increases of coliform organisms, Escherichia coli and Salmonella typhimurium, in raw blended, tissue, 323

Mycoplasma pneumoniae, the specific IgM response to, infection: interpretation and application to early diagnosis, 685

Neisseria gonorrhoeae, analysis of penicillinase-producing, isolates in Madrid (Spain) from 1983-85, 455

Neisseria lactamica, the Stonehouse survey: nasopharyngeal carriage of meningococci and, 591

Neisseria meningitidis, isolation of, strains with increase of penicillin minimal inhibitory concentrations, 463

Nephropathia epidemica: incidence of clinical cases and antibody prevalence in an endemic area of Sweden. 559

Nigeria, measles antibody levels in children of rural and urban areas of, following vaccination campaign, 85

Nigeria, the bacteriological quality of traditional water sources in north-eastern Imo State,

Nigerian, the levels of measles antibodies in, children aged 0–12 months and its relationship with parity, 547

Orbiviruses, infection with bluetongue and related, in the Sudan detected by the study of sentinel calf herds, 533

Pertussis, an assessment of methods for routine local monitoring of vaccine efficacy, with particular reference to measles and, 485

Pertussis, how are the sub-units, vaccines to be evaluated, 477

Pigs, investigation of the source of haemolytic Escherichia coli infecting weaned, 149

Poliomeylitis, paralytic, in England & Wales, 1970-84, 97

Prostitutes, prevalence and risk factors of hepatitis B in Spanish, 767

Psittacosis in a highly endemic area in Italy, 413

Rabies, persistence of, antibody 5 years after pre-exposure prophylaxis with human diploid cell antirabies vaccine and antibody response to a single booster dose, 91

Rabies vaccine, purified chick embryo cell: economical multisite intradermal regimen for postexposure prophylaxis, 755

Respiratory viral infections, surveillance of, by rapid immunofluorescence diagnosis, with emphasis on virus interference, 523

Rift Valley fever: a sero-epidemiological survey among pregnant women in Mozambique, 517

Salmonella, a demographic survey of campylobacter, and shigella infections in England, 647 Salmonella, comparison of procedures based upon Rappaport-Vassiliadis medium with those using Muller-Kauffmann medium containing Teepol for the isolation of, sp., 143

Salmonella dublin, molecular relationship among, isolates identified at the Center for Enterobacteriaceae of Palermo during the years 1971-85, 283

Salmonellae, an evaluation of a commercially available enzyme immunoassay test for the rapid detection of, in food and environmental samples, 127

Salmonella enteritidis, a phage-typing scheme for, 291

Salmonella, incidence of plasmids in multiply-resistant, isolates from diarrhoeal patients in Hong Kong from 1973-82, 307

Salmonella serotypes and incidence of multiply-resistant salmoellae isolated from diarrhoeal patients in Hong Kong from 1973-82, 295

Salmonella typhimurium, calculation of the expected increases of coliform organisms, Escherichia coli and, in raw blended mutton tissue, 323

Salmonella typhimurium, old and new techniques together resolve a problem of infection by,

Scombrotoxic fish poisoning in Britain: features of over 250 suspected incidents from 1976 to 1986, 775

Shigella, a demographic survey of campylobacter, salmonella and, infections in England, 647 Skin, an epidemiologic study of the fungal, flora among the elderly in Alexandria, 213

Spain, analysis of penicillinase-producing Neisseria gonorrhoeae isolates in Madrid, from 1983-85, 455

Staphylococcus aureus, characterization of non-typable strains of, from cases of hospital infection, 191

Streptococcal, food-borne outbreak of group G, sore throat in an Israeli military base, 249 Staphylococcal food poisoning on a cruise ship, 349

Streptococcal, group L beta-haemolytic, infection in meat handlers: another streptococcal zoonosis? 257

Staphylococci, an estimate for the source of coagulase-negative, in blood cultures, 333

Staphylococcus aureus, multiply- and methicillin-resistant, strains isolated in the German Democratic Republic in 1985 and 1986, 603

Staphylococcus aureus, pattern of antibiotic and heavy-metal ion resistance in recent hospital isolates of. 343

Sudan, infection with bluetongue and related orbiviruses in the, detected by the study of sentinel calf herds, 533

Sweden, nephropathia epidemica: incidence of clinical cases and antibody prevalence in an endemic area of, 559

Tetanus and its complications: intensive care and management experience in 150 Indian patients, 675

Tubercle, bovine, bacilli and disease in animals and man, 221

Tuberculin test, observations on the incidence of herds with non-visible lesioned, reactors in south-west England, 173

Water, Legionella pneumophila: comparison of isolation from, specimens by centrifugation and filtration, 241

Water, the assessment of two media for the confirmation of *Escherichia coli* in, samples in single-tube tests. 155

Water, the bacteriological quality of traditional, sources in north-eastern Imo State, Nigeria, 429

Waters, the bacteriological quality of bottled natural mineral, 439

West Nile, antigenic relationship of, strains by titre ratios calculated from cross-neutralization test results, 551