

Weeds

VOLUME 9 OCTOBER 1961 NUMBER 4

Journal of the Weed Society of America

Weeds

#### Issued Quarterly by the Weed Society of America

C. J. WILLARD, Editor, Department of Agronomy, The Ohio State University, 1827 Neil Ave., Columbus 10, Ohio

W. C. JACOB, Business Manager, Department of Agronomy, University of Illinois, Urbana, Illinois

#### EDITORIAL COMMITTEE

O. C. LEE, Department of Botany and Plant Pathology, Purdue University, Lafayette, Indiana

R. A. PETERS, Department of Plant Science, University of Connecticut, Storrs, Connecticut

W. C. ROBOCKER, Crops Research Division, ARS, USDA, State College of Washington, Pullman, Washington

D. W. STANIFORTH, Department of Botany and Plant Pathology, Iowa State University, Ames, Iowa

R. P. UPCHURCH, Department of Field Crops, North Carolina State College, Raleigh, North Carolina

WEEDS is a quarterly journal published by the Weed Society of America. The subscription price is \$10.00 yearly for four issues; single copies \$2.50. Address all communications regarding subscriptions, advertising, and reprints to W. C. Jacob, Department of Agronomy, University of Illinois. All checks, money orders, and other remittances should be made payable to the Weed Society of America. The editorial office is located at Department of Agronomy, The Ohio State University, 1827 Neil Avenue, Columbus 10, Ohio. Inquiries concerning manuscripts and other material for publication should be addressed to the editorial office. Printing is by the W. F. Humphrey Press, Inc., Geneva, New York.

> Entered as second-class matter at the post office at Urbana, Illinois with additional entry at Geneva, New York.

	Page
Techniques for Evaluating Chemicals as Aquatic Weed Herbicides. P. A.	515
Herbicides for the Control of Witchweed (String asiatica) in Early and Late	515
Planted Corn E. L. Robinson and Clyde C. Dowler	522
Methods of Evaluating Pre-emergence Herbicides for Cotton I T Holstun	522
Ir. and C. G. McWhorter.	527
Effects of $\mathcal{N}$ -(3.4-dichlorophenyl)methacrylamide on Growth and Certain	
Respiratory Enzymes of Corn. H. H. Funderburk, Jr., and W. K. Porter, Jr.	538
Effect of $N-(3,4-dichlorophenyl)$ methacrylamide on the Oxidation of As-	
corbic Acid by Corn. H. H. Funderburk, Jr., and W. K. Porter, Jr.	545
Morphology and Development of Johnsongrass Plants from Seeds and	
Rhizomes. C. G. McWhorter	558
Carbohydrate Metabolism of Johnsongrass as Influenced by Seasonal Growth	= / 0
and Herbicide Treatments. C. G. McWhorter	563
Effects of Water Evaporation, Temperature and Kates of Application on the	
S C Fong Patricia Theisen and V H Freed	560
Effect of Monuron on C <sup>14</sup> O. Fixation by Red Kidney Bean Leaves Floyd M	509
Ashton Ernest G Uribe, and Gunter Zweig.	575
Non-enzymic Detoxification of 2-Chloro-4.6-bis(ethylamino)-s-triazine	5.5
(simazine) by Extracts of Zea mays. Paul Castelfranco, Chester L. Fov, and	
Deborah B. Deutsch	580
Phytotoxicity of s-triazine Herbicides to Corn and Weeds as Related to	
Structural Differences. C. G. McWhorter and J. T. Holstun, Jr.	592
An in vitro Method of Evaluating the Activity of Buds on the Rhizomes of	
Quackgrass (Agropyron repens). B. G. Johnson and K. P. Buchholtz.	600
Longevity of Seeds of Wild Oats, Winter Kye, and Wheat in Cultivated Soil.	(07
D. C. Tingey	607
Movement of Herbicides in Soli with Simulated Furlow Infigation, Floyd M.	612
Effects of 2 3 6-Trichlorobenzoic Acid and Cultural Treatments on Survival	012
of Dalmatian Toadflax and Establishment of Siberian Wheatgrass, W. C.	
Robocker, Dillard H. Gates, and Harold D. Kerr	620
Translocation of Dalapon in Yellow Nutsedge (Cyperus esculentus). W. J.	
Saidak	626
The Influence of Temperature on the Germination of Wild Oat Seeds. G.	
Friesen and L H. Shebeski	634
Interrelations of Cultivations, Herbicides, and Methods of Application for	
Weed Control in Soybeans. E. J. Peters, F. S. Davis, D. L. Klingman, and	620
R. E. Larson	039
Ther Kommedahl	646
Brief Papers:	040
Winter Survival of <i>Digitaris sangunalis</i> in Subtropical Climates, Victor B.	
Youngner.	654
A "Two-Gun" Ground Sprayer. Carlton H. Herbel and Fred N. Ares	656
Equipment for the Subsurface Application of Solid Herbicides. O. B.	
Wooten and C. G. McWhorter	658
A Portable Compressed-air Sprayer for Experimental Plots. H. D. Kerr	
and W. C. Robocker	660
News and Notes.	664
Membership List of the Weed Society of America	60/
Justaining Memoers	004
Bibliography of Weed Investigations January to March 1961	603
Disnography of freed investigations, January to March, 1701	0/5

# **Advertisers Index**

DuPont	ii
Wiley & Sons	iii
Stauffer Chemical Co	iv
Chipman Chemical Co	v
Spraying Systems	vi

# For Agriculture and Industry . . Du Pont WEED KILLERS

# offer new economies and efficiency in killing weeds, grass and brush

**KARMEX®** diuron for weed control in many crops; irrigation and drainage ditches; and industrial areas.

KARMEX® DL for pre-emergence weed control in cotton.

**TELVAR®** monuron for weed control in many crops; irrigation and drainage ditches; and industrial areas.

**KLOBEN®** neburon for weed and grass control in nursery plantings and tomatoes.

**DYBAR®** fenuron—a pelleted product for dry application to the soil for control of brush in fence rows, drainage ditches, utility and railroad right-of-ways, and other non-cultivated areas.

**TRYSBEN®** 200, a new weed killer based on trichlorobenzoic acid, for control of bindweed and other noxious weeds; mixed broadleaf weeds; and certain woody vines and brush.

AMMATE® X for long-term, low-cost brush control.



Better Things for Better Living...through Chemistry



# WEED CONTROL: AS A SCIENCE

By GLENN C. KLINGMAN, North Carolina State College; with the editorial assistance of Lyman J. Noordhoff, U. S. Department of Agriculture. Even though the science of weed control has advanced more in the last 20 years than in the preceding fifty centuries, this new book will enable any reader to keep right up to date with this fast-growing field. It offers full coverage of the subject, from the scientific foundations of weed control to practical control methods for particular plants and crops and from "old reliable" methods to the very latest chemical techniques. The book is divided into three parts:

**Part I** — sets forth the scientific foundations of weed control by presenting basic information on plant physiology, soils, herbicides, and the problems involved in applying herbicides.

**Part II** — deals with the chemical and physical properties of the different kinds of herbicides, the effect of these herbicides on plants, and their toxicity to man and animals.

**Part III** — offers valuable material on practical applications, covering such subjects as weed control methods for corn, sorghum, soybeans, peanuts, potatoes, wheat, oats, barley, flax, small seeded legume crops, vegetable crops, small fruits, tree fruits, and pastures and range.

In addition, there is an instructive and useful appendix, which lists the common and the scientific names of 690 weeds. These are classified according to length of life; and, whenever it is known, their tolerance to 2,4-D, 2,4,5-T, and silvex is given.

#### 1961

#### 421 pages

\$8.50

Send for an examination copy.

### JOHN WILEY & SONS, Inc.

440 Park Avenue South

New York 16, N. Y.

iii



Now nutgrass, seedling Johnson grass and other annual grasses can be controlled in Irish potatoes. You can stop them before they start with one application of EPTAM herbicide applied directly to the soil.

EPTAM knocks out nutgrass and annual grass seed as they germinate. Potato plants have a full chance to grow without competition for moisture

and plant foods. You save money on cultivations, and have a cleaner crop to harvest.

The liquid or granular formulation of EPTAM may be used either at preplant or between drag-off and last cultivation. Immediately after application incorporate (mix) EPTAM thoroughly in the soil. Now you are ready to grow potatoes without grass!

EPTAM is also recommended for control of annual grasses in snap and pole beans, dry beans, alfalfa, birdsfoot trefoil and other small seeded legumes. For

> more details, see your dealer, or write to Stauffer Chemical Company, Agricultural Chemicals Division, 380 Madison Avenue, NewYork 17, NewYork. ©Stauffer's Reg. T. M. for an herbicide.



ATLACIDE: Safer chlorate weed killer...widely used for non-selective eradication of bindweed, Canada thistle, quack grass, Johnson grass: and other tough perennials. Kills roots...discourages regrowth. Applied dry or dissolved in water.

**ATLACIDE – 2,4-D:** Offers dual killing action of sodium chlorate and 2,4–D.

**CHLOREA:** A combination of sodium chlorate, borate and monuron in powder form. Kills weeds and grasses. Combines the proven effectiveness of chlorate on deep-rooted weeds with the soil-surface action of monuron on shallow-rooted grasses and annual seedling growth. Lasting residual effect inhibits new growth. Does not create a fire hazard when used as directed. Applied dry or as a water-mixed spray.

**CHLOREA GRANULAR** Similar to Chlorea, but a "pelletized" material. No mixing...easy to apply by hand or with mechanical spreader.

**CHLORAX "40":** A composition of sodium chlorate and borate...for weed and grass control. Has lasting residual effect. Does not create a fire hazard. Applied dry or as a spray. **ATLAS "A":** A 40% sodium arsenite solution (4 lbs. arsenic trioxide per gal.). Destroys vegetation and algae in ponds and lakes. Controls certain turf weeds. Used as general weed killer and to kill trees and stumps. Also used to kill potato vines prior to harvesting.

**ATLAS "A" SP:** A spray powder containing 94% sodium arsenite. Used for the same purposes as Atlas "A". Applied as a water-mixed spray.

**CHIP-CAL:** Special low-lime calcium arsenate formulation in granular and spray powder forms. Used as crabgrass preventative for established turf. Applied before crabgrass seed starts to germinate. Treatment lasts for several years.

**2,4-D & 2,4,5-T:** 2,4-D Amine and 2,4-D Ester liquids; 2,4-D Ester dusts; Low Volatile 2,4,5-T and Brush Killer.

**METHOXONE:** Contains MCP sodium salt. Used for control in small grains, flax, rice and grass. Controls same weeds as 2,4-D; considered safer for selective spraying.

**BUTOXONE:** A liquid containing 4-(2,4-DB). For selective control of many broadleaf weeds in established alfalfa and certain other legumes.

Write for Weed Control Bulletins -

## CHIPMAN CHEMICAL COMPANY, INC.

Chicago, Ill. Palo Alto, Calif. Bound Brook, N. J. . Pasadena, Tex. Portland, Ore. Bessemer, Ala.

#### Manufacturers of Weed Killers Since 1912



Supplied in a full range of interchangeable orifice tip and strainer sizes to meet every capacity requirement. Tee-Jet Spray Nozzles for Weed Control by spraying make it possible to take maximum advantage of the chemical and sprayer unit. TeeJet nozzles are precision built and provide a flat spray with uniform distribution. Atomization is properly controlled to give coverage with an absolute minimum of driftage. Patented tip design, with set-back orifice opening protects precision orifice from accidental damage. TeeJet spray nozzles are built for use on spray booms and portable sprayers.

#### **OFF-CENTER SPRAY NOZZLES**

Spraying Systems Spray Nozzles with TeeJet tips are supplied in a variety of special body types to meet any unusual spraying requirement. For example, one type of off-center spray nozzle with swivel body provides a flat spray up to 35 feet wide for spraying areas with a single nozzle, that are not accessible with a boom.

#### SUPPLEMENTARY EQUIPMENT

Complete accessories relating to nozzle use are supplied. These include strainers, special nozzle fittings, and hand valve equipment.

TEEJET

TEEJET SPRAY

NOZZLE.

male pipe connection

SPRAY NOZZLE female pipe connection

INTER-CHANGE-ABLE ORIFICE TIPS flat and cone spray types

TeeJet Spray Nozzles are supplied for Weed Control... as well as all other types of agricultural spraying. For complete information and reference data write for Catalog 33.

# **DPRAYING SYSTEMS CO.** Engineers and Manufacturers

**3296 RANDOLPH STREET**