The Journal of Asian Laryngology and Otology

EDITED BY
SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
JOHN BALLANTYNE

Contents

Electrocochleography	-	. ROBIN HOOPER	919
A hearing prosthesis for severe perceptive	deafne		
—Experimental studies	1	. Graeme M. Clark	9294
Pathology in a case of profound congenital	deafne		
		and John L. Wright	947~
Spatial arrangement of facial nerve fibres	2:0	A. WHITE and	,
04-4-641-6-441		P. L. VERMA	957
Osteomata of the frontal bone	2.0	M. C. KHALIFA,	
		R. BADRAWY, S. A. FAHMY and A. TAHA	965
Ganglioneuroma of the vagus nerve .		G. B. Topp and	905
danghoneuroma of the vagus herve .	N'SL'S	S. E. H. Brooks	979-
The assessment of cases of perennial rhinitis		. Douglas MacMillan	991
Osteosarcoma of the larynx		. A. R. Morley,	23-
Osteosarcoma of the larynx	2	D. S. CAMERON	
		and A. J. WATSON	997~
Clinical records—		3	231
Aspergilloma of the frontal bone		K. R. GUPTA.	
Aspergmonia of the frontal bone		B. UDHAYAKUMAR,	
		P. B. RAO, M. MADHAVAN	
			1007
Subglottic haemangioma in infancy .		. C. A. HOLBOROW	
			1013~
A marker for middle ear tomography .	-	. R. DICK, W. P. R. GIBSON	
		and A. Golton	1919~
Gastrostomy in laryngology		. Ivor Frew	1025~
Eustachian tube surgery	ES III	. JÖRGEN HOLMQUIST	1029-
Fractured tracheostomy tube	15000		1033
General notes			1035

Headley Brothers Ltd

Ashford, Kent

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
JOHN BALLANTYNE

- 1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.
- 2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951), *Journal of Laryngology and Otology*, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent.
- 7. The annual subscription is £8 (eight pounds sterling) post free: U.S.A. \$23 post free, and payable in advance.
- 8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.
- 9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.


HEADLEY BROTHERS LTD.

The Invicta Press, Ashford, Kent.

© Journal of Laryngology and Otology Ltd., 1973

AMPLIVOX 84

The successor to the world's most widely used clinical Audiometer.



Take a look at all the advantages you get with this superb audiometer.

- Pure tone at eleven frequencies—now including 750 Hz
- Bone conduction at eight frequencies
- Narrow band masking via insert and headphones Automatic presentation
- ISO specification
- Trimpot calibration
- Continuously variable second channel for ABLB (Fowler) recruitment test
- Tone decay test
- Illuminated patient's signal

PLUS Calibrated speech audiometry via microphone or tape.

Write now for illustrated brochure to:

AMPLIVOX HEARING CONSERVATION LTD

Beresford Avenue, Wembley, Middx. HAO 1RU. Phone: 01-902 8991




middle ear implants

BY XOMED



Paparella Ventilation Tubes, three styles – all feature a tab for easy removal, and two styles a V-slot to facilitate insertion 'by turning'.




Robinson Stapedectomy Prosthesis in Teflon or Stainless Steel – standard size for virtually all cases. Patent No. 3196462

Fully illustrated brochure available on request:

DOWN BROS AND MAYER & PHELPS LIMITED CHURCH PATH MITCHAM SURREY ENGLAND



How to plot a tympanometry curve in less than five minutes



Use the Peters Acoustic Impedance Meter

and advance clinical investigation of the middle ear

PETERS

Designers and manufacturers of audiological instruments for clinics, hospitals, schools and factories all over the world.

For further information, complete this coupon and post it to PETERS Head Office: 55 Clarkehouse Road, Sheffield S10 2LE

- Please send me literature on the Peters Acoustic Impedance Meter, including a copy of the "Guide to the Clinical Assessment of Tympanometry Curves".
- * Please arrange a demonstration of your new Acoustic Impedance Meter.

Name		************************
Address		
Position	Telephone No	

Please mention The Journal of Laryngology and Otology when replying to advertisements



P. C. WERTH LTD. Contractors to H.M. Government and Local Authorities

Specialist Supply, Maintenance, Calibration Services for Audiological Test and Teaching Equipment

17 STRATFORD PLACE, OXFORD ST., LONDON W1N 0DH

Telephone: 01-629 5559

Clinical, Diagnostic, Screening and Bekesy Audiometers. Acoustic Impedance Apparatus. Stereo Auditory Trainers. Acoustic Cabins. Artificial Mastoid, etc.

MADSEN OB70

THE WORLD'S FIRST TWIN-CHANNEL DIGITAL AUDIOMETER.

ELEGANCE AND SIMPLICITY OF USE COMBINED.



THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR. NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$25.00 per year Canada \$27.00 per year Foreign \$27.00 per year

ESTABLISHED 1896

JOSEPH H. OGURA, M..D EDITOR

222 PINE LAKE ROAD, COLLINSVILLE, **ILLINOIS 62234**

Please mention The Journal of Laryngology and Otology when replying to advertisements

WALLY USED TO SLEEP ON THE JOB

Antihistamine drowsiness is no joke when you're on piece-work. Particularly if you like a drink or a drive. That's why Wally's doctor put him on Rynacrom. Rynacrom clears and prevents the symptoms of allergic rhinitis and is effective against a wide spectrum of allergens, from house dust to pets and pollens. Its specific, local action means that there are no untoward effects.

Put your next patient on Rynacrom. It soon had Wally back on the job.

RYNACROM for allergic rhinitis



Further information on Rynacrom (Sodium Cromoglycate BP) is available from FISONS LIMITED—PHARMACEUTICAL DIVISION, Loughborough, Leics.



Squamous cell carcinomas of the head and neck often respond to Bleomycin Lundbeck

Bleomycin may be of value, either alone (1,2,3) or in combination with radiation (4,5) in the treatment of tumours affecting the mouth, nasopharynx and paranasal sinuses, larynx or oesophagus. Well differentiated tumours usually respond better than anaplastic ones.

Bleomycin has:

No toxic effect on the bone marrow.

No immunosuppressive action.

There have been no reports of cross resistance with other currently used oncolytic drugs.

Dose: 15mg-30mg intramuscularly or intravenously to a total dose of up to 300mg depending on factors including the condition to be treated and the age of the patient.

Adverse reactions: Side effects which may occur include fever, anorexia, tiredness, nausea and the development of lesions of the skin or oral mucosa. Interstitial pneumonia may occur during, or occasionally after, a course of treatment. This condition may on occasions develop into fatal pulmonary fibrosis, but such an occurrence is rare on recommended doses. Patients undergoing treatment should have chest X-rays taken weekly.

References: (1) Brit. Med. J. (1970) **2**, 643-645 (2) Brit. Med. J. (1972) **4**, 635-638 (3) Med. J. of Australia (1972) **2**, 246-249 (4) Eur. J. of Cancer (1972) **8**, 531-534 (5) Tid. for Norske Laeg. (1972) **92**, 2247-2250

The supply of bleomycin is restricted to centres with special experience in the chemotherapy of malignant disease.

Product Licence (No. 0458/0009) held by


LUNDBECK LIMITED The Green, Welwyn, Herts. Telephone: Welwyn 6601 Lundbeck

Made in Japan by Nippon Kayaku Co.

Further information is available on request.

THACKRAY

A new miniaturised portable microscope for magnification in surgery, the Mediscope® Mk II




Please send for a descriptive leaflet to Chas F. Thackray Limited PO Box 171 Park Street Leeds LS1 1RQ Tel 42321

19:1017/5022215100077923 Published online by Cambridge University Press

Mediscope is a registered trade mark of the Tokibo Company Ltd.


for old ears...




for musical ears...



for mysterious ears...



for medical ears...



for patient ears...

Anti-infective/anti-inflammatory, OTOSPORIN* Drops contain polymyxin B sulphate, neomycir sulphate and hydrocortisone.

Supplied in dropper bottles of 5 ml.



OSPORIN clears infected ea



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Berkhamsted, Herts.

