Article: 0486 Topic: EPW13 - e-Poster Walk Session 13: Addictive Behaviours part 1

Factors Associated with the Development of Alcohol Dependence

A. Bratek¹, J. Beil¹, K. Krysta¹, I. Krupka-Matuszczyk¹

¹Department of Psychiatry and Psychotherapy, Medical University of Silesia, Katowice, Poland

Introduction: The present study was aimed to confirm that a family history of alcoholism and early alcohol initiation are the factors associated with the development of alcohol dependence.

Subjects and methods: The study was based on authors` anonymous questionnaire. In the index group there were 125 people, aged 22-68, members of AA groups. In the control group there were 231 people, aged 17-65, with no history of alcoholism. The results were considered as significant with a p value < 0.05. Statistical analysis was performed with Statistica 6.0 software.

Results: Alcohol initiation before the age of 15 and before the age of 12 were more common in the index group (49% vs. 42% and 13% vs. 8%; p <0,05, respectively). Impact of social environment was greater for the index group - 11% (3% of the control group ;p <0.05) drank alcohol for the first time at school while in the control group, alcohol was more often introduced at home (24% vs 22%). Respondents of the index group were less often raised by both parents (78 % vs 87 %; p<0,05) and more often one or both parents abused alcohol (43 % vs 19 % and 15 % vs 1 % respectively; p<0,05). Alcohol dependent respondents were more frequently punished for their failures, abused physically/verbally and could not depend on their parents. **Conclusions:** Based on the results of present study, we confirmed that the factors that have an impact on development of alcohol dependence are early drinking onset and family structure.