the internal auditory meatus, and there seemed reason to suppose that the invasion of the internal ear from the middle dated from an examination of the left ear with a probe which produced great giddiness and weakness. All the cavities were filled with pus or granulation-tissue or both, but in the cochlear duct there were chiefly small hæmorrhages. There was pus in the sigmoid sinus. The otitis was apparently of an ordinary acute pneumococcal nature.

Dundas Grant.

Eagleton, P. Wells (Newark, N. J.)—Infective Arthritis complicating Otitis Media. "Arch. of Otol.," vol. xxxiv, No. 6.

Infective arthritis is often of otitic origin, and may be due simply to toxins, to invasion by the micro-organisms themselves, or to involvement by a neighbouring osteo-myelitis. Most of the joint affections following sinus thrombosis are toxemic and often subside without local treatment. Among the true infective cases, such as those due to the invasion of the joint by the pneumococcus, the ear is the original point of entrance. Arthritis secondary to osteo-myelitis occurs chiefly in young children, and the osteo-myelitis (of the diaphysial end of the epiphysis) is apt to be overlooked in the presence of a general pyæmic condition. Early aspiration in any arthritis appearing during the course of otitis media or sinus thrombosis is necessary, so that the effusion may be submitted to microscopical and bacteriological examination in regard both to prognosis and treatment.

Dundas Grant.

### THERAPEUTICS.

Delneuville, E.—The Treatment of Affections of the Throat, the Nose, the Ears, and the Eyes by Carbonic Acid Gas at Spa. "La Presse Oto-Laryngologique Belge," April, 1905.

Besides the employment of the mineral waters of Spa, which contain from 2 to 3.4 grammes of carbonic acid per litre, as douches, sprays, or local baths, the author recommends the inhalation of carbonic acid gas, for periods not exceeding half an hour, in special rooms, where the atmosphere is charged with it to the extent of from 1 to 5 per cent. Another method of using the gas is to direct a small jet for five minutes on to any spot in the interior of the nose which requires treatment. The author has found treatment by carbonic dioxide useful in ozena, in chronic rhinitis, in hay fever, in chronic pharyngitis, and in acute coryza.

Chichele Nourse.

#### THERAPEUTIC PREPARATIONS.

PARKE, DAVIS & Co., 111, Queen Victoria Street, London, E.C.

Acetozone Inhalant. — The solution of acetozone (benzoyl-acetyl-peroxide) is powerfully germicidal, yet non-toxic and practically harmless to animal tissues. Acetozone Inhalant contains 1 per cent. of acetozone

with 0.5 per cent of chloretone. The solvent is a specially pure neutral liquid paraffin. Acetozone Inhalant is useful in all infectious or bacterial diseases of the nose, mouth, ear, or throat, also in bronchitis, laryngitis, and other inflammatory conditions of mucous membrane accessible to spray.

"Glaseptic" Nebuliser (P. D. & Co.).—A very effective instrument for nebulising or atomising liquids of practically any density or viscosity. With the exception of a rubber bellows it is made entirely of glass, and thus there is no possibity of corrosion and contamination. It is easily rendered aseptic; it is capable of being used with only a few drops of liquid, and it can be closed with a cork stopper to prevent evaporation or oxidation of its contents, and to allow of its being carried without danger of leakage.

Adrenalin Inhalant (P. D. & Co.).—A solution of adrenalin chloride (1 in 1000) in an aromatised neutral oil base containing 3 per cent. of chloretone. Its remarkable astringent and ischæmic properties render it of great value in the treatment of hay fever and chronic nasal catarrh, also in pharyngitis, tonsillitis, laryngitis, etc. It is applied to the nasal passages or the mucous membrane of the throat in the form of spray. The soothing and antiseptic properties of chloretone are of great assistance in the treatment of painful affections and those attended with purulent secretion.

Nasal No. 34 Tablets (P. D. & Co.).—Each tablet contains: Sodium bicarbonate, sodium biborate, and sodium chloride, of each 5 grains; sodium benzoate and sodium salicylate, of each  $\frac{7}{2+}$  grain, with oil of eucalyptus, thymol, menthol, and oil of gaultheria. One dissolved in two ounces of tepid water forms a useful alkaline douche, gargle, or spray for the nose or throat. This solution may be employed to cleanse the nasal passages before treatment with Acetozone Inhalant or Adrenalin Inhalant.

Throat, Mentholated (modified) (P. D. & Co.). (Compressed Tablet 427).—Each contains: Menthol  $\frac{1}{35}$  grain, benzoic acid  $\frac{1}{12}$  grain, oil of anise  $\frac{1}{80}$  minim, and eucalyptol  $\frac{1}{16}$  minim. This formula differs from the well-known Throat Mentholated (Compressed Tablet No. 330) only by the omission of cocaine hydrochloride,  $\frac{1}{280}$  grain. One tablet allowed to dissolve in the mouth occasionally is very useful in inflammation of the throat and bronchi, allaying cough and facilitating expectoration.

#### BOOKS RECEIVED.

- Medico-Chirurgical Transactions. Published by the Royal Medical and Chirurgical Society of London. Vol. lxxxviii. London: Longmans, Green & Co. 1905.
- C. G. Coakley, M.D. A Manual of Diseases of the Nose and Throat. Third edition. Revised and enlarged. Illustrated with 118 engravings and 9 coloured plates. London: Henry Kimpton. 1906.
- G. Laurens, M.D. L'otite moyenne purulente aigue et son traitment. Paris: Baillière et Fils. 1906.

# INDEX TO VOLUME XXI, 1906.

Abductor paralysis, supplementary report on case of (G. L. Richards).	569
	495
ABERCROMBIE (Peter H.), case of new growth (? sarcoma) in the region	400
of the right tonsil and anterior faucial pillar in a man	104
further notes on the case of a patient aged seventy-five with	101
sarcoma of the frontal sinuses (shown twice previously)	104
Abscess (dissecting) in region of mastoid process, but not invading it,	101
	. 291
——— (otitic, extra-dural) with paralysis of sixth cranial nerve and	,
double optic neuritis (J. S. Barr)	151
(retropharyngeal) caused by middle-ear suppuration (E. M.	
Holmes)	335
(subdural) with chronic mastoid disease (H. S. Walker)	347
(subglottic) followed by laryngeal stenosis (Dr. Fallas)	398
subocccipital, intercommunicating, complicating double mas-	
toiditis (H. B. Hitz)	211
(sub-periosteal) of forehead, with thrombo-phlebitis of superior	
longitudinal sinus (V. Delsaux)	542
Acetozone inhalant	167
Adeno-carcinoma invading posterior fossa (H. Neumann)	290
Adenoid vegetations, removal of, through nasal passages by a new method	00.4
(O. T. Freer)	384
Adenoids, diminution of dyslalia by, shown in case of cleft palate	20.7
(W. Stuart-Low)	297
Adrenalin inhalant	$\frac{168}{382}$
Ague, functional aphonia following (E. A. Peters)	$\frac{364}{294}$
Air-passages (upper), leukæmic changes in mucous membrane of (K. M.	404
Menzel)	437
tuberculosis of, treatment (W. C. Bane)	340
	341
	340
X-ray therapy in (L. Mader)	436
ALEXANDER (Dr.), four cases [of chronic suppurative otitis media treated	
by operation and followed by recovery	226
ALT (F.), anatomical preparation, showing cure of thrombosis of sinus.	224
a histological preparation from a specimen showing closure of	
the sinus with connective tissue	289
American Laryngological Association Congress: presidential address.	319
proceedings	380
Laryngological, Rhinological, and Otological Society; officers	
elected 1906	284
proceedings	333
Anæsthesia (artificial), radical mastoid operation performed painlessly	20.2
without (Dr. Jaumenne)	396
(local) antrotomy and radical operations under (H. Neumann)	402
vapour method of (J. T. Gwathmey)	112
Anæsthetic, injection of solid paraffin into nose without (A. Wylie)	19
4.9	

	PAGE
Anæsthetics (administration of) for operations on nose and throat	
(A. de Prenderville, review)	308
Angeio-fibroma, microscopical section of (E. A. Peters)	78
Angeioma of auricle (H. E. Jones)	192
——— (discrete) of septum (L. H. Pegler)	202
——— (nasal) removed from floor of inferior meatus (W. R. Kelson) .	134
Antitoxin in treatment of diphtheria, nine years' experience (J. H.	
McCollom).	109
Antrotomy and radical operations under local anæsthesia (H. Neumann)	402
Antrum (maxillary), empyema of; symptoms (K. M. Menzel)	209
Aphonia (functional) following ague (E. A. Peters)	294
Armstrong (G. E.), carcinoma of the tongue	54
Arthritis (infective) complicating otitis media (P. W. Eagleton)	167
Aryepiglottic fold (left), swelling of (J. B. Ball)	571
Arytenoid region (left), large sessile tumour in (H. W. Carson)	183
(right), fixation of (H. J. Davis)	184
ASHBY (Henry), a discussion on congenital stridor (laryngeal and	
tracheal)	457
Aspergillus of external auditory meatus, causing severe vertigo (A.	
$\overline{\mathrm{Bronner}}$	99
niger, case of; specimens and drawings (R. Lake)	99
Atresia (congenital, complete osseous) of right nasal fossa (R. Botey)	302
Attic, discharge from, with headache for eighteen months (E.	
Urbantschitsch)	223
Auricle, angeioma of (H. E. Jones)	192
cyst of (V. W. Wingrave)	23
granuloma of (V. W. Wingrave)	$1\overline{91}$
lobule of, ulceration of (W. Stuart-Low)	187
removal of, for epithelioma of posterior surface (D. Mackenzie).	105
Auricles: indurated swelling of both auricles accompanying swelling	100
below anterior commissure of vocal cords (C. A. Parker).	236
Austrian Otological Society: proceedings	
	anı
- Proceedings	301
, ,	
BABER (E. Cresswell), thimbles for making aseptic wool mops	572
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index	
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative	572 338
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469,	572 338 483
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx	572 338 483 77
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx	572 338 483 77 570
Baber (E. Cresswell), thimbles for making aseptic wool mops  Babitt (J. A.), the nasal turbinate as a vaso-motor index  Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469,  Ball (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold	572 338 483 77 570 571
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose	572 338 483 77 570 571 572
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  BALL (J. B.), case of ulceration of the pharynx and larynx	572 338 483 77 570 571 572 334
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose  BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum	572 338 483 77 570 571 572
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  — tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose  BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and	572 338 483 77 570 571 572 334 626
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear	572 338 483 77 570 571 572 334 626 340
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure	572 338 483 77 570 571 572 334 626 340 439
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, Ball (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals	572 338 483 77 570 571 572 334 626 340
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, Ball (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose  Ballenger (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barny (Dr.), theory of the function of the semicircular canals  Barnhill (J. F.), results of operation upon the nasal septum by means	572 338 483 77 570 571 572 334 626 340 439 361
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose  BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure  BARANY (Dr.), theory of the function of the semicircular canals  BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions .	572 338 483 77 570 571 572 334 626 340 439
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, Ball (J. B.), case of ulceration of the pharynx and larynx  — tumour of the pharynx — swelling of the left aryepiglottic fold — papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus — discussion on treatment of deviation of nasal septum  Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals Barnhill (J. F.), results of operation upon the nasal septum by means of various incisions  Barr (J. Stoddart), case of otitic extra-dural abscess associated with	572 338 483 77 570 571 572 334 626 340 439 361 336
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions  BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis.	572 338 483 77 570 571 572 334 626 340 439 361
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  Ball (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals Barnhill (J. F.), results of operation upon the nasal septum by means of various incisions  Bar (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis  Barr (Thomas), valedictory address at Annual Meeting of Otological	572 338 483 77 570 571 572 334 626 340 439 361 336 151
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions  BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis  BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions  BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis.  BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905  introductory paper to discussion on "Fixation of the Stapes"	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46 242
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  — tumour of the pharynx — swelling of the left aryepiglottic fold — papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus — discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions  BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis  BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 — introductory paper to discussion on "Fixation of the Stapes"  BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46 242 37
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, Ball (J. B.), case of ulceration of the pharynx and larynx  — tumour of the pharynx — swelling of the left aryepiglottic fold — papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus — discussion on treatment of deviation of nasal septum  Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals Barnhill (J. F.), results of operation upon the nasal septum by means of various incisions  Barr (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis  Barr (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 — introductory paper to discussion on "Fixation of the Stapes"  Barwell (Harold S.), case of tuberculous ulceration of the nose, healed— case of lupus of the larynx and uvula, healed.	572 338 483 77 570 571 334 626 340 439 361 336 151 46 242 37 38
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  469, BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions  BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis  BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905  introductory paper to discussion on "Fixation of the Stapes"  BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed  case of tuberculous laryngitis; removal of epiglottis; cure	572 338 483 77 570 571 334 626 340 439 361 336 151 46 242 37 38 121
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions  BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis  BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905  introductory paper to discussion on "Fixation of the Stapes"  BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed  case of lupus of the larynx and uvula, healed.  case of tuberculous laryngitis; removal of epiglottis; cure  case of tuberculous laryngitis; active local treatment; cure	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46 242 37 38 121 122
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases?  BALL (J. B.), case of ulceration of the pharynx and larynx  tumour of the pharynx  swelling of the left aryepiglottic fold  papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus  discussion on treatment of deviation of nasal septum  BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear  BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure  BARANY (Dr.), theory of the function of the semicircular canals  BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions  BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis.  BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905  introductory paper to discussion on "Fixation of the Stapes"  BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed  case of lupus of the larynx and uvula, healed  case of tuberculous laryngitis; removal of epiglottis; cure  case of tuberculous laryngitis; removal of epiglottis; cure  case of ulceration of epiglottis	572 338 483 77 570 571 334 626 340 439 361 336 151 46 242 37 38 121

Barwell (Harold S.), a case of infiltration of the left vocal cord .	292
BAUMANN (Walther), the pharyngeal reflex	301
BAUMGARTEN (Egmont), acute affections of the eyes following acute	002
nasal disease	400
Beck (Jos. C.), the submucous resection operation on the nasal septum	335
Beco (Dr.), naso-pharyngeal polypus; extirpation; death by collapse.	433
Belgian Society of Otology, Laryngology, and Rhinology: proceedings	100
	431
Bellin (L.), a case of dermoid cyst of the dorsum of the nose	$\frac{101}{285}$
and Leroux (R.), congenital membranous occlusion of choanæ.	438
Bernstein (Edward J.), discussion on conservative methods in treat-	100
ment of aural diseases	481
BIRKETT (H. S.), two cases of bony occlusion of the right posterior	TOL
naris	55
BLAKE (C. J.), therapeutic effect of sound-waves	402
-—— the value of the blood-clot as a primary dressing in mastoid	404
operations	545
Bloch (Maurice), on the employment of borate of soda in ear cases	166
	$\frac{100}{545}$
Blood-clot as primary dressing in mastoid operations (C. J. Blake)	949
as dressing in acute suppurative inflammation of middle ear, with	FO.4
acute mastoiditis (F. L. Jack)	584
(modified) in mastoid surgery (W. S. Bryant)	339
Blood-supply of inner ear (G. E. Shambaugh)	364
Blood-vessels in membranous labyrinth and the endosteum, and those	
in bony capsule of labyrinth, communications between (G. E.	100
Shambaugh)	166
Boenninghaus (G.), on a peculiar condition of sensory irritability of	ara
the superior and inferior laryngeal nerves	653
Bond (J. W.), a case of palatal tumour of twenty years' duration	293
Bone impacted in larynx (J. M. Ingersoll)	382
Bony occlusion of right posterior naris (H. S. Birkett)	55
Borate of soda in ear cases (M. Bloch)	166
Bosviel (Dr.), a case of perichondritis of the thyroid cartilage	284
Botey (Ricardo), a case of congenital complete osseous atresia of the	000
right nasal fossa	302
Boulay (Dr.), exhibition of young girlaged seventeen who had recovered	
from diseased hip-joint and was affected with old-standing otorrhea	287
BOURGUET (Julien), surgery of the labyrinth	305
BOUYER (Dr.), hyperæsthesia and paræsthesia of the pharynx.	435
Bôval (Dr.), radiograph of a coin lodged in esophagus of a child aged	
four, at the level of second dorsal vertebra	392
———— radiograph of a patient wearing a tracheotomy tube, and with a	
revolver bullet lodged in the left side of the neck	392
Brady (A. J.), fibromata of the naso-pharynx and their removal by	
enucleation	315
Brain, abscess, cases of (S. Walker) 157, (P. Hammond) 211, (A. L.	
Whitehead) 349, (Dr. Trétrôp)	391
——— (hind), continuity of the fibres of auditory nerve with the auditory	
sense epithelium and with the nuclei in (J. Cameron and W.	
	354
——————————————————————————————————————	
$(H. Neumann) \qquad . \qquad . \qquad . \qquad .$	289
British Laryngological, Rhinological, and Otological Association: pro-	
ceedings	297
British Medical Association, Annual Meeting, Toronto, 1906, combined	
sections of Laryngology and Pediatrics: proceedings	441
——————————————————————————————————————	107
——————————————————————————————————————	517
Broeckaert (Dr.), ozena cured by submucous injections of paraffin	396
case of pseudo-leukæmia simulating so-called Mikulicz's disease.	434

	PAGE
BROECKAERT (Dr.), normal and pathological inclusion of soft and hard paraffin in the tissues	431
	393
	431
Bronchoscopy (direct), new instruments for removal of foreign bodies	TOL
from bronchi by (W. C. Morton)	12
from bronchi by (W. C. Morton)	14
Bronchus, foreign body extracted from, by tracheotomy (Dr. van	398
	999
Bronner (Adolph), notes on a case of severe vertigo, due to aspergillus	00
of the external auditory meatus	99
	386
BRYANT (Alice G.), the use of the cold wire snare in the removal of	× 00
hypertrophied tonsils	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	166
	339
Buccal pouch, lipoma of, congenital (V. W. Wingrave)	23
	392
BULETTE (W.), a case of epileptiform hysteria, probable result of	00.4
necrosing ethmoiditis	334
	۰
	285
Calomel (injections of) in syphilitic ulceration in pharynx (J. Dundas	00
Grant)	80
CAMERON (John) and MILLIGAN (William), the mode of continuity of	
the fibres of the auditory nerve with the auditory sense epithelium,	۰.
and with the nuclei in the hind brain	354
Cancer (inoperable) of fauces treated with a bacterial vaccine of	
	577
Cannula, laryngotomy performed without (A. Castex)	66
(tracheal) worn for nearly twenty-seven years on account of	
incomplete bilateral paralysis of posterior crico-arytenoid muscles	
(Sir F. Semon)	70
	165
naso-pharyngeal fibromata	396
———— the indications for operation in the treatment of sinusitis	511
Carbonic-acid gas at Spa in treatment of affections of throat, nose, ears,	
and eyes (E. Delneuville)	167
Carcinoma, total resection of superior maxilla for (Dr. Goris).	396
Carson (H. W.), large sessile tumour in left arytenoid region.	183
a man with an ulcerated swelling in the middle line of the naso-	
	184
Cartilage, piece of, impacted in pyriform fossa (R. Landesberg)	264
Casselberry (W. E.), a discussion on laryngeal disturbances produced	
by voice use. Introductory paper	
Castex (A.), laryngotomy without cannula	66
CATHCART (G. C.), a case of tertiary syphilis of the larynx	44
report on Dr. E. Law's case of incrustations in trachea terminating	
fatally	45
CAUTLEY (E.), discussion on congenital stridor, laryngeal and tracheal.	454
Cerebellum, abscess of (A. L. Whitehead) 63, 146, 348, (D. Grant) 113,	
	289
Cervical glands: cancer (inoperable) of fauces, pharynx, tongue, and	
cervical glands; amelioration after treatment with bacterial vaccine	
of neoformans (R. H. Scanes Spicer and Sir A. E. Wright) 265,	292
CHEATLE (Arthur H.), the prevention of ear affections due to exposure	
to loud noises and to explosives	48
	300
Children, laryngeal papillomata in; treatment by operation (D. R.	
Paterson)	511
,	

	PAGI
Chin, sinus of (W. H. Kelson)	69
CHISHOLM (W. A.), skiagraphy in diagnosis of frontal sinusitis	338
Choana (right), absence of (E. B. Waggett)	
Choanæ, congenital membranous occlusion of (L. Bellin and R. Leroux)	438
mucous polypi of, origin (G. Killian)	437
Cholesteatomatous lining, retention in operation for acute mastoiditis	
(W. Stuart-Low)	20
Circulation in labyrinth of ear (G. E. Shambaugh)	555
Circulatory disturbances following ligation of internal jugular vein in	
sinus thrombosis (W. P. Eagleton)	654
Cleft palate, case showing that adenoids diminish the dyslalia (W.	
Stuart-Low)	297
Climatic treatment of tuberculosis of upper air-tract (W. Freudenthal).	341
COAKLEY (Cornelius G.), nasal skiagraphy	323
	020
	537
of the accessory sinuses of the nose	
Cochlea, partial necrosis of, and sigmoid sinus thrombosis (H. S. Walker)	343
COFFIN (Rockwell), a new gouge for submucous operations in the nose	263
Coin lodged in esophagus at level of second dorsal vertebræ (Dr. Bôval)	392
COLLET (Dr.), a series of patients operated upon by evacuation of the	
ethmoid from the nostril	395
Collier (Mayo), a case of syphilitic disease of larynx	188
case of nævus of the cheek	300
Connective-tissue, closure of sinus by (F. Alt)	289
COOLIDGE (A., jun.), a foreign body in the esophagus	55
——— foreign bodies and tracheoscopy	330
Cranium (human, embryonic), models of (O. Grosser)	289
(osteomyelitis of, diffused), following acute frontal sinusitis of	
staphylococcic origin (Luc)	288
Crico-arytenoid joint (right), fixation of, due to infiltration (E. F.	
Potter)	85
—— muscles, posterior; incomplete bilateral paralysis of (Sir F.	00
	70
Semon)	211
Chroning (A. E.) presidential address (Otological Society of the	211
CUMBERBATCH (A. E.), presidential address (Otological Society of the	136
	262
Cyst (air-containing), connected with left ventricle of Morgagni (Dr.	
Labarre)	392
	111
Davis (H. J.), case of atrophic rhinitis	125
	171
	172
case of fixation of the right arytenoid in a woman aged forty; for	
	184
three cases of syphilis in one family, (?) oral infection	227
	576
	582
Deaf and Dumb School, patient from; case presenting points of interest	
(Dr. v. Hammerschlag)	223
Deafness: pathological conditions found in subject of deafness during	220
	56
life (A. A. Gray)	90
(progressive), influence of pregnancy and parturition on certain	255
forms of (W. Milligan)	<del>5</del> 55
DELAVAN (D. Bryson), the ultimate results of radical operations upon	000
	323
Delneuville (E.), the treatment of affections of the throat, the nose,	<b>-</b>
	167
——— a case of sphenoidal sinusitis with ocular complication.	263
= = = = = = = = = = = = = = = = = = =	

	PAGI
Delsaux (Charles Emile), microscopic sections—tuberculosis of the	
septum and lupus of the nose	392
Delsaux (V.), stereoscopic photographs of Killian's rhino-phantom .	391
subperiosteal abscess of the forehead complicated with thrombo-	
phlebitis of the superior longitudinal sinus	542
DELSTANCHE (E.), mastoiditis and furunculosis	264
——— the treatment of other atoma	435
DENKER (Alfred), a new mode of access in the operation for nasal	
malignant tumours	302
Dental saliva-ejector as a surgical instrument (R. H. Woods) 61	, 162
Denture removed by esophagotomy (W. Downie)	129
Dermoid cyst of dorsum of nose (L. Bellin).	285
of neck (V. W. Wingrave)	23
Digestive tract, leukemic changes in (K. M. Menzel)	437
Diphtheria, treatment by antitoxin, nine years' experience (J. H.	
McCollom)	109
DIXON (G. Sloan), report of a case of panotitis resulting in meningitis	166
DONELAN (J.), chronic thickening and deformity of epiglottis and vocal	
cords of four years' duration in a girl aged sixteen; for diagnosis.	32
——————————————————————————————————————	79
——— a woman aged twenty-four with a swelling on the upper part of	
the septum nasi; for diagnosis	184
Donovan (John A.), discussion on cold wire snare in removal of hyper-	
trophied tonsils	563
Downie (Walker), photographs of some cases of paraffin injection for	100
nasal deformity	126
———— description of two cases where esophagotomy was performed for	100
removal of a denture impacted in the gullet	129
Dressings, methods for carrying and keeping aseptic (Prof. Pollak)	226
DUPUY (Homer), acute affections of the pharyngeal tonsil in early life	202
Dura of posterior fossa displaced inwards; sinus compressed by neo-	200
plasm (H. Neumann)	290
Dyslalia, diminution of, by adenoids, shown in case of cleft palate (W.	20=
Stuart-Low)	$\frac{297}{17}$
Dysphagia, case of (W. Chichele Nourse)	17
for liquids in case of fixation of right vocal cord (W. Stuart-Low)	$\begin{array}{c} 578 \\ 287 \end{array}$
Dysphonia, without tubercular or other lesions (Koenig)	401
Dyspnea due to swelling below anterior commissure of vocal cords	236
(C. A. Parker)	200
EAGLETON (P. Wells), infective arthritis complicating otitis media	
(abstract)	167
——————————————————————————————————————	10.
jugular vein in sinus thrombosis	654
Ear, circulation in labyrinth of (G. E. Shambaugh)	555
(diseases), pathogenic influence of aural lesions in systemic	000
disease (S. MacCuen Smith)	457
statistical report of department of oto-rhino-laryngology	
at Hospital Saint-Jean, Brussels (A. Fallas)	512
treated by carbonic acid gas at Spa (E. Delneuville)	167
by conservative methods (G. Bacon)	469
use of borate of soda in (M. Bloch)	166
and injuries due to loud noises and to explosives, pre-	
vention of (A. H. Cheatle)	48
herpes zoster of (D. T. Vail)	<b>34</b> 0
(inner), blood-supply of (G. E. Shambaugh)	364
——— mechanico-therapeutics of (C. J. Blake)	402
——— (middle, disease of) associated with left recurrent paralysis,	
paralysis of soft palate and facial palsy on same side (D. R.	
Paterson)	230

For (middle disease of) information and the middle with	PAGE
Ear (middle, disease of) inflammation, acute suppurative, with acute	584
mastoiditis, blod-clot dressing in (F. L. Jack)	364
their various etiology (Scheibe)	307
suppuration of, acute, complicated by labyrinthine fistula	307
and paralysis of the abducens nerve (H. Hastings)	306
as a cause of retropharyngeal abscess (E. M.	000
Holmes)	335
dangerous sequelæ of (J. Dundas Grant)	57
suppurative disease of, some complications (H. E. Jones).	193
pain in (great), with loud subjective noises (H. Neumann)	$\frac{1}{225}$
(right), hæmatoma of, in Swiss wrestlers (Valentin)	401
	324
tuberculosis of, treatment (W. C. Bane)	340
	340
Electro-cautery, in treatment of sarcoma of nose (J. Price-Brown)	593
Electrolysis in treatment of chronic Eustachian stenosis (F. T. Hopkins)	363
Elevators, newly-designed, exhibition of (R. H. Woods)	301
ELLIS (H. Bert), infective sigmoid sinus thrombosis; resection of internal	001
jugular, report of a case, recovery	335
Empyema (frontal, chronic), four cases operated on by simplified Killian	000
operation (H. Tilley).	232
right frontal, with subacute osteomyelitis of frontal bone (R. H.	202
Scanes Spicer)	35
Encephalocele (fronto-nasal) (F. E. Hopkins)	327
Endosteum, blood-vessels in, and in membranous labyrinth, communi-	021
esting with those in hony cancula of labyrinth (C. F. Shambaugh)	166
cating with those in bony capsule of labyrinth (G. E. Shambaugh). Endothelioma of pharynx (V. W. Wingrave)	191
Epiglottis: chronic thickening and deformity of epiglottis and vocal	101
cords (J. Donelan)	32
deformity of, accompanying swelling below anterior commissure	04
	236
of vocal cords (C. A. Parker)	$\frac{230}{121}$
	$\frac{121}{234}$
tuberculosis of soft palate, pharynx and epiglottis (C. Fox)	124
——— ulceration (V. W. Wingrave) 17, (H. Barwell)  Enilantiform by devia probable result of pages in gether ciditis (F. Buletta)	334
Epileptiform hysteria probable result of necrosing ethmoiditis (E. Bulette)	994
Epithelioma: villous papillomatous growths in larynx, probably epi-	237
theliona (J. Dundas Grant) .	201
Epithelium (auditory sense), mode of continuity of fibres of auditory	354
	, 554
ESCAT (Dr.), indications for the use of the galvano-cautery in the various	499
forms of laryngeal tuberculosis and its value	$\begin{array}{c} 433 \\ 341 \end{array}$
Ether narcosis by rectum (J. A. Stucky)	395
Ethmoid, evacuation of, from nostril (Dr. Collet)	999
and superior maxilla, osteomyelitis of, with suppuration in sinuses	394
and in orbit (Dr. van der Wildenberg).	<b>594</b>
Ethmoiditis (necrosing) probable cause of epileptiform hysteria	994
(W. Bulette)	334
(suppurative, chronic) result of Killian's operation in four cases	<b>F00</b>
(F. L. Jack)	583
Ethmo-turbinal cells, clinically considered (J. O. Roe)	326
Eustachian cartilages, great enlargement of (W. Stuart-Low).	186
eminences projecting into naso-pharynx (E. F. Potter).	149
tube, electrolysis in chronic stenosis of (F. T. Hopkins)	363
obstruction of, with treatment (W. S. Bryant).	166
Explosives, prevention of ear affections due to exposure to (A. H. Cheatle)	48
Eye, diseases of, treated by carbonic acid gas at Spa (E. Delneuville)	167
(acute), following acute nasal disease (E. Baumgarten)	400
—— ocular complication of sphenoidal sinusitis (E. Delneuville)	263
symptoms of nasal origin (H. Hastings)	334

· · · · · · · · · · · · · · · · · · ·	
Face, tumour of left half of, originating in roof of pharynx (K. Jager).	301
	, 398
statistical report of the department of oto-rhino-laryngology at	
the Hospital Saint-Jean at Brussels	512
a case of laryngeal stenosis (abstract)	653
and PARMENTIER (Dr.), papillomata of the vocal cords	397
Fauces, cancer (inoperable) of fauces, pharynx, tongue, and cervical	
glands; amelioration after treatment with bacterial vaccine of	, 292
neoformans (R. H. Scanes Spicer and Sir. A. C. Wright) . 265 ——infection through (septic) (G. A. Leland)	583
(systemic) (J. N. Goodale)	582
Faucial pillar (right), new growth (? sarcoma) in region of right tonsil	00-
and anterior faucial pillar (P. H. Abercrombie)	104
FERRERI (G.), a contribution to the treatment of laryngeal tumours	110
Fibro-angeioma of nasal septum (H. B. Robinson)	130
Fibro-sarcoma arising from the thyro-hyoid membrane (K. Renshaw) .	169
FIGURE (Dr.), a case of primary hæmorrhage from the naso-pharynx .	285
Fish-hook removed from esophagus (D. R. Paterson)	229
Fistula between mouth and nose, closure of (Luc)	288
Flames, inhalation of, causing papilloma of larynx (A. B. Thrasher)	380
Forceps (Lubet-Barbon's) used in operation for voluminous naso-pharyn-	287
geal polypus (Lubet-Barbon)	301
Foreign bodies and tracheoscopy (A. Coolidge, jun.)	330
foreign bodies and tracheoscopy (A. Coolinge, Jun.).  foreign body extracted from bronchus by tracheotomy	990
(Dr. van Swieten)	398
in auditory meatus resembling fibrous polypus	000
(Koenig)	285
in larynx, rare case (N. Zia)	165
——— in œsophagus (A. Coolidge, jun.)	55
esophagoscope in diagnosis and treatment of	
(H. Neumayer)	210
new instruments for removal from bronchi by direct	
bronchoscopy (W. C. Morton)	12
Formawn	56
FORSTELLES (Arthur), on the resection of the inferior turbinal bone.	$\frac{202}{302}$
Fossa (nasal, right), congenital complete osseous atresia of (R. Botey).  ——— (posterior), displacement of dura inwards, and compression of	304
sinus by neoplasm (H. Neumann)	290
FOSTER (E. E.), description of Killian's frontal sinus operation (abstract)	209
Fox (Clayton), a case of tuberculosis of the soft palate, the pharynx, and	
the epiglottis	234
FREER (Otto T.), the removal of adenoid vegetations through the nasal	
passages by a new method	384
the problem of the correction of deflections of the nasal septum	
solved by the submucous resection 619	, 631
FREUDENTHAL (Wolff), the climatic treatment of tuberculosis of the	0.43
upper air-tract	341
FREY (Hugo), the anatomy of the temporal bone	291
Frontal bone, osteitis of (chronic), with chronic sinusitis (E. A. Peters).	295
osteomyelitis of, subacute, with empyema of right frontal sinus (R. H. Scanes Spicer)	35
sinus, inflammation of (H. P. Mosher)	363
	209
(bilateral) (StC. Thomson)	576
suppuration of, unusual cases (P. G. Goldsmith)	484
(left) suppuration of left frontal and left maxillary sinuses,	
closure of wound and irrigation (C. J. Symonds)	92
(right), empyema of, with subacute osteomyelitis of	
frontal bone (R. H. Scanes Spicer)	35

Thursday 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	PAGE
Frontal sinuses, sarcoma of, further notes on case previously exhibited twice (P. H. Abercrombie)	104
suppuration in, treated by intra-nasal methods (J. Dundas	74, 82
treated by irrigation only (C. J. Symonds)	82 82
Fruit pastilles, laxative (tabloid)	440
FURET (Dr.), a woman aged forty, with syphilis in naso-pharynx .	287
Furunculosis: diagnosis from mastoiditis (E. Delstanche)	264
Galvano-cautery in laryngeal tuberculosis (Dr. Escat)	433
GAVAZZENI (S.) and LIMONTA (G.), the treatment of Ménière's disease.	111
GAVELLO (G.), on the laryngeal disturbances in syringomyelia	110
the paralyses of the vocal cords in mitral affections	110
Glaseptic nebuliser	$\begin{array}{c} 168 \\ 285 \end{array}$
GLEITSMANN (Joseph W.), presidential address, American Laryngological	400
Association	319
Glosso-epiglottidean lympho-sarcoma (J. Dundas Grant)	580
Glottis, stenosis of (StC. Thomson)	176
requiring tracheotomy, caused by complete healing of	
extensive tuberculous laryngitis (StC. Thomson)	573
Goitre (exophthalmic), medical treatment of (R. D. Rudolf)	55
Goldsmith (Perry E.), inflammation of the nasal mucous membrane	55
—— some unusual cases of frontal sinus suppuration	484
GOLDSTEIN (M. A.), the treatment of perforations of nasal septum .	337
GOODALE (J. L.), examination of the throat in chronic systemic infections	386
	582
Gordon (A. Knyvett), some further experiences of the operative treatment of scarlatinal otitis	275
some further experience of the radical mastoid operation in	410
scarlatinal otitis	353
Goris (Dr.), disturbances of the recurrent nerves following thyroidectomy	395
—— total resection of the superior maxilla for carcinoma	396
Gouge (new) for submucous operations in nose (R. Coffin)	263
Granuloma of auricle (V. W. Wingrave)	191
GRANT (J. Dundas), case of swelling over the left superior maxilla in a	
middle-aged woman (formerly shown)	43
the dangerous sequelæ of middle-ear suppuration	57
case of ulceration of the pharynx (probably specific) presenting	ьı
unusual features	71
	80
Sondermann's suction apparatus	81
case of suppuration in both frontal sinuses treated by intra-nasal	-
$egin{array}{cccccccccccccccccccccccccccccccccccc$	4, 82
case of injection of cold paraffin for nasal deformity	89
a case of thrombo-phlebitis of jugular bulb and cerebellar abscess;	
ligature of vein, later evacuation of sinus and bulb, drainage of	
cerebellar abscess, recovery	113
case of lateral sinus thrombosis treated by operation without	1.10
ligature of jugular vein; recovery	148
	105
aged forty-six	$\begin{array}{c} 185 \\ 237 \end{array}$
	401
growth, shown by Dr. Wyatt Wingrave	237
case of epithelioma of the palate in a male patient aged sixty .	238
address on some practical problems in otology and rhinology .	405
introductory remarks at Annual Meeting of British Medical	
Association, Section of Laryngology and Otology (1906)	517

	PAGE
Grant (J. Dundas) and Nourse (W. Chichele), retrospect of otology, 1905	7
Gray (Albert A.), the pathological conditions found in the case of an individual who had suffered from deafness during life (abstract)	56
demonstration illustrating pathological conditions found in the human labyrinth	141
demonstration illustrating the comparative anatomy of the laby-	1.40
rinth of the mammalia	$\frac{142}{247}$
introductory paper to discussion on fixation of the stapes  observations on the labyrinth of certain animals	$\frac{247}{365}$
Green (D. Crosby), a study of the larynx in tabes	209
subcutaneous correction of a Roman nose	362
GROSSER (Otto), models of the human embryonic skull	289
Guisez: concerning paraffin endonasally as supplementary treatment of sinusites.	164
Gullet: see Esophagus.	101
GWATHMEY (James T.), the vapour method of anæsthesia (abstract)	112
Gynæcological operation curing case of Ménière's symptom-complex	22.4
(E. Urbantschitsch)	224
Hæmatoma of right ear in Swiss wrestlers (Valentin)	401
Hæmorrhage from tonsil during morcellement (Heckel)	287
(primary), from naso-pharynx (Fiocre)	285
Halsted (T. H.), mixed tumour of the soft palate	$\frac{389}{392}$
von Hammerschlag (Dr.), a pupil of the Deaf and Dumb School whose	004
case presented some points of interest	223
Hammond (P.), brain abscess; operation; recovery (abstract).	211
HARRIS (Thomas J.), fibroma of the larynx in a child aged five; apparent	001
cure; recurrence as a papilloma; laryngo-fissure; cure	331
labyrinthine fistula and paralysis of the abducens nerve (abstract).	306
——— ocular symptoms of nasal origin	334
(H. Smurthwaite)	565
(persistent, unilateral) due to nævoid changes in the anterior	
extremity of the middle turbinal bone (V. W. Wingrave).	$\frac{375}{222}$
——— with discharge from attic (E. Urbantschitsch)	223
Hearing (defective) from childhood; considerable recovery (H. S. Walker)	342
organ of, histo-pathological examination of (Wittmaarck)	402
(organs of) in lower animals (L. Miall)	351
HECKEL (Dr.), exhibition of patient in whom severe hæmorrhage from	00
the tonsil took place during morcellement	287
(abstract)	402
HENRICI on tuberculosis of the mastoid in childhood	401
the indications for "curative" tracheotomy in laryngeal tuber-	250
culosis	$\frac{653}{340}$
Herpes zoster auris (D. T. Vail)	340
long-standing atrophic rhinitis	44
Hip-joint (disease of), case of recovery from, old-standing otorrhea persisting (Boulay)	286
HITZ (H. B.), double mastoiditis complicated by an intercommunicating	_00
suboccipital abscess	211
Holmes (Edgar M.), middle-ear suppuration as a cause of retropharyngeal abscess	335
HOPKINS (Frederic E.), fronto-nasal encephalocele	327
and the control of th	

HOPKINS (F. T.), electrolysis in the treatment of chronic Eustachian	PAGE
stenosis (abstract)	363
HORNE (W. Jobson), a point in the differential diagnosis of excrescences	
in the interarytenoid space	33
report on Dr. E. Law's case of incrustations in trachea, terminating fatally	15 16
nating fatally Hubbard (Thomas), cases of sarcoma	45, 46 $389$
Hunt (J. Middlemass), a discussion on laryngeal disturbances produced	000
	9, 536
Hyperæsthesia of pharynx (Dr. Bouyer)	435
Hyperkeratosis of tonsils, etiology of (G. B. Wood)	387
Hysteria (epileptiform), probable result of necrosing ethmoiditis (W.	994
Bulette)	$\frac{334}{332}$
ingsterical mutism (d. 11. makuen)	002
I and the first of	
Incrustations in trachea, fatal termination of case (E. Law, G. C. Cathcart	44 45
and W. Jobson Horne)	44, 45 583
(systemic) through fauces (J. N. Goodale)	582
Infections (systemic, chronic), examination of throat in (J. L. Goodale).	387
INGERSOLL (J. M.), the function of the accessory cavities of the nose .	337
——————————————————————————————————————	382
Instruments, presentation of (Dr. Broeckaert, Dr. Trétrôp)	393
——— (new) for removal of foreign bodies from bronchi by direct	10
bronchoscopy (W. C. Morton)	$\begin{array}{c} 12 \\ 226 \end{array}$
(small) methods for carrying and keeping aseptic (Prof. Pollak) and apparatus, presentation of (W. L. Ballenger)	$\begin{array}{c} 226 \\ 334 \end{array}$
Interarytenoid fold, tumour in, probably tuberculous (Sir F. Semon)	31
space, excrescences in: point in differential diagnosis of (W.	01
Jobson Horne)	33
International Laryngo-Rhinological Congress (1908)	107
Intra-nasal methods in treatment of suppuration in both frontal sinuses	
	74, 82
Intra-tracheal injections, syringe for, made entirely of glass (Koenig).	285
Intubation in laryngeal stenosis, necessity for early use (E. W. Saunders) stenosis of larynx consecutive to (Dr. Hamaide).	$\frac{264}{393}$
Iodides, in treatment of tertiary syphilis of nose (Dr. Mahu)	$\frac{333}{432}$
Irrigation in treatment of suppuration of left frontal and left maxillary	102
sinuses (C. J. Symonds)	92
only, in treatment of suppuration of frontal sinuses (C. J.	
Symonds)	82
Isoform in the after-treatment of radical operation (B. Heine)	402
Italian Laryngological, Otological, and Rhinological Society, date of	283
tenth Congress (1905)	200
- (T) T)	
JACK (F. L.), report of four cases showing the results of Killian's operation	
———— the blood-clot dressing	$-584 \\ -336$
Jackson (Chevaner) submitted resection of the hasar septum.  thyrotomy and laryngectomy for malignant disease of larynx 63:	
JACOBI (A.), the tonsil as a portal of microbic and toxic invasion	<b>-</b> , 001
(abstract)	399
JAGER (Karl), tumour of the left half of the face originating in the	
roof of the pharynx	301
JAUMENNE (Dr.), a case of radical mastoid operation performed pain-	00.0
lessly without artificial anæsthesia	396
Jaw, sinusitis and osteomyelitis of (Dr. Trétrôp)  Lawrey (Problem) area of paralysis of the lawrey and soft polete.	435
JONES (Buckland), case of paralysis of the larynx and soft palate JONES (Hugh E.), angeioma of the auricle (with photographs, macro-	103
scopic and microscopic specimens and plaster casts from a case) .	192
scopic wife inicroscopic specimens and plaster cases from a case)	

Jones (Buckland), some complications of suppurative disease of the middle ear.	PAG 19:
——introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyæmia	498
Jugular vein, internal; ligation in otitic pyæmia (H. E. Jones)	498
(J. F. McKernon) ligation of, in sinus thrombosis, followed by cir-	50'
culatory disturbances (W. P. Eagleton)	654
Ellis) resection of, in sigmoid sinus thrombosis (H. B.	338
Kelly (A. Brown), sclerotic hyperplasia of the pharynx and naso-	
pharynx	40
hyperplastic congenital syphilis	130
Kelson (W. H.), a case of sinus of the chin	69
a case of ulceration of the left vocal cord	76
a pedunculated growth of uvula in a man aged nineteen	87
case of chronic inflammation of the external auditory meatus on	99
both sides, with marked stenosis	102
——————————————————————————————————————	102
polypus) removed from floor of inferior meatus in a girl aged fifteen	134
a case of ulceration of the left cord	$\overline{175}$
——————————————————————————————————————	300
a case of ulceration (? malignant disease) of the base of the tongue	581
KILLIAN (G.), origin of mucous polypi of the choanæ (abstract)	437
Killian's operation in chronic suppurative ethmoiditis; result in four	
cases (F. L. Jack)	583
result of, in four cases of chronic suppurative ethmoiditis (F. L.	<b>*</b> 00
Jack)	583
—— (bilateral) on frontal sinus (StC. Thomson)	576
(H. Tilley)	232
Killian's rhino-phantom, stereoscopic photographs of (V. Delsaux)	391
King (Gordon), a voluminous papilloma of nasal cavity	164
a lymphoid tumour of the larynx removed by partial laryngectomy	209
some reflex neuroses of nasal origin.	363
KIRKPATRICK (A. B.), the subcutaneous injection of paraffin for nasal	
and other deformities and the submucous injection for atrophic	
rhinitis	164
KNAPP (Arnold), serous meningitis	306
KOENIG (Dr.), exhibition of (I) a syringe for intra-tracheal injections made entirely of glass; (2) an unusual foreign body of the auditory	
meatus, resembling a fibrous polypus; (3) two calculi of unusual size from Wharton's duct	285
exhibition of (1) a man aged fifty, with dysphonia without tuber-	
cular or other lesions; (2) a woman aged forty with a cold abscess	
of the left false cord	287
KOPLIK (H.), congenital laryngeal stridor, a contribution to the patho-	
logy of the affection, with report of an autopsy on a case.	165
Koplik spots: relation and interest to laryngologists (H. G. Langworthy)	583
KUTTNER (A.), critical observations on the present position of the	400
"recurrent" question	439
LABARRE (Dr.), laryngocele of the ventricle; an air-containing cyst con-	
nected with the left ventricle of Morgagni	392
Labyrinth, circulation in (G. E. Shambaugh)	555
(fistula of) complicating acute middle-ear suppuration (H.	900
Hastings)	306

·	1	PAG
Labyrinth (human), demonstration of pathological conditions in Gray)	n (A. A.	14
——— (membranous), blood-vessels in, and in endosteum, coming with those in bony capsule of labyrinth (G. E. Shambau	nunicat- igh) .	16 36
of certain animals (A. A. Gray)		
of mammalia, comparative anatomy of (A. A. Gray).		14
suppuration of; histological preparation (A. Politzer).		$\frac{22}{30}$
surgery of (J. Borguet)		ου
Labyrinthitis (suppurative), clinical and anatomo-pathological scase (P. Laurens)		28
LAKE (Richard), skulls showing the different stages of an operation	ation for	_
opening the vestibule	•	9
specimens and drawings of a case of aspergillus niger .	•	9
fixation of stapes.		35
Landesberg (Rudolf), a piece of cartilage impacted in the p		
fossa		26
LANGMAID (S. W.), the effects of tobacco upon the throat		10
LANGWORTHY (H. Glover), a case of primary erysipelas of the		58
Koplik spots; their relation and interest to laryngologist		58
Laryngectomy in treatment of malignant disease of larynx (C.		63
——— (partial), lymphoid tumour of larynx removed by (G. Kir		20
Laryngitis (tubercular), treatment of cases in public sanatoris		۲0
Richards)		58
treatment, active local (H. Barwell)		123
by removal of epiglottis (H. Barwell)		12
(extensive); no local treatment; complete healing	causing	
stenosis of glottis, requiring tracheotomy (StC. Thomson).		573
Laryngocele of ventricle (Dr. Labarre)		39.
Laryngo-fissure for recurrence of fibroma of larynx as papillon		00
Harris)		33
Laryngological Society of London, annual meeting and dinner		10
officers and members of Council for Session 1906-1907.		28
proceedings		
report of Morbid Growths Committee	35, 9	29
Laryngologists, relation and interest of Koplik spots to (H. G		58
worthy)		
Laryngotomy performed without cannula (A. Castex)	•	e.
Larynx, angeioma of (V. W. Wingrave)	•	16
bone impacted in (J. M. Ingersoll)		160
		383
congenital laryngeal stridor (H. Koplik)		16
(disease of) case of (W. H. Kelson)	Middle '	30
mass Hunt), 519; (W. E. Casselberry)	midule-	52
statistical report of department of oto-rhino-		04
logy at Hospital Saint-Jean, Brussels (A. Fallas)		513
(disturbances of) in syringomyelia (G. Gavello)		
epithelioma of (V. W. Wingrave) 191, (Dr. Schiffers)		110
Watson Williams)		580
fibroma of, recurrence as papilloma treated by larynge		JO
(T. J. Harris)		33
foreign body in rare case of (N. Zia)		
amounths of innecent, nothelegy of 50 ages (V W Win	(cmarc)	16
growths of, innocent: pathology of 50 cases (V. W. Win		$\frac{21}{200}$
in tabes (D. C. Green)		$\frac{209}{199}$
lymphoid tumour of, removed by partial laryngectomy (		188
		$\frac{20}{e^{2i}}$
—— malignant disease, treatment by laryngectomy (C. Jacks		633
(right side) in a syphilitic man (StC. Thor		580
treatment by thyrotomy (C. Jackson) .	. (	633
neoplasm of (W. Chichele Nourse)	•	17

Larynx, neoplasm, intrinsic; case previously shown (R. H. Scanes	PAGI
Spicer)	-86 $-338$
(H. J. Davis)	-582
papilloma of, from inhaling flames (A. B. Thrasher)	380
in children, treatment by operation (D. R. Paterson)	511
(multiple), recurrence after treatment fifteen years ago	0
(R. H. Scanes Spicer)	33
——— paralysis of larynx and soft palate (B. Jones)	103
——— pharyngo-laryngeal unilateral (Avellis' syndrome) (C. Poli)	303
association with paralysis of other muscles on same	
side (C. Poli)	303
	381
section of, from case of hyperplastic congenital syphilis	190
(A. Brown Kelly)	$\frac{130}{576}$
consecutive to intubation (Dr. Hamaide)	$\begin{array}{r} 576 \\ 393 \end{array}$
following subglottic abscess (A. Fallas)	$\frac{398}{398}$
necessity for early use of intubation in (E. W. Saunders)	264
with paralysis of left vocal cord (A. Fallas)	397
—— syphilis of, tertiary (G. C. Cathcart)	44
syphilitic disease of (M. Collier)	188
granulomata and stenosis: thyrotomy (H. S. Barwell) .	39
tuberculosis of, indications for "curative" tracheotomy in	
(Henrici)	653
———— bilateral, healed without local treatment (StC. Thomson)	-573
galvano-cautery in (Dr. Escat)	433
(tumours of), treatment (G. Ferreri)	$\frac{110}{70}$
——————————————————————————————————————	79 77
villous papillomatous growth, probably epithelioma (J. Dundas	"
Grant)	237
preparations illustrating cases (V. W. Wingrave)	$\frac{237}{237}$
and uvula, lupus of (H. S. Barwell)	38
Lateral sinus, latent thrombosis of (Dr. van den Wildenberg).	436
LAURENS (Paul), a clinical and anatomo-pathological study of a case of	
suppurative labyrinthitis	286
LAW (Edward), report on the fatal termination of the case of incrusta-	
tions in the trachea, with at times well-marked stenosis; shown by	
Dr. Edward Law at the meetings of the Society on November 4 and	
December 2, 1904, and March 17, 1905 (with reports by Drs. G. C.	4 45
Cathcart and Jobson Horne)	4, 45
the result of an accident	144
Lecocq (Dr.), gigantic polypus removed from a female aged sixty	391
LELAND (G. A.), septic infection through fauces	583
LEROUX (R.) and BELLIN (L.), congenital membranous occlusion of the	
choanæ	438
Levy (Robert), surgical treatment of tuberculosis of the upper air-	
passages and the ear	340
Leukæmia of mucous membrane of upper air-passages and digestive	408
tract (K. M. Menzel)	437
"Lichenoids" (V. W. Wingrave).	108
LIMONTA (G.) and GAVAZZENI (S.), the treatment of Ménière's disease	$\frac{111}{385}$
Lincoln (William), mouth-breathing	- 369 - 299
Lipoma of buccal pouch (congenital) (V. W. Wingrave)	$\frac{288}{23}$
Liquids, dysphagia for, in case of fixation of right vocal cord (W. Stuart-	20
Low)	578
Lobule (auricular), ulceration of (W. Stuart-Low)	187

Loeb (Hanau W.), a study of the anatomy of the accessory sinuses of the nose, based upon reconstructions of two heads
Logan (James E.), endothelioma of the throat; tonsillar disease — presidential address at Kansas City
Love (J. Kerr), stereograms illustrating five cases of the radical mastoid operation, and one of a polypus attached to a diseased malleus.  Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps.  Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose.  Lymphangitis of upper lip (A. Wylie)  Lymphoid tonsillar circle (G. Wishart)  Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant).  McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin.  McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper.  Mackalane (Murray), discussion on pathogenic influence of aural lesions in systemic disease.  Macintyre (John), retrospect of laryngology, 1905.  Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave).  McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyæmia.  Mader (L.), on X-ray therapy in upper air-passages.  333  342  542  548  549  547  548  549  549  549  540  540  541  541  541  542  542  544  546  546  546  546  546
Longitudinal sinus (superior), thrombo-phlebitis of (V. Delsaux)  Love (J. Kerr), stereograms illustrating five cases of the radical mastoid operation, and one of a polypus attached to a diseased malleus  Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps  Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose  Lymphangitis of upper lip (A. Wylie)  Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant)  McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin  McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper  Macfarlane (Murray), discussion on pathogenic influence of aural lesions in systemic disease  Macintyre (John), retrospect of laryngology, 1905  Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave)  McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia  Mader (L.), on X-ray therapy in upper air-passages.  436
Love (J. Kerr), stereograms illustrating five cases of the radical mastoid operation, and one of a polypus attached to a diseased malleus  Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps  Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose  Lymphangitis of upper lip (A. Wylie)  Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant)  McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin  McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper  Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave)  McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia  Mader (L.), on X-ray therapy in upper air-passages  436
operation, and one of a polypus attached to a diseased malleus  Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps  Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose  Lymphangitis of upper lip (A. Wylie)  Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant)  McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin  McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper  Mackenzie (Dan); discussion on pathogenic influence of aural lesions in systemic disease  Macintyre (John), retrospect of laryngology, 1905  Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave)  McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyæmia  McCallom (J. J.), on X-ray therapy in upper air-passages  436
Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps
a voluminous naso-pharyngeal polypus by means of the author's forceps
forceps Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose Lymphangitis of upper lip (A. Wylie) Lymphoid tonsillar circle (G. Wishart) Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant)  MCCOLLOM (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin  MCDONAGH (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper  MACFARLANE (Murray), discussion on pathogenic influence of aural lesions in systemic disease  MACINTYRE (John), retrospect of laryngology, 1905  MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave)  MCKERNON (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia  MADER (L.), on X-ray therapy in upper air-passages  287  288  288  288  288  288  289  486  MCCOLLOM (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin  109  MCDONAGH (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper  615  MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave)  105  MCKERNON (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia  507  MADER (L.), on X-ray therapy in upper air-passages  436
Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
myelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
Lymphangitis of upper lip (A. Wylie)
Lymphoid tonsillar circle (G. Wishart)
Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant)  McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin
McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin
diphtheria with antitoxin
diphtheria with antitoxin
McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper
the nasal septum; introductory paper
MACFARLANE (Murray), discussion on pathogenic influence of aural lesions in systemic disease
lesions in systemic disease
MACINTYRE (John), retrospect of laryngology, 1905.  MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave).  ———————————————————————————————————
MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave)
with microscopic sections (prepared by Dr. Wyatt Wingrave) . 105 ————————————————————————————————————
——————————————————————————————————————
McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia . 507  Mader (L.), on X-ray therapy in upper air-passages
for the ligation of the internal jugular vein in otitic pyemia . 507 MADER (L.), on X-ray therapy in upper air-passages
MADER (L.), on X-ray therapy in upper air-passages
Mahu (Dr.): the efficiency of treatment of tertiary syphilis of the nose
by iodides
Makuen (G. Hudson), hysterical mutism
two cases of stammering, illustrating the importance of early
treatment
<ul> <li>discussion on congenital stridor, laryngeal and tracheal</li> <li>discussion on laryngeal disturbances produced by voice use</li> <li>534</li> </ul>
———— discussion on laryngeal disturbances produced by voice use . 534 Malignant disease: infiltration, probably malignant disease, causing
fixation of right crico-arytenoid joint (E. F. Potter)
Malignant growth, originating in skin over mastoid process (W. Milligan) 145
Malleus (diseased), polypus attached to (J. K. Love)
——— (handle of), necrosis of (P. Macleod Yearsley)
Mammalia, labyrinth of, comparative anatomy of (A. A. Gray) . 142
Masseur (aural), simple and efficacious (G. D'Aiutolo)
Mastoid disease, cases of (A. L. Whitehead)
(chronic); subdural abscess (H. S. Walker) 347
tuberculosis in, in childhood (Henrici) 401
operation (radical), isoform in after-treatment of (B. Heine) . 402
in scarlatinal otitis (A. K. Gordon)
performed painlessly without artificial anæsthesia
(Dr. Jaumenne)
results of (W. Chichele Nourse)
Love)
operations, blood-clot as a primary dressing in (C. J. Diake) . 54.  process, dissecting abscess in region of, but not invading it; deep
penetration into neck (E. Urbantschitsch)
malignant growth originating in skin over (W. Milligan) 148

Mastoid surgery, modified blood-clot in (W. S. Bryant)	339
Mastoiditis: diagnosis from furunculosis (E. Delstanche)	264
and temporo-sphenoidal abscess (S. Oppenheimer)	340
without otorrhea trepanning; hearing recovered; absolute cure	
(L. Bar)	439
——— (acute): prevention, diagnosis, and treatment (I. I. Thomson)	584
retention of cholesteatomatous lining in operation for	
(W. Stuart-Low)	20
with acute suppurative inflammation of middle ear, blood-	ъ.
clot dressing in (F. L. Jack)	584
(double), complicated by an intercommunicating sub-occipital	011
abscess (H. B. Hitz).	211
Maxilla (superior) and ethmoid, osteomyelitis of, with suppuration in	394
sinuses and in orbit (Dr. van der Wildenberg)	396
(left superior), swelling over (J. Dundas Grant)	390 43
Maxillary sinus, cyst of (Dr. van der Wildenberg)	394
(left): suppuration of left frontal and left maxillary	004
sinuses, closure of wound, and irrigation (C. J. Symonds).	92
sinusitis (caseous): symptoms and diagnosis (Dr. Texier)	432
MAYER (Emil), scleroma of the larynx	381
Meat, piece of, impacted in gullet, skiagram showing (D. R. Paterson).	229
Meatus (auditory), foreign body in, resembling fibrous polypus	
(Koenig)	285
(external), aspergillus of, causing severe vertigo (A.	
Bronner)	99
chronic inflammation on both sides, with marked	
stenosis (W. H. Kelson)	99
epithelioma of (H. S. Walker).	347
——— (inferior), nasal angeioma removed from (W. R. Kelson)	134
occlusion of, almost complete (L. A. Lawrence)	144
Mechanico-therapeutics of ear (C. J. Blake).	402
Ménière's disease : see Vertigo (aural).	
symptom-complex: see Vertigo (aural).	100
Meningitis following panotitis (G. S. Dixon) removal of a polypus from middle turbinal (J. Merckx) .	$\begin{array}{c} 166 \\ 433 \end{array}$
(acute); operation; recovery (E. A. Crockett)	211
(serous) (A. Knapp)	306
Menthol and eucalyptus pastilles (tabloid)	440
Mentholated throat tablets (modified)	168
MENZEL (K. M.), the symptoms of empyema of the maxillary antrum	
(abstract)	209
a contribution to our knowledge of leukæmic changes in the	
mucous membrane of the upper air-passages and the digestive tract	
(abstract)	437
MERCKX (J.), meningitis following removal of a polypus from the	
	433
	351
	399
Micrococcus neoformans, bacterial vaccine of, in treatment of inoperable	
	577
tion (R. H. Scanes Spicer and Sir A. E. Wright). 265,	ൈ
	434
	337
MILLIGAN (William), retrospect of rhinology, 1905	5
a case of malignant growth originating in the skin over the	U
mastoid process	145
the influence of pregnancy and parturition upon certain forms of	
progressive deafness	355
r · o	

MILLICLY (William) namoula (communicated for him in his absence)	PAGE
MILLIGAN (William), remarks (communicated for him in his absence) a	
discussion on fixation of the stapes	. 261
and Cameron (John), the mode of continuity of the fibres of the	1e
auditory nerve, with the auditory sense epithelium and with the	
	278,354
Mitral affections, paralyses of vocal cords in (G. Gavello) .	. 110
Mole (Harold), a case of acute otitis media suppurativa, with prolonge	$_{ m ed}$
high temperature, but without other serious symptoms .	. 96
Morbid Growths Committee, Laryngological Society of London, report	rt
	35, 292
Morcellement, severe hæmorrhage from tonsil during (Heckel)	. 287
Morgagni, ventricle of, laryngocele of ventricle connected with (D	
Labarre)	. 392
MORTON (William Cuthbert), some new instruments for removin	
foreign bodies from the bronchi by direct bronchoscopy	. 12
Mosher (H. P.), inflammation of the frontal sinus .	. 363
a speculum for the examination of the pyriform sinuses and the	
upper end of the esophagus (exhibited at Brit. Med. Assoc., Annua	
Meeting, 1906)	. 542
————— discussion on sinus suppuration	. 493
——————————————————————————————————————	. 628
MOUNIER (Dr.), nasal syphilis with a progressive destructive course	e :
death of the patient	. 68
MOURE (E. J.), suppurative phlebitis of the sinuses	. 431
Mouth, obscure lesion of (de la Sota Ramon)	. 163
and nose, fistula between, closure of (Luc)	. 288
Mouth-breathing (W. Lincoln)	. 385
Mutism (hysterical) (G. H. Makuen)	. 332
Nævoid changes in anterior extremity of middle turbinal bone, causin	
persistent unilateral headache (V. W. Wingrave)	. 378
Nævus of cheek (Mayo Collier)	. 300
Nasal cavity, voluminous papilloma of (S. King)	. 164
guards, exhibition of (A. Wylie)	. 301
———— No. 34 tablets	. 168
—— obstruction (H. J. Davis)	. 172
passages, malignant tumour of: new mode of access in operatio	
for (A. Denker)	. 302
reflex, photophobia as (E. D. Spear).	. 263
	. 200 F.
	. 149
Potter)	
Naso-pharynx, carcinoma of (C. J. Symonds)	. 183
epithelioma of, microscopic section (W. Stuart-Low) 87, (V. W.	
Wingrave)	; 88
Eustachian eminences projecting into, interfering with free nasa	
respiration (E. F. Potter)	. 149
——— fibromata of (A. Capart)	. 396
removal by enucleation (A. J. Brady)	. 315
hæmorrhage (primary) from (Fiocre)	. 285
——— malignant growth in (P. R. W. de Santi)	. 182
sarcoma of, treatment by injections of adrenalin (J. E. Rhodes)	
polypus of, extirpation, death by collapse (Dr. Beco)	. 433
(voluminous), operation by Lubet-Barbon's forcep	
	. 287
(Lubet-Barbon)	
syphilis of (Furet)	. 287
ulcerated swelling in middle line of (H. W. Carson)	. 184
and pharynx, sclerotic hyperplasia of (A. Brown Kelly)	. 40
Neck: deep penetration of dissecting abscess in neighbourhood of mas	3-
	90, 291
dermoid cyst of (V. W. Wingrave)	. 23
<b>50</b>	

Neck: radiograph of revolver bullet in left side of (Dr. Bôval).  Nerve (abducens), paralysis of, complicating acute middle-ear suppuration	392
(H. Hastings)  ———————————————————————————————————	306
	354
position (W. Stuart-Low)	<b>2</b> 96
question (A. Kuttner)	439 151
Nerves (auditory) experimental degenerative neuritis of (Wittmaack)  ———————————————————————————————————	364
irritability of (G. Boenninghaus) ————————————————————————————————————	653
(Dr. Goris)  NEUMANN (Heinrich), a child, aged eleven months, who suffered from transitory facial paralysis after a radical operation	395 225
a patient who was attacked by an acute otitis after a nasal operation	225
a patient, aged sixty, who for four months had suffered from great pain in the ear and loud subjective noises.  preparation of abscess of both the temporal lobes and cerebellum a preparation in which the dura of the posterior fossa was dis-	$\frac{225}{289}$
placed inwards, and the sinus compressed by a neoplasm the size of a small apple	290
—— antrotomy and radical operations under local anæsthesia (abstract)	402
ment of foreign bodies in the esophagus  Neuritis (double optic), with paralysis of sixth nerve, in case of otitic	210
extra-dural abscess (J. S. Barr)	151 364
—— (retro-bulbar) complicating sphenoidal sinusitis (E. Delneuville). Neuroses (reflex) of nasal origin (G. King).  Newcomb (James E.), diseases of the trachea.	263 363 327
Nodules (vocal), cause of (F. E. Miller)	$\begin{array}{c} 337 \\ 48 \end{array}$
———— (subjective, loud), with great pain in ear (H. Neumann)  Nose: accessory sinuses, anatomy of (Van den Wildenberg) 263, (H. W. Loeb)	<ul><li>225</li><li>541</li></ul>
an aid to (C. G. Coakley)	537
——————————————————————————————————————	337 404
——————————————————————————————————————	487
	323 89 126
——— diseases of, acute), followed by acute affections of eyes (E. Baumgarten)	400
at Hospital Saint Jean Brussels (A. Fallas)	512 167
	285 160

	PAGE
Nose: inflammatory obstruction of, as an etiologic factor in production	
of sputa (W. P. Porcher)	563
——————————————————————————————————————	19
responsible for (H. L. Swain)	320
(mucous membrane of), inflammation of (P. E. Goldsmith)	55
ocular symptoms of nasal origin (H. Hastings)	334
operation on, followed by acute otitis (H. Neumann)	225
(operations on), anæsthetic technique for (A. de Prenderville)	308
papillomata of (J. B. Ball)	$\frac{572}{572}$
pathological conditions of, specimens and drawings (L. Turner)	$\frac{372}{177}$
(polypus of), "Polypus of the Nose" (1906), by Eugene S.	1
Yonge	655
reflex neuroses of nasal origin (G. King)	363
removal of adenoid vegetations through the nasal passages by a	909
new method (O. T. Freer)	384
rodent ulcer (A. Wylie) 102, (V. W. Wingrave)	160
	$\frac{160}{362}$
(Roman), subcutaneous correction of (D. C. Green)	$\frac{502}{555}$
operation results, statistical report (J. Price-Brown)	-593
	593
treatment by electro-cautery (J. Price-Brown). skiagraphy (nasal) (C. G. Coakley).	$\frac{333}{323}$
	$\frac{323}{263}$
	200
	eo
death (Mounier)	68
	432
tuberculous ulceration of (H. S. Barwell)	37
	288
	395
(right posterior), bony occlusion of (H. S. Birkett)	55
Nourse (W. Chichele), a case of dysphagia	17
a case of laryngeal neoplasm	17
two cases showing the results of the radical mastoid operation.	189
and Grant (J. Dundas), retrospect of otology, 1905	•
Obituary: Stewart, William Robert Henry	213
Watson, William Spencer	
Esophagoscope in diagnosis and treatment of foreign bodies in esophagus	585
(H. Neumayer)	210
Esophagotomy, removal of denture by (W. Downie).	$\frac{210}{129}$
Esophagus, coin lodged in, at level of second dorsal vertebra (Dr.	128
Bôval)	392
distortion of, produced by vertebral ecchondrosis (Zahn)	$\frac{332}{304}$
diverticulum of entrance of; operation (Capart)	165
fish-hook removed from (D. R. Paterson)	$\frac{100}{229}$
foreign body in (A. Coolidge, Jun.) .	55
impaction of piece of meat in, skiagram showing (D. R. Paterson)	$\frac{35}{229}$
	110
	110
(H. Neumayer)	210
speculum for examination of upper end of (H. P. Mosher)	$\frac{210}{542}$
tooth-plate removed from (D. R. Paterson)	$\frac{342}{229}$
Onodi (A.) "Die Nebenhöhlen der Nase" (review)	$\frac{229}{404}$
OPPENHEIMER (Seymour) report of a case of mastoiditis and temporo-	404
sphenoidal abscess; operation; recovery	340
Oral infection, question of mutual communication of syphilis in three	940
cases by (H. J. Davis)	227
Orbit, suppuration in, in a case of osteomyelitis of superior maxilla and	441
of ethmoid (Dr. van den Wildenberg)	394
Osteitis of frontal bone (chronic). with chronic sinusitis (E. A. Peters).	$\frac{594}{295}$
cooling of frontal bone (enforce), with enforce singling (E. A. Letels).	200

0. +	PAGE
Osteomyelitis of cranium (diffused) following acute frontal sinusitis of	
staphylococcic origin, complicated with extra- and intra-dural abscess;	288
cure (Luc)	$\frac{200}{435}$
of superior maxilla and ethmoid, with suppuration in sinuses and	400
in orbit (Dr. van den Wildenberg)	394
(subacute) of frontal bone with empyema of right frontal sinus	004
(R. H. Scanes Spicer)	35
Othematoma, treatment of (Dr. Delstanche)	435
Otitis (acute) following nasal operation (H. Neumann)	$\frac{100}{225}$
media complicated by infective arthritis (P. W. Eagleton)	167
——— (purulent), abscess of brain following (Dr. Trétrôp)	391
(chronic purulent) results of radical operation for	
(S. MacCuen Smith)	339
(suppurative acute): case with prolonged high temper-	
ature; no other serious symptoms (H. Mole)	96
(chronic), four cases; recovery after operation	
(Dr. Alexander)	226
(scarlatinal), operative treatment of (A. K. Gordon)	275
radical mastoid operation in (A. K. Gordon)	353
Otological Society of the United Kingdom: annual meeting and dinner	3, 54
proceedings	
Otology, retrospect of, 1905 (J. Dundas Grant and W. Chichele Nourse)	, 0 <del>1</del> 2
and rhinology, practical problems in (J. Dundas Grant)	405
Otorrhea (chronic), cases of (A. L. Whitehead)	349
—— mastoiditis without (L. Bar)	439
(old-standing), persisting after recovery from hip-joint disease	
(Boulay)	286
Ozæna cured by submucous injections of paraffin (Dr. Broeckaert) .	396
etiology of (Dr. Broeckaert)	431
	200
Palate, epithelioma of (J. Dundas Grant)	238
lupus of larynx, palate, and pharynx (H. Barwell)	188
(soft) ? congenital malformation of (F. Spicer)	$\frac{101}{389}$
mixed tumour of (T. H. Halsted)	$\frac{369}{239}$
paralysis of larynx and soft palate (B. Jones)	$\frac{239}{103}$
with left recurrent paralysis associated with	100
middle-ear disease and facial palsy on same side (D. R. Paterson) .	230
tuberculosis of soft palate, pharynx, and epiglottis	
(Clayton Fox)	234
——————————————————————————————————————	293
—— ulceration of left posterior fold of (H. W. Carson)	184
Panotitis resulting in meningitis (G. S. Dixon)	166
Papilloma, fibroma of larynx recurring as, treated by laryngo-fissure	
(T. J. Harris)	331
Paræsthesia of pharynx (Dr. Bouyer)	435
Paraffin injection, endonasal, as supplementary treatment of sinusites	104
(Guisez)	$\begin{array}{c} 164 \\ 126 \end{array}$
for nasal deformity (W. Downie)	120
Kirkpatrick)	164
submucous, in treatment of atrophic rhinitis (A. B.	104
Kirkpatrick)	164
	396
——— (cold) injection in case of nasal deformity (J Dundas Grant)	89
——— (soft and hard), normal and pathologic inclusion in tissues	-
(Dr. Broeckaert)	431
——— (solid) injection into nose without anæsthetic (A. Wylie)	19

Paralysis (abductor): paralysis of abducens nerve complicating acute	A.G.
middle-ear suppuration (H. Hastings)	306
	569
——————————————————————————————————————	<b>1</b> 93
(facial, transitory) following radical operation in child of eleven	
	225
——— (left recurrent) and paralysis of soft palate, associated with	20/
	23( 103
of larynx and soft palate (B. Jones)	Įυ
cannula worn on account of, nearly twenty-seven years (Sir F.	
Semon)	70
	$\dot{1}\dot{1}$
——— (pharyngo-laryngeal, unilateral) (Avellis' syndrome) (C. Poli) . 3	308
association with paralysis of other muscles on same side	
	303
Parisian Society of Laryngology, Otology, and Rhinology: proceedings	
66, 120, 2	184
PARKER (Charles A.), a case of swelling below the anterior commissure	
of the vocal cords, causing some dyspnæa, with deformity of the epiglottis and indurated swelling of both auricles, in a woman aged	
	236
	39
Parturition and pregnancy, influence on certain forms of progressive	
	355
	229
skiagram of the neck in a case where a piece of meat was impacted	
	229
	229
left recurrent paralysis and paralysis of the soft palate associated	
	230
the operative treatment of laryngeal papillomata in children (abstract)	11
Pathological conditions found in subject of deafness during life (A. A.	.11
	56
Pegler (L. Hemington), case of secondary syphilitic lesions of the vocal	
cords in a girl aged twenty	33
——— the pathology, affinities, and treatment of so-called bleeding	
	02
bilateral ulceration of the posterior segments of the vocal cords	
	31
	84 $42$
	$\frac{42}{78}$
	31
	94
	94
	95
Pharyngeal reflex (W. Baumann)	01
	42
Pharynx: abstracts of literature on	01
cancer (inoperable) of fauces, pharynx, tongue, and cervical	
glands: amelioration after treatment with bacterial vaccine of	ഹ
neoformans (R. H. Scanes Spicer and Sir A. E. Wright) . 265, 2 ——endothelioma of (V. W. Wingrave)	92
erysipelas of, primary (H. G. Langworthy)	82
hyperæsthesia and paræsthesia of (Dr. Bouyer)	$\frac{52}{35}$
	88
paralysis, pharyngo-laryngeal unilateral (Avellis' syndrome) (C.	
Poli)	03

Pharynx: paralysis, association with paralysis of other muscles on same	303
side (C. Poli)	
(roof of), tumour of left half of face originating in (K. Jager)	301
syphilitic ulceration in (extensive), rapid improvement under	00
calomel injections (J. Dundas Grant) .	80
tuberculosis of soft palate, pharynx, and epiglottis (C. Fox)	234
tumour of (J. B. Ball)	570
—— ulceration of pharynx and larynx (J. B. Ball)	77
——— (probably specific), with unusual features (J. Dundas	
$\operatorname{Grant}$	71
and naso-pharynx, sclerotic hyperplasia of (A. Brown Kelly)	40
Phillips (Wendell C.), discussion on treatment of deviations of nasal	
septum	628
Phlebitis (suppurative) of sinuses (Dr. Moure)	431
Photophobia as a nasal reflex (E. D. Spear)	263
Pinna, epithelioma of (M. Yearsley)	137
	348
Poli (C.), Avellis' syndrome (abstract)	303
POLITZER (A.), histological preparation from a case of suppuration of	000
the labyrinth	222
Pollak (Professor), instrument for vibration massage of ear-drum	$\frac{222}{226}$
	220
methods for carrying and keeping aseptic dressings and small	000
instruments	226
Polypi (mucous) of choanæ, origin of (G. Killian)	437
of uvula, with chronic pharyngitis (E. A. Peters)	42
Polypus attached to diseased malleus, stereogram illustrating (J. K.	
Love)	94
(bleeding): see Septum (nasal, angeioma, discrete.	
(fibrous), foreign body in auditory meatus resembling (Koenig).	285
(gigantic) removal (Dr. Lecocq)	391
meningitis following removal of, from middle turbinal (J. Merckx)	433
——— (nasal) and sinusitis, recent, with long-standing atrophic rhinitis	
(W. Hill)	44
(naso-pharyngeal): extirpation; death by collapse (Dr. Beco)	433
(voluminous): operation by Lubet-Barbon's forceps	
(Lubet-Barbon)	287
DE PONTHIÈRE (Dr.), pseudo-membranous rhinitis	436
PORCHER (W. Peyre), discussion on congenital stridor, laryngeal and	200
tracheal	456
discussion on conservative methods in treatment of aural diseases	480
discussion on laryngeal disturbances produced by voice use	535
	000
inflammatory nasal obstruction as an etiologic factor in the pro-	563
duction of sputa	505
POTTER (E. Furniss), case of fixation of right crico-arytenoid joint due	or
to infiltration, probably malignant disease, in a woman aged fifty.	85
case of swelling projecting from left tonsil (retention cyst) in a	101
girl aged twenty-three	134
case of abnormally large Eustachian eminences projecting into	
the naso-pharynx to the extent of interfering with free nasal respira-	
tion	149
Pregnancy and parturition: influence on certain forms of progressive	
deafness (W. Milligan)	355
DE PRENDERVILLE (A.), the anæsthetic technique for operations on the	
nose and throat (review)	308
PRICE-Brown (J.), a new operation for extreme cases of septal deflection,	
with presentation of a successful result in an adult case . 309,	324
nasal sarcoma	555
a statistical report of the results of operation in sarcoma of the	
nose by methods generally adopted, with a plea for the more extended	
use of the electro-cautery in suitable cases	593
CICCVIC CHUICI ; III NAIVUNIC CUBCB ;	

PRICE-BROWN (J.), discussion on treatment of deviations of nasal septum PRITCHARD (Urban), introductory paper to discussion on fixation of the	627
stapes Pseudo-leukæmia simulating so-called Mikulicz's disease (Dr. Broeckaert) Pyæmia (otitic), ligation of internal jugular vein in (H. E. Jones)  (J. F. McKernon)	240 434 498 507
Pyriform fossa, piece of cartilage impacted in (R. Landesberg) sinuses, speculum for examination of (H. P. Mosher).	$\frac{264}{542}$
RAMON (de la Sota), obscure lesion of mouth (abstract)	163
Rectum, ether narcosis by (J. A. Stucky)	341
"Recurrent" question, present position of (A. Kuttner)	439
Renshaw (Knowles), a case of fibro-sarcoma arising from the thyro-hyoid	
membrane.	169
Rhinitis, atrophic (H. J. Davis)	125
long standing, with recent nasal polypus and sinusitis	
(W. Hill)	44
treatment by submucous injection of paraffin (A. B.	<b>.</b>
Kirkpatrick)	164
(pseudo-membranous) (Dr. de Ponthière)	436
Rhinolith, specimen of (P. Watson Williams)	36
Rhinology, retrospect of, 1905 (W. Milligan)	5
and otology, practical problems in (J. Dundas Grant).	405
Rhino-phantom (Killian's), stereoscopic photographs of (V. Delsaux)	391
Rhodes (J. E.), sarcoma of the naso-pharynx; treatment by injections	
of adrenalin	382
RICHARDS (George L.), discussion on conservative methods in treatment	
of aural diseases	480
———— discussion on sinus suppuration	494
two cases of abductor paralysis (Brit. Med. Assoc., Annual	
Meeting, Toronto, 1906)	495
supplementary report on case of abductor paralysis (Brit. Med.	<b>.</b>
Assoc., Annual Meeting, 1906)	569
——— what should be the attitude of public sanatoria towards cases of	
tubercular laryngitis, with suggestions as to the general plan of	
treatment of such cases in sanatoria	583
RICHARDSON (Charles W.), some observations on non-traumatic per-	001
forations of the septum	321
three cases of laryngeal neoplasm	338
ROBINSON (H. Betham), case of fibro-angeioma of nasal septum	130
Rodent ulcer on nose, excision of (A. Wylie)	102
Roe (John O.), the ethmo-turbinal cells clinically considered.	326
discussion on the treatment of deviations of the nasal septum;	010
introductory paper (Brit. Med. Assoc., Annual Meeting, 1906)	610
RUDOLF (R. D.), the medical treatment of exophthalmic goitre	55
	, 162
Sanatoria (public), treatment of cases of tubercular laryngitis in (G. L.	
Richards)	583
DE SANTI (Philip R. W.), case of syphilitic granulomata and stenosis of	-
the larynx; thyrotomy performed	39
a woman with immobile right vocal cord; previously shown	<b>30</b> -
May 5, 1905	135
woman aged fifty with malignant growth in naso-pharynx;	• • • •
question of operation	182
child aged twelve with growth on left side of the tongue.	185
Sarcoma, cases of (T. Hubbard)	389
SAUNDERS (E. W.), a plea for the more timely use of intubation in	
laryngeal stenosis, and for the use of tracheotomy in certain	
neglected cases	264

Sam (magal) (F. A. Dataus)	PAGE
Saw (nasal) (E. A. Peters)	231
Scarlatina: see Otitis (scarlatinal).	
SCHEIBE: the therapeutical aspect of acute inflammations of the middle	
ear, with reference to their various etiology	307
Schiffers (Dr.), epithelioma of larynx	396
Semicircular canals, theory of function of (Dr. Barany)	361
SEMON (Sir Felix), a case of tumour in the interarytenoid fold, probably	
tuberculous	31
a case in which a tracheal cannula had been worn for nearly	01
twenty-seven years on account of incomplete bilateral paralysis of	
the posterior crico-arytenoid muscles, which had remained un-	=0
changed all that time	70
Septum (nasal), abnormalities of, are they responsible for mal-function	
of nose $?$ (H. L. Swain)	320
angeioma of, discrete (L. H. Pegler)	202
deviations of (editorial)	586
complicated (Luc)	288
complicated (Luc)	604
	610
(6 O. Roberts)	615
(G. R. McDonagn)	010
by submucous excision; drawings mus-	F00
trating method of operation for (P. Watson Williams)	582
	335
(C. Jackson)	336
——————————————————————————————————————	619
————————instruments for (H. Smurthwaite)	175
new operation for extreme cases of de-	
flection (J. Price-Brown)	394
disease of; case for diagnosis (F. Spicer)	100
	130
fibro-angeioma of (H. B. Robinson)	
perforations of, treatment (M. A. Goldstein)	337
non-traumatic (C. W. Swain) .	321
——————————————————————————————————————	
hill)	336
——————————————————————————————————————	184
——————————————————————————————————————	392
ulceration of (W. H. Kelson)	102
SHAMBAUGH (G. E.), communications between the blood-vessels in the	
membranous labyrinth and the endosteum and those in the bony	
	166
capsule of the labyrinth (abstract)	100
some relations of the blood-supply of the inner ear, which have a	00.1
practical bearing on the clinical study of otology (abstract)	364
circulation in the labyrinth of the ear (Brit. Med. Assoc., Annual	
$\mathbf{Meeting}, 1906)$	555
Sigmoid sinus thrombosis, cases of (A. L. Whitehead) . 348,	349
(infective), resection of internal jugular (H. B. Ellis)	335
partial necrosis of cochlea and (H. S. Walker).	343
pathological preparations of (H. S. Walker)	351
SIMPSON (William K.), tracheal stenosis	329
	337
0	
Sinus, closure with connective tissue (F. Alt)	289
———— of chin (W. H. Kelson)	69
F - F - F - F - F - F - F - F - F - F -	224
——————————————————————————————————————	
jugular vein in (W. P. Eagleton)	654
(lateral) treated by operation, without ligature of vein	
(J. Dundas Grant)	148
Sinuses, suppuration in, in case of osteomyelitis of superior maxilla and	
	394
	431
suppurative phlebitis of (Dr. Moure)	401

Cinneitic (abnonia) with abnonic actaitic of frontal bane (F. A. Patara)	PAGE
Sinusitis (chronic), with chronic osteitis of frontal bone (E. A. Peters) .	$-295 \\ -363$
(frontal) (H. P. Mosher)	338
skiagraphy in diagnosis of (W. A. Chisholm)	990
of staphylococcic origin complicated with extra-dural and	000
intra-dural abscess, followed by diffuse osteomyelitis of cranium (Luc)	288
(maxillary) (Dr. Trétrôp)	435
(caseous), symptoms and diagnosis (Dr. Texier)	432
paraffin endonasally as supplementary treatment of (Guisez)	164
recent, and recent nasal polypus, with long-standing atrophic	
rhinitis (W. Hill)	44
(sphenoidal) with ocular complication (E. Delneuville)	263
treatment by operation, indications for (A. Capart, jun.)	511
Skiagraphy as aid in diagnosis and treatment of diseases of accessory	
sinuses of nose (C. G. Coakley)	537
——— in diagnosis of frontal sinusitis (W. A. Chisholm)	338
(nasal) (C. G. Coakley)	323
Skulls showing different stages of operation for opening vestibule (R.	
${f Lake})$	94
Smith (M. C.), discussion on treatment of deviation of nasal septum .	628
SMITH (S. MacCuen), the results obtained from the radical operation	
for chronic purulent otitis media	339
———— the pathogenic influence of aural lesions in systemic disease	
(Brit. Med. Assoc., Annual Meeting, Toronto, 1906)	457
discussion on conservative methods in treatment of aural diseases	480
SMURTHWAITE (H.), a patient shown in June, 1905, with thickening of	
right cord thought to be malignant; exhibited again for further	
diagnosis	131
instruments for submucous resection operation	175
discussion on conservative methods in treatment of aural diseases	481
discussion on laryngeal disturbances produced by voice use .	535
discussion on cold wire snare in removal of hypertrophied tonsils	563
headache: pathological conditions of the middle turbinal a	000
causal factor, 565. Discussion, Dundas Grant (President) (Brit.	
Med. Assoc., Annual Meeting, 1906)	569
discussion on treatment of deviations of nasal septum .	627
Snare (cold wire) in removal of hypertrophied tonsils (A. S. Bryant)	556
Sodium citrate tabloid	212
"Soloid" eosin-azur	656
Sondermann's suction apparatus (J. Dundas Grant)	81
Sound-waves, therapeutic effect of (C. J. Blake)	402
Spa: treatment of affections of throat, nose, ears, and eyes by carbonic	<b>T</b> 02
acid gas at (E. Delneuville)	167
SPEAR (Edmund D.), photophobia: a nasal reflex (abstract)	263
Speculum for examination of pyriform sinuses and upper end of eso-	200
phagus (H. P. Mosher)	542
SPICER (Frederick), case of disease of the septum, for diagnosis	100
	101
case of (?) congenital malformation of the soft palate	101
SPICER (R. H. Scanes), multiple papillomata of the larynx in a man	
aged forty-one, which had recurred after three years' treatment	33
ending fifteen years ago	99
a case of subacute osteomyelitis of frontal bone, with empyema	35
of right frontal sinus, shown on May 5, 1905	99
case of intrinsic laryngeal neoplasm in a man aged seventy-three,	0.0
shown June, 1905	86
case of inoperable cancer of fauces treated with a bacterial	
	577
and Wright (Sir A. E.), case of inoperable cancer of the	
fauces, the pharynx, the tongue, and the cervical glands that has	
shown marked amelioration after treatment for ten weeks with a	002
bacterial vaccine of neoformans	292

Spilsbury (B.), description of microscopical appearances in Dr. Scanes	PAGE
Spicer's case of inoperable cancer of fauces treated with bacterial	
vaccine of Micrococcus neoformans	577
Sputa, production of, inflammatory nasal obstruction as an etiologic	
factor in (W. P. Porcher)	563
Stammering, early treatment of, important (G. H. Makuen)	339
Stapes, fixation of (R. Lake)	357
——————————————————————————————————————	$\frac{202}{110}$
STEWART (William Robert Henry), obituary	213
Stridor, laryngeal and tracheal, congenital: discussion (Annual Meeting,	-10
Brit. Med. Assoc., Toronto, 1906)	457
——— (laryngeal, congenital) (H. Koplik)	165
STUART-LOW (W.), two cases illustrating the retention of the chole-	
steatomatous lining in the operation for acute mastoiditis, a sequel	20
of chronic suppurative disease.	20
case of epithelioma of the naso-pharynx, with microscopic section	87
with report by Dr. Wyatt Wingrave	88
——————————————————————————————————————	186
a case of ulceration of the auricular lobule of fifteen years'	
standing	187
fixation of the left vocal cord in the cadaveric position, most	
probably due to adhesions fixing and dragging on the recurrent	202
laryngeal nerve	$\begin{array}{c} 296 \\ 297 \end{array}$
	491
liquids	578
STUCKY (J. A.), presentation of pathologic exhibit	334
—— ether narcosis by rectum	341
discussion on conservative methods in treatment of aural	
diseases	480
discussion on ligation of internal jugular vein in otitic pyæmia.	510
discussion on treatment of deviations of nasal septum.	628
thyrotomy and laryngectomy for malignant disease of	651
larynx	162
SUTHERLAND (G. A.), discussion on congenital stridor, laryngeal and	102
tracheal	456
Swiss wrestlers, hæmatoma of right ear in (Valentin)	401
Suction apparatus (Sondermann's) (J. Dundas Grant)	81
Swain (Henry L.), how far are abnormalities of the nasal septum respon-	220
sible for malfunction of the nose?	320
Symonds (C. J.), suppuration of frontal sinuses treated by irrigation	82
only suppuration of the left frontal and the left maxillary sinuses:	04
closure of the wound and irrigation	92
carcinoma of the naso-pharynx	183
Syphilis, congenital, case of (A. Wylie)	18
(hyperplastic, congenital), section of larynx and uvula from case	
of (A. Brown-Kelly)	130
—— malignant disease of right side of larynx in syphilitic man	
(StC. Thomson)	580
of naso-pharynx (Furet)	287
three cases in one family (?) communicated mutually by oral infection (H. I. Davie)	227
infection (H. J. Davis)	133
(tertiary) extensive syphilitic ulceration in pharynx; rapid	100
improvement under calomel injections (J. Dundas Grant).	80
of larynx (G. C. Cathcart)	44

Syphilis (tertiary) of nose: case with progressive destructive course;	PAGE
death (Mounier)	68
	$43\overline{2}$
———— ulceration of pharynx probably specific (J. Dundas Grant)	71
Syphilitic disease of larynx (M. Collier)	188
granulomata and stenosis of larynx; thyrotomy (H. S. Barwell)	39
Syringe, aseptic (V. W. Wingrave)	108
	285
Syringomyelia, laryngeal disturbances in (G. Gavello)	110
m. 1 1 (D. O. O )	ممم
	209
	$\frac{291}{351}$
based on study of 135 fatal cases (A. L.	OOI
	269
	$\frac{250}{350}$
Temporo-sphenoidal abscess and mastoiditis (S. Oppenheimer)	340
	432
Therapeutics: abstracts of literature on	
Therapeutic preparations	
	328
Thimbles for making aseptic wool mops (E. C. Baber)	572
THOMSON (J. J.), acute mastoiditis, its prevention, diagnosis, and treat-	
ment (abstract)	584
	176
	494
	535
	563
case of bilateral tuberculous laryngitis, completely healed for	
	573
case of extensive tuberculous laryngitis, no local treatment, com-	
plete healing causing stenosis of glottis, and requiring tracheotomy,	r #9
	$\frac{573}{576}$
case of bilateral frontal sinus operation (Killian) malignant disease of the right side of the larynx in a syphilitic	510
	580
discussion on the treatment of deviations of the nasal septum:	000
introductory paper (Brit. Med. Assoc., Annual Meeting, 1906) 604,	630
discussion on thyrotomy and laryngectomy for malignant disease	000
	651
	380
Throat, diseases of, treated by carbonic acid gas at Spa (E. Delneuville)	167
	109
	333
	386
· · · · · · · · · · · · · · · · · · ·	308
	177
	168
Thrombo-phlebitis of jugular bulb with cerebellar abscess (J. Dundas	110
	113
of superior longitudinal sinus complicating subperiosteal abscess	r 40
of forehead (V. Delsaux) Thrombosis (infective sigmoid sinus), resection of internal jugular (H. B.	542
	335
	436
of lateral sinus treated by operation without ligature of jugular	rou
	148
of sigmoid sinus, cases of (A. L. Whitehead) . 348,	
pathological preparations of (H. S. Walker)	351
	$34\overline{3}$

Thyro-hyoid membrane, fibro-sarcoma arising from (K. Renshaw) Thyroid cartilage, perichondritis of (Bosviel)	$ \begin{array}{ccc}  & 169 \\  & 284 \end{array} $
revolver bullet in left side of neck opposite lower part or	f
$(Dr. B\hat{o}val).$	392
gland, abstracts of literature on	. 55
Thyroidectomy, disturbances of recurrent nerves following (Dr. Goris) Thyrotomy for syphilitic granulomata and stenosis of larynx (H. S	. 395
Barwell)	. 39
in treatment of malignant disease of larynx (C. Jackson)	. 632
Tilley (Herbert), four cases of chronic frontal empyemata operated or by a simplified Killian operation	. 232
	. 239
some considerations upon certain factors in the diagnosis and	
treatment of suppurative lesions in the nasal accessory sinuses (Brit	
Med. Assoc., Annual Meeting, Toronto, 1906)	. 487
discussion on cold wire snare in removal of hypertrophied tonsi	
discussion on conservative methods in treatment of aural diseases discussion on thyrotomy and laryngectomy for malignant	s 481
disease of larynx	. 650
———— discussion on treatment of deviations of nasal septum .	. 627
Tobacco, effects upon throat (S. W. Langmaid)	. 109
Tongue: cancer (inoperable) of fauces, pharynx, tongue, and cervical	
glands; amelioration after treatment with bacterial vaccine of neo	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	55, 292
carcinoma of (G. E. Armstrong)	. 54
epithelioma of (squamous) (V. W. Wingrave).	. 28
growth on left side of (P. R. W. de Santi)	. 185 . 386
—— malignant disease of (J. H. Bryan) . —— ulceration (? malignant disease) of base of (W. H. Kelson)	., 581 . 581
Tongue clip, exhibition of (P. Watson Williams)	582
Tonsil, hæmorrhage (severe) from, during morcellement (Heckel)	. 287
—— (left), retention cyst of (E. F. Potter)	. 134
(pharyngeal), acute affections of, in early life (H. Dupuy)	. 202
as portal of microbic and toxic invasion (A. Jacobi) .	. 399
(right): new growth (? sarcoma) in region of right tonsil and	ł
anterior faucial pillar (P. H. Abercrombie)	. 104
Tonsillar circle, lymphoid (G. Wishart)	.   54
Tonsils, epithelioma of (E. A. Peters)	. 294
——— endothelioma of throat; tonsillar disease (J. A. Logan)	. 333
hyperkeratosis of, etiology (G. B. Wood)	$\frac{387}{2}$
(hypertrophied), cold wire snare in removal of (A. G. Bryant)	$\frac{556}{226}$
Tooth-plate removed from the esophagus (D. R. Paterson)	. 229
Toxic and microbic invasion, tonsil at portal of (A. Jacobi)	. 399
Trachea, diseases of (J. E. Newcombe)	. 327
incrustations in, fatal termination of case (E. Law, G. C. Cathern and W. Johan Home)	- 44, 45
cart, and W. Jobson Horne)	329
stenosis of (W. K. Simpson) tumours of (C. F. Theisen)	. 328
Tracheotomy, "curative," in laryngeal tuberculosis (Henrici)	. 658
foreign body extracted from bronchus by (Dr. van Swieten)	. 398
importance of, in certain neglected cases (E. W. Saunders)	. 264
required for stenosis of glottis following complete healing of	ŧ.
extensive tuberculous laryngitis (StC. Thomson) .	. 573
tube, radiograph of patient wearing, with revolver bullet lodged	l
in left side of neck (Dr. Bôval)	. 392
Tracheoscopy and foreign bodies (A. Coolidge, jun.) .	. 330
Tragus (accessory), case of (A. Wylie)	$\frac{301}{200}$
TRETRÔP (Dr.), large abscess of the brain following purulent otitis media	ı 391
—— presentation of instruments	. 393
——————————————————————————————————————	. 435

Trow (C.), discussion on cold wire snare in removal of hypertrophied	PAGE
tonsils	562
Tuberculosis (laryngeal), galvano-cautery in (Dr. Escat)	433
of larynx (bilateral) healed without local treatment (StC. Thomson)	573
of soft palate, pharynx, and epiglottis (C. Fox)	234
tumour in interary tenoid fold, probably tuberculous (Sir F. Semon)	31
Tuberculous ulceration of nose (H. S. Barwell)	37
——————————————————————————————————————	287
Turbinal (middle), meningitis following removal of polypus from (J.	
Merckx)	433
pathological conditions of, a causal factor of headache	
(H. Smurthwaite)	565
bone (inferior), resection of (A. Forstelles)	202
(middle), nævoid changes in anterior extremity of, causing	378
persistent unilateral headache (V. W. Wingrave)	338
Turner (A. Logan), specimens and drawings illustrating various patho-	990
logical conditions of the nose and throat	177
a discussion on congenital stridor (laryngeal and tracheal); in-	11,
troductory paper (Annual Meeting, Brit. Med. Assoc., Toronto, 1906)	
441,	456
——— discussion on sinus suppuration	494
Tympanic membrane, abnormal colour of (M. Yearsley)	138
Tympanum, vibration-massage of, instrument for (Professor Pollak) .	226
Urbantschitsch (E.), a case in which Ménière's symptom complex was	
cured by a gynæcological operation	224
Urbantschitsch (Professor E.), a patient who had suffered from a	201
discharge from the attic and headache for eighteen months	223
Uvula and larynx, lupus of (H. S. Barwell) .	38
——— pedunculated growth in (W. H. Kelson)	87
——— polypi of, with chronic pharyngitis (E. A. Peters)	42
——————————————————————————————————————	
Brown Kelly)	130
Vascina (hastorial) of Misusassus marformans in treatment of in an analy	
Vaccine (bacterial) of <i>Micrococcus neoformans</i> in treatment of inoperable cancer of fauces, pharynx, tongue, and cervical glands; ameliora-	
tion (R. H. Scanes Spicer and Sir A. E. Wright). 265,	900
inoperable cancer of fauces treated by (S. Spicer)	$\frac{292}{577}$
Vall (Derrick T.), herpes zoster auris	340
VALENTIN: on hæmatoma of the right ear in Swiss wrestlers (abstract)	401
VAN DEN WILDENBERG: a contribution to the anatomy of the accessory	
sinuses of the nose (abstract).	263
cyst of the maxillary sinus	394
—— osteomyelitis of superior maxilla and of the ethmoid, with	
suppuration in the sinuses and in the orbit	394
a case of latent thrombosis of the lateral sinus	436
Vapour method of anæsthesia (J. T. Gwathmey)	112
Vasomotor index, nasal turbinate as (J. A. Babitt)	338
Ventricle, laryngocele of, air-containing cyst connected with left ventricle	392
of Morgagni (Dr. Labarre)	$\frac{392}{392}$
Vertebral ecchondrosis producing distortion of esophagus (Zahn)	$\frac{392}{304}$
Vertigo (aural): case of Ménière's symptom complex cured by gynæco-	501
logical operation (E. Urbantschitsch)	224
severe case due to aspergillus invading external auditory	
meatus (A. Bronner)	99
treatment of Ménière's disease (G. Simonta and S.	
Gavazzeni)	111

Tr. 4:11. (:	PAGE
Vestibule (opening of), skulls showing different stages of an operation	94
for (R. Lake)	$\frac{94}{226}$
Vocal cord (left), fixation in cadaveric position, probably due to adhesions	220
fixing and dragging on recurrent laryngeal nerve (W. Stuart-Low).	296
infiltration of (H. S. Barwell)	292
paralysis of, with narrowing of larynx (Dr. Fallas)	397
ulceration of (W. H. Kelson)	, 175
——————————————————————————————————————	287
(right), fixation of (V. W. Wingrave)	16
fixation, with dysphagia for liquids (W. Stuart-Low)	578
immobile (P. R. W. de Santi)	135
infiltration of, with fixation (J. Dundas Grant)	185
thickening of, thought to be malignant (H. Smurthwaite)	131
Vocal cords, chronic thickening and deformity of epiglottis and vocal	
cords (J. Donelan)	32
papillomata of (Dr. Parmentier and Dr. Fallas)	397
paralyses in mitral affections (G. Gavello)	110
secondary syphilitic lesions of (L. H. Pegler).	133
swelling below anterior commissure of, causing dyspnea, with	
deformity of epiglottis, and indurated swelling of both auricles	000
(C. A. Parker)	$\frac{236}{231}$
ulceration (bilateral) of posterior segments (L. H. Pegler)  Voice, sudden loss of (H. J. Davis)	$\frac{251}{171}$
use of, producing laryngeal disturbances (J. Middlemass Hunt).	$\frac{171}{519}$
	528
VON SWIETEN (Dr.), extraction of a foreign body from the bronchus by	020
tracheotomy	398
	000
WAGGETT (E. B.) a boy, aged seventeen, with absence of right choana.	133
a case of absence of the right choana	172
Walker (H. Secker), notes of an unusual and fatal case of cerebral	
abscess	157
——————————————————————————————————————	342
partial necrosis of cochlea and sigmoid sinus thrombosis .	343
	347
epithelioma of the external auditory meatus	347
epithelioma of the pinna; amputation	$\frac{348}{250}$
pathological preparations of the temporal bone	$\frac{350}{251}$
—— pathological preparations of sigmoid sinus thrombosis	$\begin{array}{r} 351 \\ 585 \end{array}$
WEST (C. E.) discussion on fixation of the stapes	$\frac{360}{261}$
Wharton's duct, calculi of unusual size from (Koenig)	$\frac{285}{285}$
WHITEHEAD (A. L.) three cases of cerebellar abscess	63
notes of three cases of cerebellar abscess	146
some points in the diagnosis of the complications of temporal	
	351
exhibition of cases of cerebral abscess, cerebellar abscess, sig-	•
moid sinus thrombosis, double mastoid disease, and chronic otor-	
	3, 349
WILLIAMS (P. Watson), specimen of a rhinolith	36
—— discussion on sinus suppuration	494
——— discussion on laryngeal disturbances produced by voice use	535
discussion on cold wire snare in removal of hypertrophied tonsils	562
a case of epithelioma of the larynx	580
drawings illustrating method adopted in operation for submucous	<b>F</b> 00
excision of septum	$\begin{array}{r} 582 \\ 582 \end{array}$
——— exhibition of tongue clip	2002
——— discussion on treatment of deviations of nasal septum	629

WINGRAVE (V. Wyatt), fixation of right vocal cord in a male aged fifty-	PAGE
six	16
ulceration of epiglottis in a female aged twenty-two	17
pathological specimens shown—(a) Lipoma of buccal pouch	
(congenital); (b) Squamous epithelioma of tongue from a woman aged forty-two; (c) Dermoid cyst of neck; (d) Cyst of auricle	23
microscopical report on Mr. Stuart-Low's case of epithelioma of	-0
the naso-pharynx	88
— microscopic sections of Dr. D. Mackenzie's specimen of auricle	
removed for epithelioma of posterior surface	105
an aseptic syringe	108
"lichenoids"	108
microscopic specimens, with notes, of (1) angeio-myxoma of floor	100
of nose; (2) angeioma of larynx; (3) rodent ulcer of nose.	160
—— microscopic specimens of endothelioma of pharynx, granuloma of	101
auricle, epithelioma of larynxnotes on the pathology of fifty cases of innocent laryngeal growths	$\frac{191}{215}$
——————————————————————————————————————	210
growth shown by	237
persistent unilateral headache due to nævoid changes in the	201
anterior extremity of the middle turbinal bone	375
Wishart (Gibb), the lymphoid tonsillar circle	54
——————————————————————————————————————	454
WITTMAACK: on experimental degenerative neuritis of the auditory	
nerves (abstract)	364
on the histo-pathological examination of the organ of hearing,	
with a special reference to the administration of fat and myelin	
substances (abstract)	402
Wood (George B.), etiology of hyperkeratosis of the tonsils	387
Woods (Robert H.), on the dental saliva-ejector as a surgical instrument	61
the dental saliva-ejector as a surgical instrument	162
exhibition of newly-designed forceps and elevators	301
Presidential Address at Annual General Meeting of British	24
Laryngological, Rhinological, and Otological Association.  Wool mops (aseptic), thimbles for making (C. Baber)	572
WRIGHT (Sir A. E.) and SPICER (R. H. Scanes), case of inoperable	014
cancer of the fauces, the pharynx, the tongue, and the cervical	
glands that has shown marked amelioration after treatment for ten	
	, 292
Wrestlers (Swiss), hæmatoma of right ear in (Valentin)	401
Wylie (Andrew), congenital specific disease	18
injection of solid paraffin into the nose without an anæsthetic .	19
case of excision of rodent ulcer on the nose	102
——————————————————————————————————————	299
case of accessory tragus	301
exhibition of nasal guards	301
V 4.11.:1	011
Xaxa tabloid	211
X-ray therapy in upper air-passages (L. Mader)	<b>43</b> 6
YEARSLEY (P. Macleod), sketch and specimen of a case of necrosis of	
the handle of the malleus	93
- patient, drawing, macroscopic and microscopic specimens of a	
case of epithelioma of the pinna	137
case of abnormal colour of membrana tympani, shown for diag-	
nosis	138
discussion on fixation of the stapes.	260
Yonge (Eugene S.), polypus of the nose (review)	655

		PAGE
Zahn: a second case of distortion of the esophagus produced	i by	
vertebral ecchondrosis (abstract)		-304
ZIA (Noury), a rare case of foreign body in larynx (abstract).		165

PRINTED BY ADLARD AND SON, LONDON AND DORKING.