- 27 Tyrer P. Quick Personality Assessment Schedule: PAS-Q. In Personality Disorders: Diagnosis, Management and Course (2nd edn) (ed P Tyrer): 181–90. Arnold, 2000.
- 28 Tyrer P, Crawford M, Mulder R, Blashfield R, Farnam A, Fossati A, et al. The rationale for the reclassification of personality disorder in the 11th Revision of the International Classification of Diseases. *Personal Ment Health* 2011; 5: 246–59.
- 29 Tyrer P, Coombs N, Ibrahimi F, Mathilakath A, Bajaj P, Ranger M, et al. Critical developments in the assessment of personality disorder. Br J Psychiatry 2007; 190 (suppl 49): s51–9.
- 30 Curtis L. *Unit Costs of Health and Social Care, 2010.* PSSRU, University of Kent, 2011.
- 31 British Medical Association & Royal Pharmaceutical Society of Great Britain. BNF 59. BMJ Books/Pharmaceutical Press, 2010.
- 32 Department of Health. NHS Reference Costs. London: Department of Health,
- 33 National Institute for Health and Care Excellence. Guide to the Methods of Technology Appraisal. NICE, 2008.
- 34 Barber JA, Thompson SG. Analysis and interpretation of cost data in randomised controlled trials: review of published studies. BMJ 1998; 317: 1195–200.
- 35 Efron B, Tibshirani R. An Introduction to the Bootstrap. Chapman and Hall, 1993.
- 36 Tyrer P, Cooper S, Salkovskis P, Tyrer H, Crawford M, Byford S, et al. Clinical and cost-effectiveness of cognitive behaviour therapy for health anxiety in medical patients: a multicentre randomised controlled trial. *Lancet* 2014: 383: 219–25.
- 37 Barrett B, Tyrer P, Tyrer H, Cooper S, Crawford MJ, Byford S. An examination of the factors that influence costs in medical patients with health anxiety. J Psychosom Res 2012; 73: 59–62.
- **38** Yang M, Coid J, Tyrer P. Personality pathology recorded by severity: national survey. *Br J Psychiatry* 2010; **197**: 193–9.

- 39 Kim YR, Blashfield R, Tyrer P, Hwang ST, Lee HS. Field trial of a putative research algorithm for diagnosing ICD-11 personality disorders in psychiatric patients: 1. Severity of personality disturbance. *Personal Ment Health* 2014; 8: 67–78.
- 40 Tyrer P, Crawford M, Sanatinia R, Tyrer H, Cooper S, Muller-Pollard C, et al. Preliminary studies of the ICD 11 classification of personality disorder in practice. Personal Ment Health 2014; 8: 254–63.
- 41 Hedman E, Andersson G, Andersson E, Ljótsson B, Rück C, Asmundson GJG, et al. Internet-based cognitive-behavioural therapy for severe health anxiety: randomised controlled trial. Br J Psychiatry 2011; 198: 230–6.
- 42 Latas M, Milovanovic S. Personality disorders and anxiety disorders: what is the relationship? Curr Opin Psychiatry 2014; 27: 57–61.
- 43 Greeven A, van Balkom AJ, Spinhoven P. Personality predicts time to remission and clinical status in hypochondriasis during a 6-year follow-up. J Nerv Ment Dis 2014; 202: 402–7.
- 44 Hedman E, Lekander M, Ljótsson B, Lindefors N, Rück C, Andersson G, et al. Optimal cut-off points on the Health Anxiety Inventory, Illness Attitude Scales and Whiteley Index to identify severe health anxiety. PLoS One 2015; 10: e0123412.
- 45 Tyrer P, Reed GM, Crawford M. Classification, assessment, prevalence, and effect of personality disorder. *Lancet* 2015; 385: 717–26.
- 46 Coppen AL, Metcalfe H. The effect of a depressive illness on MPI scores. Br J Psychiatry 1965; 111: 236–9.
- 47 Hedman E, Andersson G, Lindefors N, Gustavsson P, Lekander M, Rück C, et al. Personality change following internet-based cognitive behavior therapy for severe health anxiety. PLoS One 2014; 9: e113871.
- 48 Tyrer P, Yang M. The clinical implications of personality-generated mental illness. *Personal Ment Health* 2015; 9: 17–20.
- 49 Koelen JA, Luyten P, Eurelings-Bontekoe LH, Diguer L, Vermote R, Lowyck B, et al. The impact of level of personality organization on treatment response: a systematic review. *Psychiatry* 2012; 75: 355–74.







100 words

## Seneca on anger, mercy and sadistic homicide

John H. M. Crichton

Seneca (4 BCE-65 CE), while writing *On Anger* and *On Mercy*, recognised wickedness as requiring proportionate correction. He describes dispassionate punishment as similar to a physician deciding on appropriate remedies according to severity and circumstance. Seneca also described in withering terms those who took pleasure in multiplying and prolonging pain, taking pleasure in cruelty and killing as a delight. He termed this diseased – a condition of utter moral depravity. Having anticipated Krafft-Ebing's account of sadistic homicide, Seneca may also have influenced fictional homicidal psychiatrist Dr Hannibal Lecter, describing a mentally unwell slave who ate the liver of his victim.

The British Journal of Psychiatry (2016) 209, 250. doi: 10.1192/bjp.bp.116.182162