

CONSULTANT PSYCHIATRIST

SPECIAL INTEREST IN SUBSTANCE MISUSE

2 Posts

DUBLIN, IRELAND

Post (1) Eastern Health Board/Drug Treatment Centre Board/Mater Hospital

Post (2) Eastern Health Board/Drug Treatment Centre Board/St. James's Hospital

Applications are invited for appointment to the above posts.

These posts are joint appointments on a geographical whole-time basis (11 sessions per week) with a scheduled commitment as follows:-

Post (1) 6 sessions per week to the Eastern Health Board
3 sessions per week to the Drug Treatment Centre Board
2 sessions per week to the Mater Hospital

Post (2) 6 sessions per week to the Eastern Health Board
3 sessions per week to the Drug Treatment Centre Board
2 sessions per week to St. James's Hospital

The following professional qualifications and experience will apply to these appointments:-

(a) the possession of the M.D.degree* in Psychiatry of a recognised university or the M.R.C.P.I. in Psychiatry or Membership of the Royal College of Psychiatrists or the Diploma in Psychological Medicine awarded before February 1972, or a professional qualification at least equivalent to one of these;

(*other than a primary degree)

(b) at least seven years' satisfactory experience (after becoming entitled to full registration) in the practice of the medical profession, including not less than five years' satisfactory experience in psychiatry and including not less than eighteen months' satisfactory experience in the management of substance misuse.

Applicants should forward their Curriculum Vitae (12 copies) together with the names and addresses of four referees (of whom at least two should refer to recent appointments) to the Chief Executive Officer, Drug Treatment Centre Board, Trinity Court, 30/31 Pearse Street, Dublin 2, Ireland (Tel: 00-353-1-677 1122; Fax: 00-353-1-677 9080) to arrive not later than 27th October, 1995.

The Eastern Health Board, Drug Treatment Centre Board, St. James's Hospital and the Mater Hospital are equal opportunity employers.

Epilim Oral Prescribing Information

Presentation Epilim 200 Enteric Coated and Epilim 500 Enteric Coated: Enteric coated tablets containing 200mg, and 500mg Sodium Valproate Ph.Eur. respectively. Epilim Crushable Tablets containing 100mg Sodium Valproate Ph.Eur. Epilim Syrup and Epilim Liquid (sugar free) both containing 200mg Sodium Valproate Ph.Eur. per 5ml. Epilim Chrono 200, Epilim Chrono 300, and Epilim Chrono 500: Controlled release tablets containing a mixture of Sodium Valproate Ph.Eur. and Valproic Acid Fr.P. equivalent to 200mg, 300mg, and 500mg Sodium Valproate respectively. **Indications** Oral formulations of Epilim are indicated for all types of epilepsy. In women of child bearing age Epilim should be used only in severe cases or in those resistant to other treatment. **Dosage and administration** Adults; the dose should be titrated at three day intervals until seizure control is achieved. Initially 600mg a day increasing in steps of 200mg to a maximum dose of 2500mg per day. *Children over 20kg*; initially 400mg a day increasing in steps to a maximum dose of 35mg/kg/day. *Children under 20kg*; initially 20mg/kg/day - the dose may be increased in steps to a maximum of 40mg/kg/day provided that plasma levels are monitored. Epilim Chrono may be given once or twice daily. All other formulations should be given twice daily. **Combination therapy**; levels of Epilim and co-administered anticonvulsants may be affected and optimum dosage is determined by seizure control. **Contraindications, Warnings, etc.** **Contraindications** Active liver disease, family history of severe liver disease, hypersensitivity to valproate. **Side effects** Impaired hepatic function, particularly in children, occasionally leading to hepatic failure - treatment should be withdrawn in patients who suddenly develop symptoms compatible with hepatic disease such as nausea, anorexia, jaundice or malaise. Hyperammonaemia with or without hepatic dysfunction. Blood dyscrasia - impaired platelet function, thrombocytopenia, occasional leucopenia and red cell hypoplasia. Occasionally increased appetite, weight gain, transient hair loss, behavioural disturbances, alterations to the menstrual cycle and pancreatitis. Symptoms of intoxication include ataxia, tremor, and stupor. **Drug interactions** Epilim has significant interactions with phenytoin, lamotrigine and other anticonvulsants. Epilim may potentiate the effects of neuroleptics, MAOIs and other antidepressants, anticoagulants and salicylates. Cimetidine may inhibit the metabolism of Epilim. Epilim has no effect on the efficacy of oral contraceptives. **Pregnancy** An increased incidence of congenital abnormalities has been demonstrated in offspring born to mothers with epilepsy both untreated and treated, including those treated with sodium valproate. Neural tube defects have been reported in about 1% of offspring of women who have received valproate during the first trimester of pregnancy. Pregnancies should be screened for neural tube defects by estimation of alpha-fetoprotein and ultrasound. Folate supplementation has been shown to reduce the incidence of neural tube defects in the offspring of high risk women. **Legal category** P.O.M. **Further information** Epilim is hygroscopic - tablets should not be removed from their foil until they are used. Epilim Chrono is recommended in cases where plasma valproate levels are being measured on account of its pharmacokinetics. The effective therapeutic range for valproate is 40-100mg/l (278-694 micromol/l). **Product Licence Numbers** Epilim 200 Enteric Coated 11723/0018, Epilim 500 Enteric Coated 11723/0020, Epilim 100mg Crushable Tablets 11723/0017, Epilim Syrup 11723/0025, Epilim Liquid 11723/0024, Epilim Chrono 200 11723/0078, Epilim Chrono 300 11723/0021, Epilim Chrono 500 11723/0079. **NHS Cost** Epilim 200 Enteric Coated 100 tablets £6.42, Epilim 500 Enteric Coated 100 tablets £16.04, Epilim 100mg Crushable Tablets 100 tablets £3.89, Epilim Syrup 300ml £5.89, Epilim Liquid 300ml £5.89, Epilim Chrono 200 100 tablets £7.70, Epilim Chrono 300 100 tablets £11.55, Epilim Chrono 500 100 tablets £19.25. **Address:** Sanofi Winthrop Ltd., One Onslow Street, Guildford, Surrey GU1 4YS. **Telephone:** (01483) 505515 **Fax:** (01483) 35432. Epilim, Epilim Chrono and the Chrono device are registered trade marks. **Date of preparation** August 1995.

References:

1. Chadwick D., *J. Neurol. Neurosurg. Psychiatry* 1994; **57**: 264-277.
2. Gilham R.A., *Epilepsy Res.*, 1990; **7**: 219-225.



NOW
ONCE-DAILY

Give someone with epilepsy a future to look forward to

People with epilepsy have the same aspirations as anybody else. What they need is a treatment which allows them to fulfil their potential.

Whatever the type of epilepsy, Epilim Chrono can help. Effective both in generalized and partial seizures,¹ it is well tolerated (particularly with regard to cognitive function)², and offers patients the convenience of once-daily dosing.

It helps people with epilepsy get on with their lives today, and look forward to tomorrow.

A young girl in a white tutu and ballet slippers stands in profile, looking into a large, arched wooden mirror. The mirror reflects a ballerina in a white tutu performing a graceful pose. The scene is set against a light purple background with a white, cloud-like border at the bottom.

Epilim[®] CHRONO[®]
Sodium Valproate Ph. Eur.
Valproic Acid Fr.P Controlled Release

**Once-daily management
for all forms of epilepsy**

Leadership isn't given. It's earned.



PROZAC
fluoxetine


The World's No. 1
prescribed
antidepressant brand.

Further information is available on request from:
Dista Products Limited, Dextra Court, Chapel Hill,
Basingstoke, Hampshire RG21 5SY.

Legal Category: POM.

'PROZAC' is a Dista trade mark.

Date of preparation: August 1995



PZ683