

## ERRATUM

IN THE 78/5 September 2004 issue, the numbering for Figures 2 and 3 in Scarabino et al.'s "Two new species of *Adelomelon* Dall, 1906 (Gastropoda: Volutidae) from the Tertiary of Patagonia (Argentina)" were mislabeled. The editors regret the oversight.




FIGURE 2—1, 2, *Adelomelon beckii* (Broderip, 1836), USNM 887290, Recent in 25 fathoms, off Ilha Santa Anna, Macao, Brazil, 237.6 mm length. 3, 4, *Adelomelon barattinii* Klappenbach and Ureta, 1996, holotype MNHN 1314, Uruguayan continental shelf, 80–200 m, 110 mm length. 5–7, *Adelomelon valdesiense* n. sp.; 5, 7, holotype EASPU 4881, 163 mm length; 6, paratype EASPU 4883, showing columellar plaiting, 131 mm length; both types are from Puerto Madryn Formation, early Late Miocene, Peninsula Valdes, Chubut Province, Argentina.




FIGURE 3-1, *Adelomelon valdesiense* n. sp., Holotype EASPU 4881, Puerto Madryn Formation, early Late Miocene, Peninsula Valdes, Chubut Province, Argentina, 163 mm length. 2-5, *A. posei* n. sp., Gran Bajo del Gualicho Formation, Late Eocene-Middle Miocene, Puesto Arriola, Salinas del Gualicho, Rio Negro Province, Argentina; 2, 3, 5, holotype MPB 3095, 194 mm length; 4, paratype, MPB 3192, 131 mm length.