DIRECTOR, INFECTION CONTROL

Memorial Medical Center (MMC) is the flagship hospital of Memorial Health System. MMC, located in Springfield, IL, is an acute care hospital with 562 licensed beds as well as a teaching hospital, affiliated with Southern Illinois University School of Medicine.

We are seeking a candidate to provide leadership and support to the MMC leadership team, nursing, medical staff, and other stakeholders in matters relating to infection control surveillance, detection, improvement and prevention. Leadership and support will be provided in the form of a formal infection control/prevention program that includes but is not limited to education, tracking and reporting, process consultation and improvement, and building an infection control/prevention cultural. Additional duties include assisting, coordinating, and leading efforts related to continually maintaining or exceeding regulatory/accreditation standards and actively supporting the pursuit of Baldrige level organizational performance.

To view a complete listing of position requirements and to apply online, please visit our website at <u>www.memorialmedical.com</u>. For additional information, please contact Jennifer Davis, Human Resources, Memorial Medical Center, 701 N. First, Springfield, IL 62781-0001, phone at (217) 788-2177.



Drug Free / Equal Opportunity Employer

Infection Control & Hospital Epidemiology



IMPROVE THE QUALITY OF YOUR RESEARCH TIME

Activate your online subscription

Take advantage of online-only features and improve the quality of your research time. Search articles, authors, and terms. Two more online services to increase your productivity:

@-TOC Alerts

e-TOC alerts deliver links to new content via e-mail as soon as each issue is available online. Abstracts and free-access articles are available to subscribers and nonsubscribers; regular full-text articles are available to subscribers and subscribing institutions.

RSS Feeds

RSS (Really Simple Syndication) is a free, easy, and automatic way to inform you when new journal articles are published. Instead of visiting a journal Web site for new articles, let RSS tell you the moment new articles are posted! Sign up today!

University of Chicago Press

Display Recruitment



ADVERTISING

Infection Control and Hospital Epidemiology

2006 Advertising Rates

Full Page 6 1/8" x 9" \$650 Vertical Half 3" x 9" \$500 Horizontal Half 6 1/8" x 4 3/8" \$500

Rates apply to Recruitment Advertising only. Trim size is 8 1/4" x 10 7/8". Additional \$50 to typeset/design half page ad; \$100 for full page ad.

2006 Advertising Deadlines

Issue	Space & Art	Issue	Space & Art
January	November 29	July	May 26
February	December 27	August	June 27
March	January 25	September	July 27
April	February 27	October	August 28
May	March 28	November	September 27
June	April 27	December	October 30

For recruitment as well as commercial advertising information please e-mail Tanya Thompson at tthompson@press.uchicago.edu; phone 773.702.7956; fax 773.702.0172.



The University of Chicago Press

1427 East 60th St., Chicago, IL 60637

Please note: Commercial Advertising rates apply to Conference and Publisher Advertising



INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY (ICHE)

SHEA and the University of Chicago Press are pleased to inaugurate a publishing alliance that will bring greater visibility to the journal's presentation of important research in healthcare epidemiology and infection control.

Immediate benefits of the new partnership, which begins with the January 2006 issue, are

- Rapid release of articles in HTML and PDF format
- HTML links from the tables of contents
- Online-only features such as links to Pub Med, the *Journal* of *Infectious Diseases* and *Clinical Infectious Diseases*
- Full text searchability
- E-mail tables of contents notification with electronic links to the articles



rapid, persistent, superior

ChloraPrep®

A RAPID-ACTING, PERSISTENT AND SUPERIOR PREOPERATIVE SKIN PREPARATION

- Rapid activity against gram-positive and gram-negative bacteria
- Persistent antimicrobial activity prevents regrowth of microorganisms on the skin for at least 48 hours
- Unlike povidone-iodine, Chlorhexidine (CHG) remains active in presence of blood, serum, and other protein-rich biomaterials1
- CHG has demonstrated a 50% reduction in the incidence of catheter-related bloodstream infections compared to povidone iodine



CENTRAL LINE INSERTION AND SITE CARE PROCEDURES

For directions for use, visit chloraprep.com.

compared with povidone-iodine solution for vascular catheter-site care: a meta-analysis. Ann Intern Med. 2002;136:792-801.

Sterile

Single-use

Latex-free

Hands-off

26ml Chiorapren