

The effect of coating of Fe₃O₄/silica core/shell nanoparticles on T₂ relaxation time at 9.4 T

B. Blasiak^{1,2,3}, Z. Zhang⁴, X. Zhang⁵, T. Foniok³, G.R. Sutherland¹, T. Veres^{5,6}, and B. Tomanek^{1,2,3,a}

¹ Department of Clinical Neurosciences, University of Calgary, 1403 – 29th Street NW, Calgary, T2N 4N1 Alberta, Canada

² Institute of Nuclear Physics, Polish Academy of Sciences, Radzikowskiego 152, 31-342 Krakow, Malopolska, Poland

³ Institute for Biodiagnostics (West), National Research Council of Canada, 3330 Hospital Dr. NW Calgary, T2N 4N1 Alberta, Canada

⁴ Suzhou Institute of Nano-tech and Nano-bionics, Chinese Academy of Sciences, 398 Ruoshui Rd, Duhu Lake Higher Education District, Suzhou Industrial Park, Suzhou 215125, P.R. China

⁵ Industrial Material Institute, National Research Council of Canada, 75 de Mortagne Boulevard, Boucherville, J4B 6Y4 Québec, Canada

⁶ Énergie, Matériaux et Télécommunications, Institut national de la recherche scientifique, Université du Québec, 1650 boulevard Lionel-Boulet, Varnennes, J3X 1S2 Québec, Canada

Accepted: 5 September 2011

Published online: 28 September 2011 – © Crown, published by EDP Sciences

Eur. Phys. J. Appl. Phys. **55**, 10401 (2011), DOI: [10.1051/epjap/2011100244](https://doi.org/10.1051/epjap/2011100244)

An error occurred during the publication process in the Aims and Scopes sections of the contents:
This article should be under section **Nanomaterials and Nanotechnologies**.

We apologize for this inconvenience.

^a e-mail: boguslaw.tomanek@nrc-cnrc.gc.ca