CAMBRIDGE

Introduction to the Modern Theory of Dynamical Systems

ANATOLE KATOK and BORIS HASSELBLATT

This book provides the first self-contained comprehensive exposition of the theory of dynamical systems as a core mathematical discipline closely intertwined with all main areas of mathematics. The authors introduce and rigorously develop the theory while providing researchers interested in applications with fundamental tools and paradigms.

f60.00 net HB 0 521 34187 6 822 pp. 1995 Encyclopedia of Mathematics and its Applications 54



Ergodic Theory and Harmonic Analysis

Proceedings of the 1993 Alexandria Conference Edited by KARL E. PETERSEN and IBRAHIM SALAMA

The papers printed here explore many of the rapidly developing connections between ergodic theory and other branches of mathematics, giving the background of each area, the most outstanding recent results and the most current promising lines of research. They should form perfect starting points for beginning researchers. £24.95 net PB 0 521 45999 0 445 pp. 1995 London Mathematical Society Lecture Note Series 205

Lectures on Ergodic Theory and Pesin Theory on Compact Manifolds

MARK POLLICOTT

Pesin theory consists of the study of the theory of non-uniformly hyperbolic diffeomorphisms. The aim of this book is to provide the reader with a straightforward account of this theory, following the approaches of Katok and Newhouse. The notes are divided into two parts. The first develops the basic theory, starting with general ergodic theory and introducing Liapunov exponents. Part Two deals with the applications of Pesin theory and contains an account of the existence (and distribution) of periodic points. It closes with a look at stable manifolds, and gives some results on absolute continuity. £19.95 net PB 0 521 43593 5 180 pp. 1992 London Mathematical Society Lecture Note Series 180

Cambridge books are available from good bookshops, alternatively call UK + 44 (0)1223 325970 to order direct using your credit card, or fax UK + 44 (0)1223 315052. For further information please email Giulia Williams on science@cup.cam.ac.uk



The Edinburgh Building, Cambridge CB2 2RU

1 Submission of typescripts

Two copies of the manuscript should be submitted to one of the four Executive Editors (addresses on outside front cover). Papers may also be submitted electronically to those Executive Editors with electronic mail addresses. The editor will acknowledge receipt of the manuscripts. It is important that authors inform the editor of any changes of address whilst their paper is under consideration.

2 Typescript

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. A new proof of the ergodic theorem, whereas Some applications of a theorem of Birkhoff would be useless).

3 Notation

It is important that mathematicians expressions are clear to a printer (who is not a mathematician). For instance, n_k (*n* sub *k*) is common usage, but avoid if possible using *c* sub *n* sub *k*. Fractions are generally best expressed by a solidus. Complicated exponents like

$\exp \{z^2 \sin \theta/(1+y^2)\}$

should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced types is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o, O, o, O, 0; x, X, \times ; ϕ , Φ , \emptyset ; l, 1; ε , \in ; κ , k.

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign \Box may be used.

Footnotes should be avoided.

4 Diagrams

Figures and drawings should be on separate sheets

in black ink. Photocopies are acceptable only if they are as clear as the originals. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1, Figure 2,... and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams redrawn, provided that they are clear.

5 Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

6 References

References should be collected at the end of the paper numbered in alphabetical order of the author's names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication;

[4] N. Dunford & J. T. Schwartz Linear Operators Part I. Wiley: New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. J. Analyse Math. 23 (1970), 236-268.

7 Proofs

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. It is important that proofs are corrected and returned promptly.

8 Reprints

There are 100 reprints, free of charge, for each paper. For papers with several authors these reprints are divided between the authors. There are no page charges.

Ergodic theory and dynamical systems

VOLUME 15 PART 5 OCTOBER 1995

CONTENTS

<i>C. S. Aravinda and E. Leuzinger</i> Bounded geodesics in rank-1 locally symmetric spaces	813
M. Boshernitzan and I. Kornfeld Interval translation mappings	821
F. Dumortier, H. Kokubu and H. Oka A degenerate singularity generating geometric Lorenz attractors	833
G. Gallavotti and G. Gentile Majorant series convergence for twistless KAM tori	857
M. Jakobson and G. Świątek Metric properties of non-renormalizable S-unimodal maps: II. Quasisymmetric conjugacy classes	871
J. Kulesza Zero-dimensional covers of finite dimensional dynamical systems	939
K. Marton and P. C. Shields Almost-sure waiting time results for weak and very weak Bernoulli processes	951
H. Narnhofer, W. Thirring and E. Størmer C*-dynamical systems for which the tensor product formula for entropy fails	961
A. A. Pinto and D. A. Rand Classifying C^{1+} structures on dynamical fractals: 2. Embedded trees	969
S. Popa Some ergodic properties for infinite graphs associated with subfactors	993

Printed in Great Britain



