

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

RHINOSCLEROMA—A CLINICAL PERSPECTIVE	H. J. SHAW ✓ and HAYES MARTIN
SCLEROMA IN UGANDA	P. E. ROLAND ✓
THE INFLUENCE OF THE ENDOCRINE SYSTEM ON THE NASAL RESPIRATORY MUCOSA	MILES TAYLOR ✓
CORROSIVE ŒSOPHAGITIS AND ITS MANAGEMENT	HUSSEIN KAMEL ISMAIL ✓
DYSPHAGIA LUSORIA ASSOCIATED WITH ŒSOPHAGEAL CARCINOMA	M. FATEEN ✓
CLINICAL RECORDS—	
SUBGLOTTIC HÆMANGIOMA OF THE LARYNX TREATED BY EXCISION	S. MAWSON ✓
A NEURILEMMOMA OF THE LARYNX	C. A. HOLBOROW ✓
A CASE OF NASOPHARYNGEAL FIBROMA WITH UNUSUAL EXTENSION	A. B. N. RAO ✓
SOCIETIES' PROCEEDINGS—	
THE SCOTTISH OTOLARYNGOLOGICAL SOCIETY	
GENERAL NOTES	

London
Headley Brothers
109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8 The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1961

Please mention *The Journal of Laryngology and Otology* when replying to advertisements


The Journal of Laryngology and Otology

CONTENTS

	PAGE
RHINOSCLEROMA—A CLINICAL PERSPECTIVE. H. J. Shaw (London) and Hayes Martin (New York)	1011
SCLEROMA IN UGANDA. P. E. Roland (Rugby)	1040
THE INFLUENCE OF THE ENDOCRINE SYSTEM ON THE NASAL RESPIRATORY MUCOSA. Miles Taylor (Sheffield)	1048
CORROSIVE OESOPHAGITIS AND ITS MANAGEMENT. Hussein Kamel Ismail (Ismailia, Egypt)	1056
DYSPHAGIA LUSORIA ASSOCIATED WITH OESOPHAGEAL CARCINOMA. M. Fateen (Cairo, Egypt)	1062
CLINICAL RECORDS—	
Subglottic Hæmangioma of the Larynx Treated by Excision. S. Mawson (London)	1076
A Neurilemmoma of the Larynx. C. A. Holborow (London)	1082
A Case of Nasopharyngeal Fibroma with Unusual Extension. Prof. A. B. N. Rao (Hyderabad, India)	1086
SOCIETIES' PROCEEDINGS—	
The Scottish Otolaryngological Society	1092
GENERAL NOTES	1095

**For Advertisement space in this Journal apply to:
HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2**

“Hearing Aid?
I always
send
my patients
to
Ingrams”



Largest selection of Different Makes in the Country

**REFER YOUR
PATIENTS TO
Ingrams**

**The Independent
Hearing Aid Suppliers**

*Member of the Society of Hearing
Aid Audiologists.*

**Resident Representatives
in all parts of the country.**

“I know my patients get the best possible choice of aids with Ingrams. Ingrams don’t make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London.”

Ingrams Hearing Aids Limited

**2, Shepherd Street, Shepherd Market,
London, W.1.**


HYDe Park 9041 and 9042

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

AND NOW

FOR DECONGESTION WITH ANALGESIA

in sinus infections,
head-colds,
ear-aches,
catarrhal congestion
presenting with pain



TRIOGESIC

WANDER

FORMULA PER TABLET

'Triominic' 25 mg. P.1

Paracetamol 500 mg.

per 4 ml. Suspension:

'Triominic' 12.5 mg. P.1

Paracetamol 250 mg.

'Triominic' contains

50% phenylpropanolamine - HCl,
25% mepyramine maleate and
25% pheniramine maleate.

DOSAGE

Adults:

1 Tablet every
three to four hours.

Children:

1 teaspoonful every
three to four hours.

PACKS & BASIC N.H.S. PRICES

30 Tablets 3/6 + P.T.

4 fl. oz. Suspension 3/6 + P.T.

M426a

'Triogesic' gives prompt symptomatic relief by associating the established decongestant with antihistaminic actions of 'Triominic' with the reliable and safe analgesic action of paracetamol.

'Triogesic' is available both as scored tablets and in flavoured suspension.



A. WANDER LTD.,

42 Upper Grosvenor St., London W.1.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

- announcing a new preparation for mouth and throat infections

PRISTACIN



BACTERICIDAL AND ANTIMYCOTIC CHEWING GUM

Pristacin contains cetyl pyridinium chloride 4 mg. and sodium propionate 10 mg. in a chewing gum base that is carefully flavoured for high acceptability. The packet of 12 pieces costs 1/8d. basic NHS price and the recommended dose is 3 to 4 pieces a day, each piece to be chewed for as long as possible.

**PRISTACIN BATHES
THE THROAT IN A
BACTERICIDAL AND
ANTIMYCOTIC SOLUTION**

PRISTACIN PROMOTES PHYSIOLOGICAL HEALING

increases salivation—the natural way of keeping mouth and teeth clean and healthy, and reducing inflammation.

CHILDREN, ESPECIALLY, WILL LIKE PRISTACIN

Samples and literature may be obtained from
HORLICKS LIMITED, Pharmaceutical Division, Slough, Bucks

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

'Planidets'

trade mark

brand

ANTISEPTIC/ANALGESIC LOZENGES

For the rapid relief and effective treatment of painful and infective conditions of the mouth and throat.

'Planidets' do not contain an antibiotic.

Each lozenge contains:

dibromopropamide embonate 1 mg.

chlorphenoxium amsonate 1 mg.

butylaminobenzoate 4 mg.



An M&B brand Medical Product

Manufactured by


MAY & BAKER LTD

Distributors

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD
DAGENHAM

MA 8254

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Biomydrin lets the air come through

Penetration. Biomydrin contains thonzonium bromide, a mucolytic agent which breaks through the mucus barrier, ensuring that the therapeutic agents reach the affected areas. In addition, thonzonium bromide facilitates the spread of the solution.

Against infection. Biomydrin contains two antibiotics—neomycin and gramicidin. These provide effective bactericidal action against both Gram-positive and Gram-negative pathogens. Thonzylamine hydrochloride is the antihistamine in the Biomydrin formula to control allergic reactions effectively and safely.

Decongestion. Biomydrin contains phenylephrine hydrochloride in a safe concentration (0.25%) which promotes and sustains decongestion and drainage without rebound congestion. This ensures a rapid control of symptoms.

Presentation. An improved plastic atomizer, convenient for the pocket, containing $\frac{1}{4}$ fl. oz. Biomydrin is available on prescription only: it cannot be bought by the public for self-medication.

WILLIAM R. WARNER & CO. LTD. EASTLEIGH HAMPSHIRE TELEPHONE: EASTLEIGH 3131

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**First clinical audiometer
to provide
100% accurate audiograms**



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer


It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and all the other tests essential to proved pure tone audiometry.

AMPLIVOX LTD


Medical Acoustic Division
80 New Bond St, London W.1. Tel: HYDe Park 9888



**SEND FOR THIS
DESCRIPTIVE
BROCHURE**

Containing full information on the latest audiometric techniques in air and bone conduction.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



'OTOSPORIN' clears infected ears

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' brand Drops.

'Otosporin' is an aqueous suspension containing both neomycin and polymyxin B sulphate which are together effective against practically all the bacteria found in ear infections. They are unlikely to induce bacterial resistance or skin sensitisation, and neither of them gives rise to cross-resistance or cross-sensitisation to penicillin and other antibiotics. Their effectiveness is visibly enhanced by the hydrocortisone in 'Otosporin'; this, by reducing inflammation, not only relieves pain, but provides greater access for the antibiotics.

'OTOSPORIN'^{BRAND} drops
issued in bottles of 5 c.c.



BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.) **LONDON**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements