

NOTES FOR AUTHORS

Proceedings of the Royal Society of Edinburgh: Section A is a general journal, and papers in all areas of mathematics will be considered. Papers to be considered for publication should be sent to the Publications Manager, The Royal Society of Edinburgh, 22 George Street, Edinburgh EH2 2PQ, Scotland.

A paper by more than one author must be submitted with a statement, signed by each author, to the effect that the paper in its entirety is approved by the joint authors and naming the author who will be responsible for correspondence with the Society.

Authors will receive fifty (50) offprints free of charge, this number to be shared between joint authors. Additional offprints may be obtained, in units of fifty, at a fixed scale of prices given on a form which will be attached to the proof.

Authors must prepare their papers as concisely as possible. Manuscripts should be submitted in triplicate, on single-sided A4 paper, double spaced with adequate margins. Authors are advised to retain a copy of their papers as the Society cannot accept responsibility for any loss.

Every paper must be accompanied by a Synopsis, in general not exceeding two hundred words, which will be printed in small type at the beginning of the paper.

References within the text should be indicated by bold numbers in square brackets, e.g. [2] or [3, p. 167]. References at end of text should be in alphabetical order, numbered sequentially.

Authors should ensure that punctuation carries through the mathematics in the proper manner. The use of hyphens should be consistent. In the text avoid such abbreviations as: iff, w.r.t. and thm.

Footnotes should be avoided. Headings should not be underlined. Every effort should be made to avoid complicated subscripts, superscripts, ranges of summation and integration. Replace $e^{(\dots)}$ by $\exp[\dots]$ if the expression in parenthesis is complicated. Use the prime ' or d/dx , but preferably not a dot, to denote ordinary differentiation. If possible use subscripts to denote partial differentiation of $\partial/\partial x$ etc. Bars reaching over several letters should be avoided: use $\sqrt{()}$ or the exponent $1/2$ for the square root.

Note that confusion very often arises between 1 (one) and l (ell); 0 (zero) and O (Capital oh); \circ (composition) and o (lower case oh); x and \times ; U and \cup ; c and \subset ; ϵ (belongs to) and ε (epsilon); \emptyset (empty set) and ϕ (phi); $_1$ and comma $,$; prime ' and 1 ; K and κ ; p and ρ ; w and ω ; \sum (summation) and Σ (capital sigma); \prod (product) and Π (capital pi); v (lower case vee) and ν (Greek mu); a (lower case a) and α (Greek alpha); y (lower case y) and γ (Greek gamma). Please provide pencilled indicators in the margin where necessary. Where capitals and lower case of the same shape have to be printed, please indicate accordingly. Show italics by single underlining (except in the formulae which are set up normally in italics), bold face/Clarendon by wavy underlining and Greek by red underlining.

The statement of theorems, lemmas, et cetera, will be printed in italics and should be underlined. In definitions key words only should be in italics.

Equations should be indicated by numbers in parentheses in the right-hand margin.

Proofs of papers will be sent to the author. The cost of *authors' corrections in excess of five per cent* of the printers' charge for the setting of a particular paper *will be charged to the author*.

Copyright

© 1997 The Royal Society of Edinburgh

Except as otherwise permitted under the Copyright, Designs and Patents Act, 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publisher, or, in the case of reprographic reproduction, in accordance with the terms of a licence issued by the Copyright Licensing Agency. In particular, the Society permits the making of a single photocopy of an article from this issue (under Sections 29 and 38 of the Act) for an individual for the purposes of research or private study.

CONTENTS

MARIE C. CONCORDEL	
Periodic homogenisation of Hamilton–Jacobi equations: 2. Eikonal equations	665
E. N. DANCER and JUNCHENG WEI	
On the profile of solutions with two sharp layers to a singularly perturbed Dirichlet problem	691
PAVEL DRÁBEK and STANISLAV I. POHOZAEV	
Positive solutions for the p -Laplacian: application of the fibering method	703
MICHAL FEČKAN	
Bifurcation from homoclinic to periodic solutions in singularly perturbed differential inclusions	727
PEDRO FREITAS	
Eigenvalue problems for the wave equation with strong damping	755
B. J. GARDNER and A. V. KELAREV	
Invariant radicals	773
HARUMI HATTORI	
Stability and instability of steady-state solutions for a hydrodynamic model of semiconductors	781
JAN KRISTENSEN	
Lower semicontinuity in Sobolov spaces below the growth exponent of the integrand	797
FRANK MORGAN	
Lower semicontinuity of energy clusters	819
ENZA ORLANDI and LIVIO TRIOLO	
Travelling fronts in nonlocal models for phase separation in an external field	823
K. A. PERICAK-SPECTOR and SCOTT J. SPECTOR	
Dynamic cavitation with shocks in nonlinear elasticity	837
Z. RAN	
On the period maps of projective hypersurfaces	859
MASAYOSHI TSUTSUMI and TETSUYA ISHIWATA	
Regional blow-up of solutions to the initial boundary value for $u_t = u^\delta(\Delta u = u)$	871