

Animal Production

Journal of the British Society of Animal Production

Edited by

T. L. J. LAWRENCE
R. C. CAMPLING
M. F. FULLER
W. HARESIGN
C. L. JOHNSON
A. J. KEMPSTER
I. J. LEAN
A. G. LOW
J. C. McCARTHY
E. OWEN
R. THOMPSON
A. J. F. WEBSTER

**Volume 47
1988**

DURRANT

COPYRIGHT © 1988 BRITISH SOCIETY OF ANIMAL PRODUCTION
PRINTED IN GREAT BRITAIN BY
D. & J. CROAL LIMITED, HADDINGTON, EAST LoTHIAN

CONTENTS OF VOLUME 47
(LISTED ALPHABETICALLY BY AUTHOR)

PAGE

ADAM, J. L., <i>see</i> ASHER, G. W.	
AL-MUTAIRI, S., <i>see</i> BHATTACHARYA, A. N.	
AMBO, K., <i>see</i> NAKASHIMA, Y.	
ANDERSON, P. T., HAWKINS, D. R., BERGEN, W. G. and MERKEL, R. A. A note on dry-matter intake and composition of gain of Simmental bulls and steers fed to the same weight or age	493
APPLEBY, M. C., <i>see</i> LAWRENCE, A. B.	
ASHER, G. W., ADAM, J. L., JAMES, R. W. and BARNES, D. Artificial insemination of farmed fallow deer (<i>Dama dama</i>): fixed-time insemination at a synchronized oestrus	487
AUGHEY, E., <i>see</i> PETERS, A. R.	
BAHHADY, F. A., <i>see</i> THOMSON, E. F.	
BAKER, R. D., <i>see</i> GIBB, M. J.	
BARBERÁN, M., <i>see</i> VALDERRÁBANO, J.	
BARNES, D., <i>see</i> ASHER, G. W.	
BEEBY, J. M., HARESIGN, W. and SWAN, H. Endogenous hormone and metabolite concentrations in different breeds of beef steer on two systems of production	231
BELL, A. W., <i>see</i> DUNSHEA, F. R.	
BENNETT, G. L., MEYER, H. H. and KIRTON, A. H. Effect of average fat concentration on correlations among lamb carcass measurements	369
BENNETT, G. L., MEYER, H. H. and KIRTON, A. H. Effects of selection for divergent ultrasonic fat depth in rams on progeny fatness	379
BERGEN, W. G., <i>see</i> ANDERSON, P. T.	
BHARGAVA, P. K., ØRSKOV, E. R. and WALLI, T. K. Rumen degradation of straw. 4. Selection and degradation of morphological components of barley straw by sheep	105
BHATTACHARYA, A. N., AL-MUTAIRI, S., HASHIMI, A. and ECONOMIDES, S. Energy and protein utilization of lucerne hay and barley grain by yearling camel calves	481
BINDER, H., <i>see</i> RONGE, H.	
BLUM, J., <i>see</i> RONGE, H.	
BODERO, J., <i>see</i> PAPAJSIK, I. A.	
BRODIE, D. A., <i>see</i> COSGROVE, J. R.	
BROOM, D. M., <i>see</i> HUNTER, E. J.	
BRYANT, M. J., <i>see</i> TAYER, S. R.	
BUTTERFIELD, R. M., <i>see</i> PERRY, DIANA	
CAMERON, N. C., <i>see</i> MCPHEE, C. P.	
CHANDLER, K. D., <i>see</i> DUNSHEA, F. R.	
CHESTNUTT, D. M. B. Effect of multiple suckling in early lactation on the performance of May-born calves	345
CHESTNUTT, D. M. B., <i>see also</i> WILKINSON, S. C.	
CLANTON, D. C., <i>see</i> WHITTIER, J. C.	
CLARKE, J. N., <i>see</i> HOHENBOCKEN, W. D.	
CLEMENT, C., <i>see</i> RONGE, H.	
COSGROVE, J. R., KING, J. W. B. and BRODIE, D. A. A note on the use of impedance for the prediction of carcass composition in lambs	311
DANIELS, L. J., <i>see</i> MCPHEE, C. P.	
DAVIES, D. A. R., <i>see</i> GALLO, C. B.	
DETTMANN, E. BELINDA, <i>see</i> GILES, L. R.	
DEUTSCHER, G. H., <i>see</i> WHITTIER, J. C.	
DIXON, S. N., <i>see</i> PETERS, A. R., <i>also</i> SOUTHGATE, J. R.	

DONEY, J. M., MILNE, J. A., MAXWELL, T. J., SIBBALD, ANGELA M. and SMITH, A. D. M. The effects of live weight at weaning on growth rate and carcass composition at different stages of maturity in Scottish Blackface lambs fed on two different diets	401
DUARTE-ORTUÑO, A., THORPE, W. and TEWOLDE, A. Reproductive performance of purebred and crossbred beef cattle in the tropics of Mexico	11
DUNSHEA, F. R., BELL, A. W., CHANDLER, K. D. and TRIGG, T. E. A two-pool model of tritiated water kinetics to predict body composition in unfasted lactating goats	435
ECONOMIDES, S., <i>see</i> BHATTACHARYA, A. N.	
EDWARDS, S. A., <i>see</i> HUNTER, E. J.	
EVANS, D. G., KEMPSTER, A. J. and STEANE, D. E. Differential rates of genetic change and genotype \times environment interactions in six pig breeding company populations and a purebred Large White population	457
FLEET, M. R., LINCOLN, S. F. and HOUNSLOW, A. M. Electron spin resonance of wool from Merino sheep heterozygous or homozygous for white fleece	97
GALBRAITH, H., <i>see</i> MACVINISH, LESLEY J., <i>also</i> SINGH, S. B., <i>also</i> SULIEMAN, A. H.	
GALLO, C. B. and DAVIES, D. A. R. Rearing twin and triplet lambs on the ewe	111
GARNSWORTHY, P. C., <i>see</i> JONES, G. P.	
GETTYS, T. W., HENRICKS, D. M. and SCHANBACHER, B. D. An assessment of the relationship between tissue growth patterns and selected hormone profiles among sex phenotypes in cattle	335
GIBB, M. J. and BAKER, R. D. Performance of young steers offered stack-treated ammoniated hay or untreated hay with or without a supplement	223
GIGLIOLI, C., <i>see</i> RODRIGUEZ IGLESIAS, R. M.	
GILES, L. R., DETTMANN, E. BELINDA and LOWE, R. F. Influence of diurnally fluctuating high temperature on growth and energy retention of growing pigs	467
GREEN, S. A note on amino acid digestibility measured in pigs with pre- or post-valve ileo-rectal anastomoses, fed soya-bean, pea and meat meals	317
HANDEL, S. E. and STICKLAND, N. C. Catch-up growth in pigs: a relationship with muscle cellularity	291
HANKEY, CATHERINE and KAY, M. A note on the food conversion and meat quality of crossbred Aberdeen Angus and Charolais heifers	497
HARESIGN, W., <i>see</i> BEEBY, J. M.	
HASHIMI, A., <i>see</i> BHATTACHARYA, A. N.	
HAWKINS, D. R., <i>see</i> ANDERSON, P. T.	
HENRICKS, D. M., <i>see</i> GETTYS, T. W.	
HILL, R., <i>see</i> VINCENT, ISOBEL C.	
HOHENBOKEN, W. D., CLARKE, J. N., RATTRAY, P. V., SMITH, J. F. and WHEELER, M. Responsiveness of ewe genotypes to varying nutritional management, and conventional genotype \times environment interactions in sheep	253
HOTTEN, P. M., <i>see</i> NAKASHIMA, Y.	
HOUNSLOW, A. M., <i>see</i> FLEET, M. R.	
HUNTER, E. J., BROOM, D. M., EDWARDS, S. A. and SIBLY, R. M. Social hierarchy and feeder access in a group of 20 sows using a computer-controlled feeder	139
IRAZOQUI, H., <i>see</i> RODRIGUEZ IGLESIAS, R. M.	
JAMES, R. W., <i>see</i> ASHER, G. W.	
JANS, F., <i>see</i> RONGE, H.	
JONES, G. P. and GARNSWORTHY, P. C. The effects of body condition at calving and dietary protein content on dry-matter intake and performance in lactating dairy cows given diets of low energy content	321
KAY, M., <i>see</i> HANKEY, CATHERINE, <i>also</i> REID, G. W.	
KEMPSTER, A. J., <i>see</i> EVANS, D. G.	

KING, J. W. B., <i>see</i> COSGROVE, J. R.	
KIRTON, A. H., <i>see</i> BENNETT, G. L.	
LAWRENCE, A. B., APPLEBY, M. C. and MACLEOD, H. A. Measuring hunger in the pig using operant conditioning: the effect of food restriction	131
LEAVER, J. D., <i>see</i> MANSON, F. J.	
LEIBHOLZ, JANE. Threonine supplementation of diets for pigs between 7 and 56 days of age	475
LEUENBERGER, H., <i>see</i> RONGE, H.	
LIGHT, D., <i>see</i> TAWONEZVI, H. P. R.	
LINCOLN, S. F., <i>see</i> FLEET, M. R.	
LOWE, R. S., <i>see</i> GILES, L. R.	
MCCUTCHEON, S. N., <i>see</i> MACKENZIE, D. D. S.	
MACKENZIE, D. D. S., WILSON, G. F., MCCUTCHEON, S. N. and PETERSON, S. W. Plasma metabolite and hormone concentrations as predictors of dairy merit in young Friesian bulls: effect of metabolic challenges and fasting	1
MACLEOD, H. A., <i>see</i> LAWRENCE, A. B.	
MCPHEE, C. P., RATHMELL, G. A., DANIELS, L. J. and CAMERON, N. C. Selection in pigs for increased lean growth rate on a time-based feeding scale	149
MACVINISH, LESLEY J. and GALBRAITH, H. The effect of implantation of trenbolone acetate and oestradiol-17 β in wether lambs at two initial live weights on concentration of steroidal residues and blood glucose, urea and thyroid hormones	75
MANSON, F. J. and LEAVER, J. D. The influence of concentrate amount on locomotion and clinical lameness in dairy cattle	185
MANSON, F. J. and LEAVER, J. D. The influence of dietary protein intake and of hoof trimming on lameness in dairy cattle	191
MAXWELL, T. J., <i>see</i> DONEY, J. M.	
MERKEL, R. A., <i>see</i> ANDERSON, P. T.	
MEYER, H. H., <i>see</i> BENNETT, G. L.	
MILNE, J. A., <i>see</i> DONEY, J. M.	
MOORE, CHARLOTTE A., <i>see</i> STEEN, R. W. J.	
MORRICE, L. A. F., <i>see</i> SHAND, W. J.	
MOUGHAN, P. J., SCHULTZE, W. H. and SMITH, W. C. Amino acid requirements of the growing meat rabbit. 1. The amino acid composition of rabbit whole-body tissue — a theoretical estimate of ideal amino acid balance	297
MOUGHAN, P. J., <i>see also</i> SCHULTZE, W. H.	
NAKASHIMA, Y., ØRSKOV, E. R., HOTTEN, P. M., AMBO, K. and TAKASE, Y. Rumen degradation of straw. 6. Effect of polysaccharidase enzymes on degradation characteristics on ensiled rice straw	421
OFFER, N. W., <i>see</i> SABRI, M. S.	
OJWANG, I., <i>see</i> ØRSKOV, E. R.	
ØRSKOV, E. R., OJWANG, I. and REID, G. W. A study on consistency of differences between cows in rumen outflow rate of fibrous particles and other substrates and consequences for digestibility and intake of roughages	45
ØRSKOV, E. R., <i>see also</i> BHARGAVA, P. K., <i>also</i> NAKASHIMA, Y., <i>also</i> REID, G. W., <i>also</i> SHAND, W. J.	
PAPAJCSIK, I. A. and BODERO, J. Modelling lactation curves of Friesian cows in a subtropical climate	201
PASSILLÉ, ANNE MARIE B. DE, RUSHEN, J. and PELLETIER, G. Sucking behaviour and serum immunoglobulin levels in neonatal piglets	447
PELLETIER, G., <i>see</i> PASSILLÉ, ANNE MARIE B. DE	
PERRY, DIANA, THOMPSON, J. M. and BUTTERFIELD, R. M. Food intake, growth and body composition in Australian Merino sheep selected for high and low weaning weight. 6. Muscle-weight distribution	275

PETERS, A. R., SOUTHGATE, J. R., AUGHEY, E. and DIXON, S. N. The effect of oestrogenic agents on live-weight gain, carcass composition, reproductive function and tissue residues in intensively reared beef bulls given cereal-based diets	215
PETERS, A. R., <i>see also</i> SOUTHGATE, J. R.	
PETERSON, S. W., <i>see</i> MACKENZIE, D. D. S.	
PHILLIPS, P., <i>see</i> WHITTEMORE, C. T.	
RAMÓN, J. P., <i>see</i> VALDERRÁBANO, J.	
RATHMELL, G. A., <i>see</i> MCPHEE, C. P.	
RATTRAY, P. V., <i>see</i> HOHENBOCKEN, W. D.	
REID, G. W., ØRSKOV, E. R. and KAY, M. A note on the effect of variety, type of straw and ammonia treatment on digestibility and on growth rate in steers	157
REID, G. W., <i>see</i> ØRSKOV, E. R.	
ROBERTS, D. J., <i>see</i> SABRI, M. S.	
RODRIGUEZ IGLESIAS, R. M., GIGLIOLI, C. and IRAZOQUI, H. A note on the breeding season of Lincoln ewes at Bahia Blanca, Argentina	161
RONGE, H., BLUM, J., CLEMENT, C., JANS, F., LEUENBERGER, H. and BINDER, H. Somatomedin C in dairy cows related to energy and protein supply and to milk production	165
RUSHEN, J., <i>see</i> PASSILLÉ, ANNE MARIE B. DE	
SABRI, M. S., OFFER, N. W. and ROBERTS, D. J. A note on the apparent digestibility of fodder beet roots in sheep	509
SABRI, M. S., OFFER, N. W. and ROBERTS, D. J. Effects of feeding fodder beet on ruminant metabolism	429
SCAIFE, J. R., <i>see</i> SINGH, S. B.	
SCHANBACHER, B. D., <i>see</i> GETTYS, T. W.	
SCHULTZE, W. H., SMITH, W. C. and MOUGHAN, P. J. Amino acid requirements of the growing meat rabbit. 2. Comparative growth performance on practical diets of equal lysine concentration but decreasing levels of other amino acids	303
SCHULTZE, W. H., <i>see also</i> MOUGHAN, P. J.	
SHAND, W. J., ØRSKOV, E. R. and MORRICE, L. A. F. Rumen degradation of straw. 5. Botanical fractions and degradability of different varieties of oat and wheat straws	387
SIBBALD, ANGELA M., <i>see</i> DONEY, J. M.	
SIBLY, R. M., <i>see</i> HUNTER, E. J.	
SINGH, S. B., SCAIFE, J. R. and GALBRAITH, H. Blood and tissue lipid composition and lipase activity in wether lambs treated with trenbolone acetate combined with oestradiol-17 β at two different live weights	87
SINNETT-SMITH, P. A. and WOOLLIAMS, J. A. Genetic variations in subcutaneous adipose tissue metabolism in sheep	263
SMITH, A. D. M., <i>see</i> DONEY, J. M.	
SMITH, J. F., <i>see</i> HOHENBOCKEN, W. D.	
SMITH, W. C., <i>see</i> MOUGHAN, P. J., <i>also</i> SCHULTZE, W. H., <i>also</i> WHITTEMORE, C. T.	
SOUTHGATE, J. R., PETERS, A. R. and DIXON, S. N. Effects of oestradiol-17 β or zeranol with or without trenbolone acetate on live-weight gain, carcass composition and zeranol residues in steers on an 18-month beef system	209
SOUTHGATE, J. R., <i>see also</i> PETERS, A. R.	
STEANE, D. E., <i>see</i> EVANS, D. G.	
STEEN, R. W. J. The effect of additive treatment of grass silage and the food additive avoparcin on the response of calves to supplementation of silage-based diets with fish meal	245
STEEN, R. W. J. The effect of implantation with hormonal growth promoters on the response in the performance of beef cattle to protein supplementation of a silage-based diet	21

STEEN, R. W. J. and MOORE, CHARLOTTE A. A comparison of silage-based and dried forage-based diets for finishing beef cattle	29
STICKLAND, N. C., <i>see</i> HANDEL, S. E.	
SULIEMAN, A. H., GALBRAITH, H. and TOPPS, J. H. Growth performance and body composition of wether lambs implanted at two different initial live weights with trenbolone acetate combined with oestradiol-17 β	65
SWAN, H., <i>see</i> BEEBY, J. M.	
TAKASE, Y., <i>see</i> NAKASHIMA, Y.	
TAWONEZVI, H. P. R., WARD, H. K., TRAIL, J. C. M. and LIGHT, D. Evaluation of beef breeds for rangeland weaner production in Zimbabwe. 1. Productivity of purebred cows	351
TAWONEZVI, H. P. R., WARD, H. K., TRAIL, J. C. M. and LIGHT, D. Evaluation of beef breeds for rangeland weaner production in Zimbabwe. 2. Productivity of crossbred cows and heterosis estimates	361
TAYER, S. R. and BRYANT, M. J. The response of store lambs to dietary supplements of fish meal. 3. Effects of the preceding pattern of growth	393
TEWOLDE, A., <i>see</i> DUARTE-ORTUÑO, A.	
THOMPSON, J. M., <i>see</i> PERRY, DIANA	
THOMSON, E. F. and BAHHADY, F. A. A note on the effect of live weight at mating on fertility of Awassi ewes in semi-arid north-west Syria	505
THORPE, W., <i>see</i> DUARTE-ORTUÑO, A.	
TOPPS, J. H., <i>see</i> SULIEMAN, A. H.	
TRAIL, J. C. M., <i>see</i> TAWONEZVI, H. P. R.	
TRIGG, T. E., <i>see</i> DUNSHEA, F. R.	
VALDERRÁBANO, J., RAMÓN, J. P. and BARBERÁN, M. Morphological alterations in the reproductive organs of ewe lambs reared on lucerne	271
VINCENT, ISOBEL C., HILL, R. and WILLIAMS, H. LL. Rapeseed meal in the diet of pubertal heifers during early pregnancy	39
VINCENT, ISOBEL C., WILLIAMS, H. LL. and HILL, R. Feeding British rapeseed meals to pregnant and lactating ewes	283
WADSWORTH, J. A note on the effect of dry season feeding treatment on the subsequent growth at pasture during the wet season of Brahman steers	501
WALLI, T. K., <i>see</i> BHARGAVA, P. K.	
WARD, H. K., <i>see</i> TAWONEZVI, H. P. R.	
WHEELER, M., <i>see</i> HOHENBOCKEN, W. D.	
WHITTEMORE, C. T., SMITH, W. C. and PHILLIPS, P. Fatness, live weight and performance responses of sows to food level in pregnancy	123
WHITTIER, J. C., CLANTON, D. C. and DEUTSCHER, G. H. Effect of post-partum levels of nutrition on productivity of 2-year-old heifers	59
WHITTIER, J. C., CLANTON, D. C. and DEUTSCHER, G. H. Effect of varying weight gain during the last trimester of gestation on productivity of beef heifers	53
WILKINSON, S. C. and CHESTNUTT, D. M. B. Effect of level of food intake in mid and late pregnancy on the performance of breeding ewes	411
WILLIAMS, H. LL., <i>see</i> VINCENT, ISOBEL C.	
WILSON, G. F., <i>see</i> MACKENZIE, D. D. S.	
WOOLLIAMS, J. A., <i>see</i> SINNETT-SMITH, P. A.	

GUIDELINES FOR THE USE OF ANIMALS IN RESEARCH (1987)

The British Society of Animal Production has produced a guide describing the legal framework for the use of animals in research in the UK. The guide explains what is involved in applying for a license, the responsibilities of research workers, the care of animals and the key issues involved in the design and conduct of animal experiments.

Copies of these guidelines are available, free of charge, from the BSAP Office, PO Box 3, Penicuik, Midlothian EH26 0RZ, UK, telephone 031-445 4508.

Symbols and abbreviations. Authors should consult the notes prepared for guidance. Levels of statistical significance must be clearly indicated.

Illustrations. The same material should not normally be presented in tables and figures.

Legends should be typed on a separate sheet.

(a) Diagrams should be drawn in Indian ink, about twice the size of the finished block, on Bristol board, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf. Marginal lettering should be inserted lightly in pencil on the original diagram or on a fly-leaf.

(b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the Editors.

(c) Colour plates are unlikely to be accepted unless authors bear the cost.

Tables should be as simple and as few as possible. Each table should be typed on a separate sheet.

Abstract. Every paper should have a short abstract (not more than **250** words for a paper and **120** words for a note) complete in itself and understandable without reference to the paper. *The abstract will be printed at the beginning of the paper.*

References. Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Production*; details are given in the notes for guidance.

Proofs are supplied once and must be returned corrected to the Editors *within 3 days*. Only essential corrections should be made.

Reprints. Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof-stage. Reprints are not supplied for notes.

Animal Production is published six times a year in two volumes. Annual subscription is £82.00 (or \$160.00 in the USA and Canada) and the price for a single part is £15.00 (or \$28.00) net.

Proceedings of the British Society of Animal Production (New Series) ceased publication in 1975 and the material is now published as a separate section in the June issue of *Animal Production*.

Correspondence regarding subscriptions and sales (current and back numbers of the Journal and the Proceedings), should be addressed to: Scottish Academic Press Ltd, 33 Montgomery Street, Edinburgh, Scotland EH7 5JX.

Other enquiries, including those concerning copyright, should be addressed to: Durrant Periodicals, Winton Lea, Pencaitland, East Lothian, Scotland EH34 5AY.

Senior Editor

T. L. J. Lawrence, University of Liverpool

Editors

R. C. Campling, Wye College, University of London

W. Haresign, University of Nottingham

C. L. Johnson, University of Leeds

A. J. Kempster, Meat and Livestock Commission

I. J. Lean, Wye College, University of London

A. G. Low, AFRC Institute for Grassland and Animal Production, Reading

J. C. McCarthy, University College Dublin

E. Owen, University of Reading

R. Thompson, AFRC Institute of Animal Physiology and Genetics Research, Edinburgh

A. J. F. Webster, University of Bristol

Technical Editors

Hilary Davies

Marie C. Pitkethly

JONES, G. P. and GARNSWORTHY, P. C. The effects of body condition at calving and dietary protein content on dry-matter intake and performance in lactating dairy cows given diets of low energy content	321
GETTYS, T. W., HENRICKS, D. M. and SCHANBACHER, B. D. An assessment of the relationship between tissue growth patterns and selected hormone profiles among sex phenotypes in cattle	335
CHESTNUTT, D. M. B. Effect of multiple suckling in early lactation on the performance of May-born calves	345
TAWONEZVI, H. P. R., WARD, H. K., TRAIL, J. C. M. and LIGHT, D. Evaluation of beef breeds for rangeland weaner production in Zimbabwe. 1. Productivity of purebred cows	351
TAWONEZVI, H. P. R., WARD, H. K., TRAIL, J. C. M. and LIGHT, D. Evaluation of beef breeds for rangeland weaner production in Zimbabwe. 2. Productivity of crossbred cows and heterosis estimates	361
BENNETT, G. L., MEYER, H. H. and KIRTON, A. H. Effect of average fat concentration on correlations among lamb carcass measurements	369
BENNETT, G. L., MEYER, H. H. and KIRTON, A. H. Effects of selection for divergent ultrasonic fat depth in rams on progeny fatness	379
SHAND, W. J., ØRSKOV, E. R. and MORRICE, L. A. F. Rumens degradation of straw. 5. Botanical fractions and degradability of different varieties of oat and wheat straws	387
TAYER, S. R. and BRYANT, M. J. The response of store lambs to dietary supplements of fish meal. 3. Effects of the preceding pattern of growth	393
DONEY, J. M., MILNE, J. A., MAXWELL, T. J., SIBBALD, ANGELA M. and SMITH, A. D. M. The effects of live weight at weaning on growth rate and carcass composition at different stages of maturity in Scottish Blackface lambs fed on two different diets	401
WILKINSON, S. C. and CHESTNUTT, D. M. B. Effect of level of food intake in mid and late pregnancy on the performance of breeding ewes	411
NAKASHIMA, Y., ØRSKOV, E. R., HOTTEN, P. M., AMBO, K. and TAKASE, Y. Rumens degradation of straw. 6. Effect of polysaccharidase enzymes on degradation characteristics on ensiled rice straw	421
SABRI, M. S., OFFER, N. W. and ROBERTS, D. J. Effects of feeding fodder beet on rumen metabolism	429
DUNSHEA, F. R., BELL, A. W., CHANDLER, K. D. and TRIGG, T. E. A two-pool model of tritiated water kinetics to predict body composition in unfasted lactating goats	435
PASSILLÉ, ANNE MARIE B. DE, RUSHEN, J. and PELLITIER, G. Sucking behaviour and serum immunoglobulin levels in neonatal piglets	447
EVANS, D. G., KEMPSTER, A. J. and STEANE, D. E. Differential rates of genetic change and genotype × environment interactions in six pig breeding company populations and a purebred Large White population	457
GILES, L. R., DETTMANN, E. BELINDA and LOWE, R. F. Influence of diurnally fluctuating high temperature on growth and energy retention of growing pigs	467
LEIBHOLZ, JANE. Threonine supplementation of diets for pigs between 7 and 56 days of age	475
BHATTACHARYA, A. N., AL-MUTAIRI, S., HASHIMI, A. and ECONOMIDES, S. Energy and protein utilization of lucerne hay and barley grain by yearling camel calves	481
ASHER, G. S., ADAM, J. L., JAMES, R. W. and BARNES, D. Artificial insemination of farmed fallow deer (<i>Dama dama</i>): fixed-time insemination at a synchronized oestrus	487
ANDERSON, P. T., HAWKINS, D. R., BERGEN, W. G. and MERKEL, R. A. A note on dry-matter intake and composition of gain of Simmental bulls and steers fed to the same weight or age	493
HANKEY, CATHERINE and KAY, M. A note on the food conversion and meat quality of crossbred Aberdeen Angus and Charolais heifers	497
WADSWORTH, J. A note on the effect of dry season feeding treatment on the subsequent growth at pasture during the wet season of Brahman steers	501
THOMSON, E. F. and BAHADY, F. A. A note on the effect of live weight at mating on fertility of Awassi ewes in semi-arid north-west Syria	505
SABRI, M. S., OFFER, N. W. and ROBERTS, D. J. A note on the apparent digestibility of fodder beet roots in sheep	509