

Taylor & Francis London

Washington, D.C

At the Cutting Edge of Research in Parasitology...

HOOKWORM DISEASE: CURRENT PARASITIC NEMATODES STATUS AND NEW DIRECTIONS

Edited by G. A. Schad and K. S. Warren

"This is a book which successfully brings together relevant and up-to-date information on many aspects of human ancylostomiasis. It is very readable and as well as being of particular relevance to specialists it will also be of interest to other parasitologists who are not working directly in this field of research." (Nematologica 1991)

"It is a very welcome stimulus for further research and action to better understand the parasite and to be more successful in its control." (Tropical and Geographical Medicine 1991)

*The importance of Kennedy's findings has already influenced the pursuit of diagnostic antigens for filariasis, where it is clear that no single recombinant antigen is able to detect serum antibody in all members of an infected population....this text brings us up-to-date in so many other important issues and in so readable a style that I would strongly recommend it to beginners and veterans alike. The book eloquently bespeaks the impressive contributions made by scientists in the UK to nematode parasitology..." (Parasitology Today 1992)

1991 ממ250

Edited by M. W. Kennedy

Cloth

0 85066 772 0

£39.00

1990

Cloth

0 85066 762 3

£60.00

450pp

Far more information or a free catalogue please contact: Amanda Vogel Taylor & Francis Ltd Rankine Road Basingstoke Hampshire RG24 OPR, UK Tel: (0256) 840366

BIOCHEMICAL PROTOZOOLOGY

Edited by Graham Coombs and Michael North

The last fifteen years have seen major advances in the understanding of the biochemistry of parasitic protozoa. However, until now there have been few attempts to cover this area comprehensively in a single volume. Biochemical Protozoology redresses this imbalance by offering a wide range of reviews complete with up-to-date information on the present status of research.

With 55 chapters written by experts in their respective subject areas, this book provides a valuable introductory source for biochemical protozoologists who wish to expand their knowledge and for scientists who wish to become familiar with the biochemistry of parasitic protozoa.

1991

Cloth

0.74840.000.1

£75.00

654pp

0 74840 001 X Paper

£29.95

Epidemiology and Infection

Aims and Scope

Epidemiology and Infection presents reports of research and original findings in all subjects related to infectious diseases. It gives particular emphasis to the epidemiology, prevention and control of such diseases, but the field covered is broad and includes microbiology, virology, immunology, sanitary bacteriology, food hygiene, statistics and the clinical, diagnostic and social aspects of infectious diseases. Papers cover both the medical and veterinary field and come from scientists worldwide.

Editorial Policy

Epidemiology and Infection started life as the 'Journal of Hygiene' and is now the longest established journal in the field of microbiology. When the journal started in 1901 a substantial part of medicine was involved with the control and cure of microbial diseases. Hygiene, or the science of health, was an appropriate term for a microbiology journal. Epidemiology and Infection has contained many important and seminal papers on such topics as scarlet fever, typhoid, pathogenic microbes in milk, bacteriological examination of water and the like.

It is still the home for important papers on these topics but also has become the key periodical in which to find the latest reports on recently discovered infections and new technology. In the new title, used since 1987, the word 'Infection' reflects the broadly based nature of the journal and 'Epidemiology' the particular slant of the journal since it was founded. The editors' overriding policy is to publish high quality articles in the shortest possible time (some articles are published in as little as 4 months). The success of this policy is shown by the very high submission rate from authors and the journal's high impact factor and long cited half life (SCI Journal Citation Report).

Subscription Information

Six issues a year in 2 volumes. Volumes 108 & 109 in 1992. £138; £70 for members of the Society for Infectious Discases and British Society for the Study of Infection. Airmail £29.50 per year extra. ISSN 0950-2688.

Why You Should Subscribe

- high—quality articles
- international coverage
- · rapid publication
- · regular review articles
- covers wide subject area
- · book reviews
- high quality & accurate production
- colour illustrations where this enhances understanding
- · no page charges and free offprints for authors
- wide audience

PAR 104/2

	vitation to
Subsc	ribe!
Please en	ter my subscription to
	ology and Infection Volumes 108 1992 @ £138 £70 for
members	
☐ Please	invoice me
☐ Plcase	find enclosed a cheque (made
payable t	o Cambridge University Press and
drawn ag	ainst a UK bank)
☐ Please	send by airmail @ £29.50 per
year extra	1
☐ I have	not yet decided please send me a
free samp	ole copy
Name	
Address_	
Send this co	oupon to: Journals Marketing
	t, Cambridge University Press,
	Γ*, The Edinburgh Building, Cambridge
	(No postage stamp neccessary if posted in
the UK)	
	ada & Mexico, write to Cambridge
	Press, 40 West 20TH Street, New York,
Omversity i	ras, 40 west 20111 stract, I ten Tork,

UNIVERSITY PRESS

Parasitology

EDITORS

F. E. G. COX and C. ARME

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (Chairman)

R. M. ANDERSON, F.R.S.
J. R. BAKER
D. C. BARKER
J. BARRETT
D. A. P. BUNDY
A. E. BUTTERWORTH
ELIZABETH U. CANNING
L. H. CHAPPELL*
D. W. T. CROMPTON

D. I. GIBSON
R. E. HOWELLS
C. R. KENNEDY
A. E. KEYMER
D. L. LEE
D. J. McLAREN
D. P. McMANUS
D. H. MOLYNEUX
BRIDGET M. OGILVIE

D. ROLLINSON
M. ELAINE ROSE
V. R. SOUTHGATE*
R. C. TINSLEY
K. VICKERMAN, F.R.S.
D. WAKELIN
P. J. WHITFIELD
H. H. WILLIAMS
R. A. WILSON



^{*} Representing the British Society for Parasitology.

Published by the Press Syndicate of the University of Cambridge The Pitt Building, Trumpington Street, Cambridge CB2 1RP 40 West 20th Street, New York, NY 10011-4211, USA 10 Stamford Road, Oakleigh, Victoria 3166, Australia

© Cambridge University Press, 1992

Printed in Great Britain by the University Press, Cambridge

CONTENTS

PART 1 FEBRUARY 1992	
KAWAZOE, U., TOMLEY, F. M. and FRAZIER, J. A. Fractionation and antigenic characterization	
of organelles of Eimeria tenella sporozoites	1
NAKAMURA, T., KONISHI, T., KAWAGUCHI, H. and IMOSE, J. Estimation of relative	
fecundity in Eimeria tenella strains by a mixed infection method	11
ROBERTS, C. W. and ALEXANDER, J. Studies on a murine model of congenital toxoplasmosis:	
vertical disease transmission only occurs in BALB/c mice infected for the first time during	
pregnancy	19
WEE, J. L. K., HO, L. C., YAP, E. H. and SINGH, M. A monoclonal-based IgM capture ELISA	
for detection of antibodies to 22 and 41 kDa membrane antigens of Toxoplasma gondii	25
AMEN, R. I., BAGGEN, J. M. C., BEZEMER, P. D. and DE JONG-BRINK, M. Modulation of the	
activity of the internal defence system of the pond snail Lymnaea stagnalis by the avian	
schistosome Trichobilharzia ocellata	33
DANIEL, B. E., PRESTON, T. M. and SOUTHGATE, V. R. The in vitro transformation of the	
miracidium to the mother sporocyst of Schistosoma margrebowiei: changes in the parasite	
surface and implications for interactions with snail plasma factors	41
IMBERT-ESTABLET, D. and COMBES, C. Relocation of Schistosoma mansoni in the lungs and	•••
resistance to reinfection in Rattus rattus	51
BLAIR, K. L., BENNETT, J. L. and PAX, R. A. Praziquantel: physiological evidence for its site(s)	31
of action in magnesium-paralysed Schistosoma mansoni	59
ARTAMA, W. T., AGEY, M. W. and DONELSON, J. E. DNA comparisons of <i>Trypanosoma evansi</i>	37
(Indonesia) and Trypanosoma brucei spp.	67
STEVENS, J. R. and GODFREY, D. G. Numerical taxonomy of <i>Trypanozoon</i> based on	07
polymorphisms in a reduced range of enzymes	. 75
PLUMAS-MARTY, B., VERWAERDE, C., LOYENS, M., VELGE, P., TAIBI, A., CESBRON, MF.,	7.5
CAPRON, A. and OUAISSI, M. A. Trypanosoma cruzi glutathione-binding proteins:	
immunogenicity during human and experimental Chagas' disease	87
CIBULSKIS, R. E. Genetic variation in Trypanosoma brucei and the epidemiology of sleeping	07
sickness in the Lambwe Valley, Kenya	99
MÜLLER, N., HEMPHILL, A., IMBODEN, M., DUVALLET, G. DWINGER, R. H. and SEEBECK,	77
T. Identification and characterization of two repetitive non-variable antigens from African	
trypanosomes which are recognized early during infection	111
KIRK, R. S. and LEWIS, J. W. The laboratory maintenance of Sanguinicola inermis Plehn, 1905	111
	121
(Digenea: Sanguinicolidae) LEDUCQ, R. and GABRION, C. Developmental changes of <i>Echinococcus multilocularis</i>	121
en e	129
metacestodes revealed by tegumental ultrastructure and lectin-binding sites	127
STOITSOVA, S. R., GORCHILOVA, L. N. and DANĚK, J. Effects of three anthelmintics on the tegument of <i>Hymenolepis fraterna</i> (Cestoda)	143
	173
HASWELL-ELKINS, M. R., LEONARD, H., KENNEDY, M. W., ELKINS, D. B. and MAIZELS,	
R. M. Immunoepidemiology of <i>Ascaris lumbricoides</i> : relationships between antibody	153
specificities, exposure and infection in a human community	153
ANDERSEN, K. I. and VALTONEN, E. T. Segregation and co-occurrence of larval cestodes in	161
freshwater fishes in the Bothnian Bay, Finland	161
SHARP, G. J. E., PIKE, A. W. and SECOMBES, C. J. Sequential development of the immune	
response in rainbow trout [Onchorhynchus mykiss (Walbaum, 1972)] to experimental	140
plerocercoid infections of Diphyllobothrium dendriticum (Nitzsch, 1824)	169
GOATER, C. P. Experimental population dynamics of <i>Rhabdias bufonis</i> (Nematoda) in toads	170
(Bufo bufo): density-dependence in the primary infection	179
KENNEDY, C. R. and BUSH, A. O. Species richness in helminth communities: the importance of multiple congeners	189
or maniple congeners	107

PART 2 APRIL 1992	
ADLER, F. R. and KRETZSCHMAR, M. Aggregation and stability in parasite-host models	199
SUGIMOTO, C., KAWAZU, S., SATO, M., KAMIO, T. and FUJISAKI, K. Preliminary biochemical	
characterization of 'veil' structure purified from Theileria sergenti-, T. buffeli- and	
T. orientalis-infected bovine erythrocytes	207
BISHOP, R., SOHANPAL, B., KARIUKI, D. P., YOUNG, A. S., NENE, V., BAYLIS, H., ALLSOPP,	
B. A., SPOONER, P. R., DOLAN, T. T. and MORZARIA, S. P. Detection of a carrier state in	
Theileria parva-infected cattle by the polymerase chain reaction	215
LYIMO, E. O. and KOELLA, J. C. Relationship between body size of adult Anopheles gambiae	
s.l. and infection with the malaria parasite Plasmodium falciparum	233
CRUZ-REYES, J. A., SPICE, W. M., REHMAN, T., GISBORNE, E. and ACKERS, J. P. Ribosomal	
DNA sequences in the differentiation of pathogenic and non-pathogenic isolates of	
Entamoeba histolytica	239
TREES, A. J., WAHL, G., KLÄGER, S. and RENZ, A. Age-related differences in parasitosis	
may indicate acquired immunity against microfilariae in cattle naturally infected with	
Onchocerca ochengi	247
WHITTINGTON, I. D. and KEARN, G. C. The eggs and oncomiracidia of Encotyllabe spp. and	
the relationship between encotyllabines and other capsalid monogeneans	253
KOSKIVAARA, M. and VALTONEN, E. T. Dactylogyrus (Monogenea) communities on the gills	
of roach in three lakes in Central Finland	263
KOSKIVAARA, M., VALTONEN, E. T. and VUORI, KM. Microhabitat distribution and	
coexistence of Dactylogyrus species (Monogenea) on the gills of roach	273
TOCQUE, K. and TINSLEY, R. C. Ingestion of host blood by the monogenean Pseudodiplorchis	
americanus: a quantitative analysis	283
THÉRON, A., POINTIER, J. P., MORAND, S., IMBERT-ESTABLET, D. and BOREL, G. Long-	
term dynamics of natural populations of Schistosoma mansoni among Rattus rattus in	
patchy environment	291
RATCLIFFE, E. C. and WILSON, R. A. The role of mononuclear-cell recruitment to the lungs	
in the development and expression of immunity to Schistosoma mansoni	299
SCHALLIG, H. D. F. H., SASSEN, M. J. M. and DE JONG-BRINK, M. In vitro release of the anti-	
gonadotrophic hormone, schistosomin, from the central nervous system of Lymnaea	
stagnalis is induced with a methanolic extract of cercariae of Trichobilharzia ocellata	309
HEALY, N., GREIG, S., ENAHORO, H., ROBERTS, H., DRAKE, L., SHAW, E. and ASHALL, F.	
Detection of peptidases of Trypanosoma cruzi epimastigotes using chromogenic and	
fluorogenic substrates	315
KORBSRISATE, S., MONGKOLSUK, S., HAYNES, J. R., WONG, Q. and SIRISINHA, S. Cloning	
and characterization of ribosomal RNA genes from Opisthorchis viverrini	323
SUKHDEO, M. V. K. and KERR, M. S. Behavioural adaptation of the tapeworm Hymenolepis	
diminuta to its environment	331
WARD, S. M., ALLEN, J. M. and MCKERR, G. Physiology of obliquely striated muscle fibres	
within Grillotia erinaceus metacestodes (Cestoda: Trypanorhyncha)	337
ALLAN, J. C., CRAIG, P. S., GARCIA NOVAL, J., MENCOS, F., LIU, D., WANG, Y., WEN, H.,	
ZHOU, P., STRINGER, R., ROGAN, M. and ZEYHLE, E. Coproantigen detection for	
immunodiagnosis of echinococcosis and taeniasis in dogs and humans	347
LIU, D., LIGHTOWLERS, M. W. and RICKARD, M. D. Evaluation of a monoclonal antibody-	
based competition ELISA for the diagnosis of human hydatidosis	357
ISHIWATA, K., OKU, Y., ITO, M. and KAMIYA, M. Responses to larval Taenia taeniaeformis in	
mice with severe combined immunodeficiency (scid)	363
CHAN, L., KAN, S. P. and BUNDY, D. A. P. The effect of repeated chemotherapy on age-related	

371

predisposition to Ascaris lumbricoides and Trichuris trichiura

PART 3 JUNE 1992	
HOPPE, H. C., COETZEE, J. and LOUW, A. I. <i>Plasmodium falciparum</i> : isolation of intact and erythrocyte-free trophozoites from sorbitol lysates	379
READ, A. F., NARARA, A., NEE, S., KEYMER, A. E. and DAY, K. Gametocyte sex ratios as indirect measures of outcrossing rates in malaria	387
UPCROFT, J. A., HEALEY, A., MURRAY, D. G., BOREHAM, P. F. L. and UPCROFT, P. A gene associated with cell division and drug resistance in <i>Giardia duodenalis</i>	397
BUMSTEAD, N. and MILLARD, B. J. Variation in susceptibility of inbred lines of chickens to seven species of <i>Eimeria</i>	407
DENHAM, D. A., MEDEIROS, F., BALDWIN, C., KUMAR, H., MIDWINTER, I. C. T., BIRCH, D. W. and SMAIL, A. Repeated infection of cats with <i>Brugia pahangi</i> : parasitological observations	415
WILSON, S. M., MCNERNEY, R., MORENO, M. B., FRAME, I. and MILES, M. A. Adaptation of a radioactive <i>L. donovani</i> complex DNA probe to a chemiluminescent detection system	421
gives enhanced sensitivity for diagnostic and epidemiological applications KONISHI, E. and NAKAO, M. Naturally occurring immunoglobulin M antibodies: enhancement of phagocytic and microbicidal activities of human neutrophils against	421
Toxoplasma gondii	427
NJAGI, E. N. M., BENDER, D. A. and OKELO, G. B. A. Tryptophan metabolism and vitamin B_6 , nutritional status in patients with schistosomiasis mansoni and in infected mice	433
WOOLHOUSE, M. E. J. and CHANDIWANA, S. K. A further model for temporal patterns in the epidemiology of schistosome infections of snails	443
DE VLAS, S. J., GRYSEELS, B., VAN OORTMARSSEN, G. J., POLDERMAN, A. M. and HABBEMA, J. D. F. A model for variations in single and repeated egg counts in <i>Schistosoma mansoni</i> infections	451
SUTHERLAND, I. A., MOUNSEY, A. and HOLMES, P. H. Transport of isometamidium (Samorin) by drug-resistant and drug-sensitive <i>Trypanosoma congolense</i>	461
JONES, D. A. C., HENDERSON, R. J. and RILEY, J. Preliminary characterization of the lipid and protein components of the protective surface membranes of a pentastomid <i>Porocephalus crotali</i>	469
LEHMANN, T. Ectoparasite impacts on Gerbillus andersoni allenbyi under natural conditions	479
KEARN, G. C. and WHITTINGTON, I. D. Diversity of reproductive behaviour in platyhelminth parasites: insemination in some benedeniine (capsalid) monogeneans	489
ADAMSON, M. L. and NOBLE, S. Structure of the pinworm (Oxyurida: Nematoda) guild in the hindgut of the American cockroach, <i>Periplaneta americana</i>	497
DIX, I., BURNELL, A. M., GRIFFIN, C. T., JOYCE, S. A., NUGENT, M. J. and DOWNES, M. J. The	777
identification of biological species in the genus <i>Heterorhabditis</i> (Nematoda: Heterorhabditidae) by cross-breeding second-generation amphimictic adults	509
TANGUAY, G. v. and SCOTT, M. E. Factors generating aggregation of <i>Heligmosomoides</i> polygyrus (Nematoda) in laboratory mice	519
WASTLING, J. M., MACKENZIE, K. and CHAPPELL, L. H. Effects of cyclosporin A on the	
morphology and tegumentary ultrastructure of <i>Hymenolepis microstoma in vivo</i> NOKES, C., GRANTHAM-MCGREGOR, S. M., SAWYER, A. W., COOPER, E. S., ROBINSON, B. A.	531
and BUNDY, D. A. P. Moderate to heavy infections of <i>Trichuris trichiura</i> affect cognitive	

MARTIN, R. J. and KUSEL, J. R. On the distribution of a fluorescent ivermectin probe (4"5,7

dimethyl-bodipy proprionylivermectin) in Ascaris membranes

539

549

function in Jamaican school children

Continued from back cover	
Lehmann, T. Ectoparasite impacts on <i>Gerbillus andersoni allenbyi</i> under natural conditions	479
Kearn, G. C. and Whittington, I. D. Diversity of reproductive behaviour in platyhelminth parasites: insemination in some benedeniine	
(capsalid) monogeneans	489
Adamson, M. L. and Noble, S. Structure of the pinworm (Oxyurida: Nematoda) guild in the hindgut of the American cockroach.	
Periplaneta americana	497
Dix, I., Burnell, A. M., Griffin, C. T., Joyce, S. A., Nugent, M. J. and Downes, M. J. The identification of biological species in the genus <i>Heterorhabditis</i> (Nematoda: Heterorhabditidae) by cross-	
breeding second-generation amphimictic adults	509
Tanguay, G. V. and Scott, M. E. Factors generating aggregation of	
Heligmosomoides polygyrus (Nematoda) in laboratory mice	519
Wastling, J. M., MacKenzie, K. and Chappell, L. H. Effects of	
cyclosporin A on the morphology and tegumentary ultrastructure	
of Hymenolepis microstoma in vivo	531
Nokes, C., Grantham-McGregor, S. M., Sawyer, A. W., Cooper, E. S., Robinson, B. A. and Bundy, D. A. P. Moderate to heavy infections of <i>Trichuris trichiura</i> affect cognitive function in Jamaican school	
children	539
Martin, R. J. and Kusel, J. R. On the distribution of a fluorescent	000
ivermectin probe (4"5,7 dimethyl-bodipy proprionylivermectin) in	
Ascaris membranes	549

Parasitology

Back volumes. Vols. 1-71: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards: quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

Copying. This journal is registered with the Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$5.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031-1820/92 \$5.00+.00.

ISI Tear Sheet Service. 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

Claims for missing issues can only be considered if made immediately after receipt of the subsequent issue.

Advertising. Details of advertising in *Parasitology* may be obtained from the publisher.

Parasitology

C	\sim		-			_	_
100	<i>-</i> 1	N	_	- 1	N	-	•

CONTENTS	
	PAGE
Hoppe, H. C., Coetzee, J. and Louw, A. I. Plasmodium falciparum:	
isolation of intact and erythrocyte-free trophozoites from sorbitol	
lysates	379
Read, A. F., Narara, A., Nee, S., Keymer, A. E. and Day, K. P.	
Gametocyte sex ratios as indirect measures of outcrossing rates in	
malaria	387
Upcroft, J. A., Healey, A., Murray, D. G., Boreham, P. F. L. and Upcroft,	
P. A gene associated with cell division and drug resistance in	
Giardia duodenalis	397
Bumstead, N. and Millard, B. J. Variation in susceptibility of inbred	
lines of chickens to seven species of Eimeria	407
Denham, D. A., Medeiros, F., Baldwin, C., Kumar, H., Midwinter,	
I. C. T., Birch, D. W. and Smail, A. Repeated infection of cats with	
Brugia pahangi: parasitological observations	415
Wilson, S. M., McNerney, R., Moreno, M. B., Frame, I. and Miles, M. A.	
Adaptation of a radioactive L. donovani complex DNA probe to	
a chemiluminescent detection system gives enhanced sensitivity	
for diagnostic and epidemiological applications	421
Konishi, E. and Nakao, M. Naturally occurring immunoglobulin M	
antibodies: enhancement of phagocytic and microbicidal activities	
of human neutrophils against Toxoplasma gondii	427
Njagi, E. N. M., Bender, D. A. and Okelo, G. B. A. Tryptophan	
metabolism and vitamin B ₆ nutritional status in patients with	
schistosomiasis mansoni and in infected mice	433
Woolhouse, M. E. J. and Chandiwana, S. K. A further model for	
temporal patterns in the epidemiology of schistosome infections	
of snails	443
De Vlas, S. J., Gryseels, B., Van Oortmarssen, G. J., Polderman, A. M.	
and Habbema, J. D. F. A model for variations in single and	
repeated egg counts in Schistosoma mansoni infections	451
Sutherland, I. A., Mounsey, A. and Holmes, P. H. Transport of	
isometamidium (Samorin) by drug-resistant and drug-sensitive	
Trypanosoma congolense	461
Jones, D. A. C., Henderson, R. J. and Riley, J. Preliminary cha-	
racterization of the lipid and protein components of the protective	
surface membranes of a pentastomid Porocephalus crotali	469
Continued inside back	cover
© Cambridge University Press 1992	

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 40 West 20th Street, New York, NY 10011–4211, USA 10 Stamford Road, Oakleigh, Victoria 3166, Australia

Printed in Great Britain by the University Press, Cambridge