in psychotherapy of the analytically orientated type. They are encouraged to conceptualize and formulate their patients' problems in the broadest sense; treating them as members of a family group and considering relevant cultural factors. Although by no means abandoning the medical model, this is set in the much broader context of the whole person and his interaction with his fellow men.

As a medical student I found myself increasingly disenchanted with the dry narrow 'scientific' view of man. I was forced to the inescapable conclusion that human suffering cannot be reduced to a series of biochemical formulae, and unlike many I failed to find patients who derived much benefit from medication, but found many whose suffering was in fact worsened by misguided therapeutic zeal. It was for this reason that I chose psychiatry in the hope that here, at least, I could improve the quality of people's lives. It is therefore with growing disillusionment that I watch British psychiatry's love affair with medicine. If only the mountain had moved to Mohammed things might have been so different.

Looking at Britain from a distance one is immediately struck by the quality of British contributors to the field of human understanding, who have made so little impact on British psychiatry, while transforming attitudes across the Atlantic. Melanie Klein, Anna Freud, John Bowlby, Michael Balint, Donald Winnicott, Harry Guntripp, Ronald Fairbairn, Wilfred Bion, Henry Ezriel . . . the list is endless. Surely we should take pride in this psychological heritage and attempt to build on it.

I, for one, willingly respond to Professor Jones' challenge. But will I be given the opportunity; or forced to look elsewhere, where pastures are greener and more receptive? Who will be the loser?

I. F. MACILWAIN

Department of Psychiatry, University of Toronto, St Michael's Hospital, 33 Bond Street, Toronto, Ontario M5B 1W8

MEASUREMENT IN PSYCHOTHERAPY

DEAR SIR,

Any constructive comment on the vexed question of how to measure outcome in psychotherapy is welcome. The suggestion by Adams (Journal, June 1978, 132, 595–97) that Post-Test Only Control Group Design is adequate to identify statistically significant differences in morbidity between groups exposed to different treatment schedules is statistically attractive, but it surely allows room for dangerous misinterpretation. For any significant difference in severity between groups at least two rather different

explanations must be considered. One is that treatment has helped each group to different extents, the other is that treatment has harmed each group to different extents. Clearly several possible permutations exist.

The author considers that a pre-treatment measure is of secondary importance in answering the outcome question. I suggest that unless such a measure is included we cannot decide whether a treatment has been 'more therapeutic' than another or merely 'less damaging'.

A. V. P. MACKAY

MRC Neurochemical Pharmacology Unit, Department of Pharmacology, Medical School, Hills Road, Cambridge CB2 2QD

IS PARENTHOOD TEACHABLE?

DEAR SIR,

The recent Government paper 'Violence to Children' (1), presented to Parliament in March 1978, raises some controversial issues. I would like to comment on one of them concerning 'Education for Parenthood' (Para 11-18).

The report encourages the spending of more money on 'education for parenthood', since the Health Education Council has had its resources recently increased by £1 million. The report recommends that 'the Government should ensure that education for parenthood is available for boys and girls of all levels of intellectual ability'. This raises the important issue of whether parenthood is teachable. Can we in fact educate severely disturbed and violent people so that they become good parents? I do not think that we can.

Paulson and Blake (2) have cautioned against viewing battering parents as a function of educational disadvantage, and Steele and Pollock (3) regard educational factors as irrelevant and place more emphasis on the maladjustment resulting from violent childhood experiences. Kempe (4) found that all social classes were represented in his sample of battering parents, and it is the experience of many clinicians that highly qualified and well-educated people are not immune to violence; they may have all the knowledge of child care but they may be unable to apply what they know in real life.

There is no convincing study to show that violent parents lack the knowledge of proper parenthood, but most of the studies do show that they lack the ability to practise it.

People learn to be good parents by following the example of their own parents, and not by reading