

INFECTION CONTROL & HOSPITAL EPIDEMIOLOGY

VOLUME 30, NUMBER 4

APRIL 2009

ORIGINAL ARTICLES

- 313 Colonization Sites of USA300 Methicillin-Resistant *Staphylococcus aureus* in Residents of Extended Care Facilities** • Simone M. Shurland, PhD; O. Colin Stine, PhD; Richard A. Venezia, PhD; Jennifer K. Johnson, PhD; Min Zhan, PhD; Jon P. Furuno, PhD; Ram R. Miller, MD, MSc; Tamara Johnson, MD, MS; Mary-Claire Roghmann, MD, MS
- 319 Epidemiology of Ventilator-Associated Pneumonia in a Long-Term Acute Care Hospital** • Allan J. Walkey, MD; Christine Campbell Reardon, MD; Carol A. Sulis, MD; R. Nicholas Nace, MD; Martin Joyce-Brady, MD
- 325 Influx of Multidrug-Resistant, Gram-Negative Bacteria in the Hospital Setting and the Role of Elderly Patients With Bacterial Bloodstream Infection** • Aurora Pop-Vicas, MD, MPH; E. Tacconelli; Stefan Gravenstein, MD, MPH; Bing Lu, PhD; Erika M. C. D'Agata, MD, MPH
- 332 Hospital-Associated *Clostridium difficile* Infection: Is It Necessary to Track Community-Onset Disease?** • Erik R. Dubberke, MD; Kathleen M. McMullen, MPH; Jennie L. Mayfield, RN, MPH, CIC; Kimberly A. Reske, MPH; Peter Georgantopoulos, MPH; David K. Warren, MD, MPH; Victoria J. Fraser, MD
- 338 Outbreak of Vancomycin-Resistant *Enterococcus* Colonization Among Pediatric Oncology Patients** • Sheila M. Nolan, MD; Jeffrey S. Gerber, MD, PhD; Theoklis Zaoutis, MD, MSCE; Priya Prasad, MPH; Susan Rettig, BA; Kimberly Gross, BA; Karin L. McGowan, PhD; Anne F. Reilly, MD; Susan E. Coffin, MD, MPH
- 346 Two Time-Series Analyses of the Impact of Antibiotic Consumption and Alcohol-Based Hand Disinfection on the Incidences of Nosocomial Methicillin-Resistant *Staphylococcus aureus* Infection and *Clostridium difficile* Infection** • Klaus Kaier, Dipl-Vw; Christian Hagist, PhD; Uwe Frank, MD; Andreas Conrad, MD; Elisabeth Meyer, MD
- 354 Scabies Outbreak in an Intensive Care Unit with 1,659 Exposed Individuals—Key Factors for Controlling the Outbreak** • Manuela Buehlmann, MD; Helmut Beltraminelli, MD; Christoph Strub, MD; Andreas Bircher, MD; Xavier Jordan, MD; Manuel Battegay, MD; Peter Itin, MD; Andreas F. Widmer, MD, MS
- 361 Development of a Flexible, Computerized Database to Prioritize, Record, and Report Influenza Vaccination Rates for Healthcare Personnel** • Michael Melia, MD; Sarah O'Neill, MBA; Sherry Calderon, BA; Sandra Hewitt, MHA, PT; Kelly Orlando, MBA; Karen Bithell-Taylor, RN; Dieter Affeln, MD; Carolyn Conti, BS; Sharon B. Wright, MD, MPH
- 370 Stockpiling Drugs for an Avian Influenza Outbreak: Examining the Surge in Oseltamivir Prescriptions During Heightened Media Coverage of the Potential for a Worldwide Pandemic** • Leanne B. Gasink, MD, MSCE; Darren R. Linkin, MD, MSCE; Neil O. Fishman, MD; Warren B. Bilker, PhD; Mark G. Weiner, MD; Ebbing Lautenbach, MD, MPH, MSCE

CONCISE COMMUNICATIONS

- 377 Necessary but Not Sufficient: A Comparison of Surveillance Definitions of *Clostridium difficile*-Associated Diarrhea** • Thomas G. Fraser, MD; Cynthia Fatica, RN, BSN, CIC; Steven M. Gordon, MD

CONTENTS CONTINUED INSIDE



THE OFFICIAL JOURNAL OF THE SOCIETY FOR HEALTHCARE EPIDEMIOLOGY OF AMERICA

THE UNIVERSITY OF CHICAGO PRESS



Call 1-800-323-2220
for a free sample.

OUR

CHG formula doesn't go down the drain.

Chlorhexidine Gluconate (CHG) No-Rinse Cloths: STAYS ON YOUR PATIENTS' SKIN TO FIGHT MDROs

They achieve compliance to your SSI prevention protocol
and mirror current clinical guidelines:

**"To gain the maximum antiseptic effect of chlorhexidine, it
must be allowed to dry completely and not be washed off."¹**

—*SHEA Compendium of Strategies To Prevent Healthcare-Associated
Infection in Acute Care Hospitals*

**"Patients undergoing open class I surgical
procedures below the chin should have two (2)
preoperative showers with chlorhexidine gluconate
(CHG) before surgery, when appropriate."²**

—*AORN Guidelines for Preoperative Skin Antisepsis*

📞 Call 1-800-323-2220 for a free sample.



Proven results

One facility saw a 66% reduction in SSIs and a
cost avoidance of \$349,000 over a 10-month
period when using Sage 2% CHG Cloths.³



www.sageproducts.com/CHG

INFECTION CONTROL & HOSPITAL EPIDEMIOLOGY

VOLUME 30, NUMBER 4

APRIL 2009

CONTENTS CONTINUED FROM COVER

- 380 **Surveillance Cultures for Detection of Methicillin-Resistant *Staphylococcus aureus*: Diagnostic Yield of Anatomic Sites and Comparison of Provider- and Patient-Collected Samples** • Ebbing Lautenbach, MD, MPH, MSCE; Irving Nachamkin, DrPH, MPH; Baofeng Hu, MD; Neil O. Fishman, MD; Pam Tolomeo, MPH; Priya Prasad, MPH; Warren B. Bilker, PhD; Theoklis E. Zaoutis, MD, MSCE
- 383 **Effect of Methicillin-Resistant *Staphylococcus aureus* Colonization in the Neonatal Intensive Care Unit on Total Hospital Cost** • Eric D. Schultz, DO, MPH; David T. Tanaka, MD; Ronald N. Goldberg, MD; Daniel K. Benjamin, Jr., MD, MPH, PhD; P. Brian Smith, MD, MHS
- 386 **A Cluster of Community-Acquired Methicillin-Resistant *Staphylococcus aureus* Infections in Hospital Security Guards** • Eleni Patrozou, MD; Kim Reid, RN, MPH; Julie Jefferson, RN, MPH; Leonard A. Mermel, DO, ScM
- 389 **Adverse Events After Administration of Tetanus-Diphtheria-Acellular Pertussis Vaccine to Healthcare Workers** • Thomas J. Sandora, MD, MPH; Elizabeth Pfoh, BA; Grace M. Lee, MD, MPH
- 392 **Evaluation of the Effect of Treatment of Latent Tuberculosis Infection on QuantiFERON-TB Gold Assay Results** • Nira R. Pollock, MD, PhD; Suely S. Kashino, PhD; Danielle R. Napolitano, PhD; Alex Sloutsky, PhD; Swati Joshi, PhD; Jasmine Guillet, MPH; Michael Wong, MD; Edward Nardell, MD; Antonio Campos-Neto, MD, PhD

RESEARCH BRIEFS

- 396 **Assessment of the Use of Urine Samples to Detect Colonization With Fluoroquinolone-Susceptible and Fluoroquinolone-Resistant *Escherichia coli*** • Ebbing Lautenbach, MD, MPH, MSCE; Andrew Babson, BS; Evelyn Santana, BS; Pam Tolomeo, MPH, CCRP; Nicole Black, CCRP; Catherine A. Smith, BS; Joel Maslow, MD, PhD
- 397 **Management of *Clostridium difficile* Infection: Survey of Practices and Compliance with National Guidelines Among Primary Care Physicians** • Gayle L. Byker, MD; Marie T. Dinh, MD; Naresh T. Gunaratnam, MD; Eileen A. Robinson, MPH; Thomas M. Shehab, MD; Anurag N. Malani, MD
- 399 **Postdischarge Surveillance System for Nontuberculous Mycobacterial Infection at a Brazilian Regional Referral Hospital After an Outbreak** • Camila A. B. L. Chiquin; Jane H. F. Silva; Melody J. R. Ciruelos; Milena C. Lemes; Sergio R. Pentead-Filho, MD; Felipe F. Tuon, MD, PhD

LETTERS TO THE EDITOR

- 402 **Does the Evidence Support the SHEA-IDS Recommendation on the Use of Positive-Pressure Mechanical Valves?** • Kerry J. Edgar, BS
- 403 **Reply to Edgar** • Leonard A. Mermel, DO, ScM; Jonas Marschall, MD
- 404 **Strategies to Prevent Catheter-Associated Urinary Tract Infection** • David J. Ciavarella, MD; Jaime Ritter, MPH
- 405 **Reply to Ciavarella and Ritter** • Evelyn Lo, MD; Lindsay E. Nicolle, MD
- 406 **Importance of Postoperative Factors in the Study of the Epidemiology of Surgical Site Infection Due to Methicillin-Resistant *Staphylococcus aureus*** • Farrin A. Manian, MD, MPH; Jad A. Khoury, MD
- 408 **Pseudoinfection Due to Mislabeling** • Roland Schulze-Röbbecke, PD, MD; Claudia Schmitz

An Official Publication of the Society for Healthcare Epidemiology of America

EDITOR

Suzanne F. Bradley, MD • Ann Arbor, MI

DEPUTY EDITOR

Carol A. Kauffman, MD • Ann Arbor, MI

SENIOR ASSOCIATE EDITORS

C. Glen Mayhall, MD • Galveston, TX
Gina Pugliese, RN, MS • Chicago, IL
William Schaffner, MD • Nashville, TN

ASSOCIATE EDITORS

Ebbing Lautenbach, MD, MPH • Philadelphia, PA
Preeti N. Malani, MD, MSJ • Ann Arbor, MI
David Weber, MD, MPH • Chapel Hill, NC

STATISTICS CONSULTANT

Rodney L. Dunn, MS • Ann Arbor, MI

SECTION EDITOR FOR GUIDELINES, POSITION PAPERS, AND INVITED REVIEWS

Carol Chenoweth, MD • Ann Arbor, MI

MANAGING EDITOR

Anne Marie McCormack • Chicago, IL

PAST EDITORS

Infection Control

Richard P. Wenzel, MD, 1980–1990 (vols. 1–11)

Infection Control and Hospital Epidemiology

Richard P. Wenzel, MD, 1991–1992 (vols. 12 and 13)

Michael D. Decker, MD, 1993–2001 (vols. 14–22)

Barry M. Farr, MD, 2002–2004 (vols. 23–25)

William R. Jarvis, MD, 2005–2006 (vols. 26 and 27)

EDITORIAL ADVISORY BOARD

Miriam Alter, PhD, MD • Atlanta, GA
Anucha Apisarnthanarak, MD • Pratumthani, Thailand
Lennox Archibald, MD, FRCP • Alachua, FL
Hilary Babcock, MD • St. Louis, MO
Elise M. Beltrami, MD, MPH • Decatur, GA
David Birnbaum, PhD, MPH • Sidney, BC
Christian Brun-Buisson, MD • Creteil, France
John P. Burke, MD • Salt Lake City, UT
David P. Calfee, MD, MS • New York, NY
Yehuda Carmeli, MD, MPH • Tel Aviv, Israel
Sara E. Cosgrove, MD, MS • Baltimore, MD
Donald E. Craven, MD • Burlington, MA
Burke A. Cunha, MD • Mineola, NY
Erika D'Agata, MD, MPH • Boston, MA
Patch Dellinger, MD • Seattle, WA
Daniel Diekema, MD • Iowa City, IA
Charles E. Edmiston, Jr., PhD • Milwaukee, WI
Theodore C. Eickhoff, MD • Denver, CO
Martin S. Favero, PhD • Irvine, CA
Jon P. Furuno, PhD • Baltimore, MD
Richard A. Garibaldi, MD • Farmington, CT
Petra Gastmeier, MD • Hanover, Germany
Dale N. Gerding, MD • Hines, IL
Donald A. Goldmann, MD • Boston, MA
Donna Haiduvan, RN, PhD, CIC • Tampa, FL
Anthony D. Harris, MD, MPH • Baltimore, MD
David K. Henderson, MD • Bethesda, MD
Loreen A. Herwaldt, MD • Iowa City, IA
Peter N. R. Heseltine, MD • San Juan, CA
Karen Hoffmann, RN, CIC, MS • Chapel Hill, NC
Janine Jagger, MPH, PhD • Charlottesville, VA
John A. Jernigan, MD, MS • Atlanta, GA
James T. Lee, MD, PhD • St. Paul, MN
L. Clifford McDonald, MD • Atlanta, GA

Allison McGeer, MD • Toronto, ON
Leonard A. Mermel, DO, ScM • Providence, RI
Robert R. Muder, MD • Pittsburgh, PA
Carlene A. Muto, MD, MS • Pittsburgh, PA
Joseph M. Mylotte, MD, CIC • Buffalo, NY
David L. Paterson, MBBS, FRACP • Pittsburgh, PA
Jan Evans Patterson, MD • San Antonio, TX
Sindy M. Paul, MD • Yardley, PA
David A. Pegues, MD • Los Angeles, CA
Eli Perencevich, MD, MS • Baltimore, MD
Michael A. Pfaller, MD • Iowa City, IA
Didier Pittet, MD, MS • Geneva, Switzerland
Gina Pugliese, RN, MS • Chicago, IL
Isaam Raad, MD • Houston, TX
Jordi Rello, MD, PhD • Tarragona, Spain
Manfred L. Rotter, MD, DipBact • Vienna, Austria
Henning Rüden, MD • Berlin, Germany
William A. Rutala, PhD, MPH • Chapel Hill, NC
Lisa Saiman, MD, MPH • New York, NY
Sanjay Saint, MD, MPH • Ann Arbor, MI
William E. Scheckler, MD • Madison, WI
Lynne M. Schuster, PhD • Atlanta, GA
John A. Sellick, DO • Amherst, NY
Kent Sepkowitz, MD • New York, NY
Samir Shah, MD, MSCE • Philadelphia, PA
Andrew E. Simor, MD • Toronto, ON
Philip W. Smith, MD • Omaha, NE
Denis W. Spelman, MD • Prahan, Victoria, Australia
Jeffrey R. Starke, MD • Houston, TX
Janet E. Stout, PhD • Pittsburgh, PA
Clyde Thornsberrry, PhD • Franklin, TN
William Trick, MD • Chicago, IL
Antoni Trilla, MD, PhD • Barcelona, Spain
Robert A. Weinstein, MD • Chicago, IL
Andreas Widmer, MD, MS • Basel, Switzerland
Marcus Zervos, MD • Royal Oak, MI

Infection Control and Hospital Epidemiology (ISSN 0899-823X) is published monthly by the University of Chicago Press, 1427 E. 60th St., Chicago, IL 60637-2954 (<http://www.journals.uchicago.edu/ICHE/>). The editorial office is in Chicago, Illinois.

Editorial Office

Communications should be addressed to the Editor, *Infection Control and Hospital Epidemiology*, 1427 E. 60th St., Chicago, IL 60637-2954; (e-mail: iche@press.uchicago.edu); telephone: 773-773-2298, fax: 773-753-4247). Contributors should consult the Information for Authors, which is available at the journal's Web site.

Advertising

Please direct advertising inquiries to Journals Advertising, University of Chicago Press, 1427 E. 60th St., Chicago, IL 60637 (e-mail: cbarhany@press.uchicago.edu); telephone: 773-702-8187; fax: 773-702-0172). Publication of an advertisement in *Infection Control and Hospital Epidemiology* does not imply endorsement of its claims by the Society for Healthcare Epidemiology of America, by the Editor, or by the University of Chicago. Correspondence regarding advertising should be addressed to the advertising office in Chicago.

Permissions

Articles may be copied or otherwise reused without permission only to the extent permitted by Sections 107 and 108 of the US Copyright Law. Permission to copy articles for personal, internal, classroom, or library use may be obtained from the Copyright Clearance Center (<http://www.copyright.com>). For all other uses, such as copying for general distribution,

for advertising or promotional purposes, for creating new collective works, or for resale, please contact the Permissions Coordinator, Journals Division, University of Chicago Press, 1427 E. 60th St., Chicago, IL 60637 (e-mail: journalpermissions@press.uchicago.edu); fax: 773-834-3489). Articles in the public domain may be used without permission, but it is customary to contact the author.

Subscriptions

Subscription rates for 2009 are \$171 for individuals and \$401 for institutions. Additional rates for non-US subscribers and reduced rates for fellows, residents, and students are available at <http://www.journals.uchicago.edu/ICHE>. Subscription agent for Japan: Kinokuniya Company, Ltd. Individuals have the option to order directly from the University of Chicago Press. Single copy rates: individuals \$18; institutions \$40.

Please direct subscription inquiries, requests for back issues, and address changes to Journals Division, University of Chicago Press, P.O. Box 37005, Chicago, IL 60637 (e-mail: subscriptions@press.uchicago.edu); telephone: 773-753-3347 or toll-free in the United States and Canada 877-705-1878; fax: 773-753-0811 or toll-free 877-705-1879).

Postmaster: Send address changes to *Infection Control and Hospital Epidemiology*, University of Chicago Press, P.O. Box 37005, Chicago, IL 60637-2954.

Periodicals postage paid at Chicago, Illinois, and at an additional mailing office.


Published by the University of Chicago Press, Chicago, Illinois. © 2008 by the Society for Healthcare Epidemiology of America. All rights reserved. This publication is printed on acid-free paper.

FIND THE MICROBE THAT COULD COST THIS PATIENT HER LIFE.

80% of the bacteria that cause infections reside in the first five layers of the patient's own skin.¹ That's why there's ChloraPrep®. ChloraPrep combines the CDC-recommended formulation of 2% CHG with innovative, "hands-off" applicators to provide a more effective system for helping reduce infections associated with skin bacteria. ChloraPrep is fast-acting on a broad spectrum of bacteria, including MRSA, and inhibits bacterial growth for at least 48 hours.^{2,3} **Help stop infection from the start with ChloraPrep.**


- ▶ **PERSISTENT** antimicrobial activity inhibits the growth of bacteria for at least 48 hours^{2,3}
- ▶ **PROVEN** in 36 published studies as best practice for helping reduce the risk of infection
- ▶ **RECOMMENDED** use of 2% CHG formulation in at least 11 evidence-based guidelines, including the CDC, SCAI and IHI

REFERENCES 1. Brown E, Wenzel RP, Hendley JO. Exploration of the microbial anatomy of normal human skin by using plasmid profiles of coagulase-negative staphylococci: search for the reservoir of resident skin flora. *J Infect Dis.* 1989;160(4):644-650. 2. Garcia R, Mulberry G, Brady A, Hibbard JS. Comparison of ChloraPrep and Betadine as preoperative skin preparation antiseptics. Poster presented at 40th Annual Meeting of the Infectious Diseases Society of America; October 25, 2002; Chicago, Ill. 3. Data on file. Cardinal Health, Inc.



chloraprep.com | 800-523-0502

©2009 Cardinal Health, Inc. All rights reserved. ChloraPrep is a registered trademark of Cardinal Health, Inc. or one of its subsidiaries. ADV-SBC0309



ISO CADDY® LLC

Phone: (800) 504-5386 • Fax: (412) 325-2858

For more information and online ordering:

www.isocaddy.com

ISO CADDY® Portable Isolation Container System converts any conventional patient room into an isolation room in a matter of seconds.

ISO CADDY® provides ample storage space to accommodate various types of isolation equipment and supplies.

ISO CADDY® is a clear plexiglass container—easy to use and simple to maintain—and is available in both standard and large sizes. The large size will accept cloth or bulk packaged gowns.


ISO CADDY® can be installed permanently or hung temporarily on any door or vertical surface by means of a separate support clip.



ISO CADDY® keeps isolation equipment organized and close at hand for enhanced infection control and safety. (ISO CADDY III Shown)

Support Clip

The clear plexiglass support clip accommodates both sizes of ISO CADDY® and allows for convenient insertion and easy-view posting of important information right on the patient's door.



Installation is simple by means of just two screws. A pressure-sensitive adhesive-mount version is also available at no extra cost for glass and other hard surfaces.

ISO CADDY®

The ISO CADDY® is designed for hospitals and other healthcare facilities that care for patients who have been admitted with or develop conditions requiring isolation precautions (e.g., MRSA, VRE, SARS, etc.) AND are regulated by the Life Safety Code of the National Fire Prevention Association and the Joint Commission on Accreditation of Healthcare Organizations.

Specifications

Standard ISO CADDY®

Size: 13"W x 13"H x 5"D
Inside: 13"W x 12"H x 4"D
Weight: 3.8 lbs. (1.7 kg)

Support Clip

Size: 9-3/8"W x 4"H x 1/2"D
Weight: 5.8 oz. (.26 kg)

Large ISO CADDY®

Size: 15 1/2"W x 13 1/2"H x 6 3/8"D
Inside: 15 1/8"W x 13"H x 6"D
Weight: 4.0 lbs (1.8 kg)


ISO CADDY® III

Size: 15 1/2"W x 13"H x 6 1/4"D
Inside: 15 1/8"W x 13"H x 5 3/4"D
Weight: 5.0 lbs (2.25 kg)



Without ISO CADDY® carts and clutter can cause congestion and great hazards.

The History of Medicine from Chicago



The Discovery of Insulin


Twenty-fifth Anniversary Edition

Michael Bliss

"Scrupulously researched and compellingly readable. . . I wholeheartedly recommend it to anyone with an interest in diabetes, medical history, or medical scandal and gossip."—*British Medical Journal*

"The story of insulin's discovery ought to be a novel . . . but Michael Bliss's splendid account is just as absorbing as any fiction."—*Isis*

Paper \$22.50



The Greatest Killer

Smallpox in History


Donald R. Hopkins

"Nowhere else that I know is there to be found such a compact account of smallpox in all five continents and of its impact on the history of each. . . I found it a sobering and broadening experience to be exposed to Hopkins's story—there will be few people who would not benefit from reading it."

—Keith Dumbell, *Nature*

"A superb book."—former President Jimmy Carter

Paper \$18.00



Healing the Land and the Nation

Malaria and the Zionist Project in Palestine, 1920–1947

Sandra M. Sufian

"*Healing the Land and the Nation* is a truly innovative and exciting history of the coproduction of a healthy environment, healthy bodies, and the modern settler nation-state. Sufian studies this exceptionally fraught and controversial colonial site with exemplary balance and sensitivity."—Warwick Anderson, University of Wisconsin–Madison

Cloth \$40.00



The University of Chicago Press • www.press.uchicago.edu

SAVE LIVES: Clean **Your** Hands

5 MAY 2009

Invitation to Participate


As part of **Clean Care is Safer Care**, World Health Organization (WHO) is hosting a global hand hygiene awareness event on 5 May 2009

If you want to improve hand hygiene to help save lives by reducing health care-associated infection in your health care facility, register your interest now: <http://www.who.int/gpsc/5may/en/index.html>

You can participate in the 5 May 2009 event by:

- Developing your own activities linked to the WHO global event
- Joining a growing network of health care providers committed to improving hand hygiene
- Promoting and using 'Your 5 moments for hand hygiene'.

Your 5 moments for HAND HYGIENE



Help spread the hand hygiene message

Register your interest **NOW**

Tools and materials will be posted on 16 February 2009: <http://www.who.int/gpsc/5may/en/index.html>

A WHO Patient Safety Initiative

Some
companies
make claims.

We make history.

3M™ AVAGARD™ CHG



3M Avagard is the first – and only –
waterless, brushless handscrub
approved by the FDA

Don't be fooled by "compliance." While alcohol
and povidone iodine are accepted surgical hand
antiseptics, neither ingredient alone meets FDA
criteria for persistence or cumulative activity.
3M Avagard is the only waterless, brushless hand
antiseptic with CHG for true persistence – and the
only one approved by the FDA.

Visit www.3m.com/fdaapproved28 to find out more
and learn how your facility can obtain a free gift
from the 3M Avagard family.



3M™ Avagard™

3M™ Avagard™ (Chlorhexidine Gluconate 1% Solution and Ethyl Alcohol
61% w/w) Surgical and Healthcare Personnel Hand Antiseptic with Moisturizers