EAR.

Gray, Albert A.—The Pathological Conditions found in the Case of an Individual who had suffered from Deafness during Life. "Brit. Med. Journ.," November 4, 1905.

The individual from whom the temporal bones were removed *post* mortem had suffered from almost absolute deafness and very severe tinnitus for a period of seventeen years before her death, at the age of seventy-one.

The patient died from malignant disease of the uterus, and in addition to the conditions relative to the cancerous affection the following were noted in regard to the anatomical changes found in the temporal bone and the adjacent structures:

The bones of the skull were remarkably soft, and the saw went through the calvarium almost as if the bones were of the consistency of hard cheese. The greater part of the temporal bone was almost soft in character, and the dense, ivory-like capsule of labyrinth was much reduced in thickness. The mucous membrane of the tympanum and Eustachian tube was normal throughout. The malleo-incudal joint was ankylosed on the right side but not on the left. On both sides the stapes was completely ankylosed in the oval window, the ankylosis being bony throughout.

In the left membranous labyrinth the changes in the bony capsule were found to have produced distortions in the two limbs of the posterior canal by encroaching on its lumen. The cochlear branch of the auditory nerve was atrophied at least in the two upper turns of the cochlea. The ligamentum spirale appeared to be of a less dense nature than normal, though this may have been due to old age and not to the disease.

In the right membranous labyrinth there was found to be no actual distortion. The ligamentum spirale was atrophied, as was also the cochlear branch of the nerve. There were two masses of calcareous deposits, one in the common limb of the posterior and superior canals and the other in the posterior limb of the horizontal canal.

THERAPEUTIC PREPARATION.

FORMAWN (The Chemical Works, 26, Southwark Bridge Road, London, S.E.).

"Formawn," an abbreviated term for chlormethylmenthylether $(C_{10}H_{19}O\ CH_2Cl)$, has been found to have a remarkably favourable action in catarrhal affections of the naso-pharyngeal cavity. It is administered by means of a specially constructed inhaler, consisting of a glass generator or warming vessel, fitted with a glass stopper having two olive-shaped extremities to be inserted in the nostrils in such a way that the nasal septum may be conveniently situated between the two extremities. The inhaler should be half filled with hot water and one tablet of Formawn added. The gas thus generated should be inhaled through the nostrils. The therapeutic efficacy rests upon the easy decomposition which ensues the more rapidly in proportion to the heat of the water, Formawn splitting up into its components—menthol, formaldehyde, and hydrochloric acid—the two former of which disperse in statu nascendi, leaving the latter dissolved in the water.

INDEX TO VOLUME XXI, 1906.

Abductor paralysis, supplementary report on case of (G. L. Richards)	569 495
	490
of the right tonsil and anterior faucial pillar in a man	104
further notes on the case of a patient aged seventy-five with sarcoma of the frontal sinuses (shown twice previously)	104
Abscess (dissecting) in region of mastoid process, but not invading it,	
deep penetration into neck (E. Urbantschitsch)	, 291
double optic neuritis (J. S. Barr) (retropharyngeal) caused by middle-ear suppuration (E. M.	151
Holmes)	335
(subdural) with chronic mastoid disease (H. S. Walker)	347
(subglottic) followed by laryngeal stenosis (Dr. Fallas)	398
subocccipital, intercommunicating, complicating double mas-	
toiditis (H. B. Hitz)	211
(sub-periosteal) of forehead, with thrombo-phlebitis of superior	
longitudinal sinus (V. Delsaux)	542
Acetozone inhalant	167
Adeno-carcinoma invading posterior fossa (H. Neumann)	290
Adenoid vegetations, removal of, through nasal passages by a new method (O. T. Freer)	384
Adenoids, diminution of dyslalia by, shown in case of cleft palate	
(W. Stuart-Low)	297
Adrenalin inhalant	168
injection of, in sarcoma of larynx (J. E. Rhodes)	382
Ague, functional aphonia following (E. A. Peters)	294
Air-passages (upper), leukæmic changes in mucous membrane of (K. M.	437
Menzel)	340
tuberculosis of, treatment (W. C. Bane)	$\frac{340}{341}$
climatic (W. Freudenthal)	-
	340 436
ALEXANDER (Dr.), four cases of chronic suppurative otitis media treated	400
by operation and followed by recovery	226
ALT (F.), anatomical preparation, showing cure of thrombosis of sinus.	224
a histological preparation from a specimen showing closure of	289
the sinus with connective tissue	319
American Laryngological Association Congress: presidential address . ——————————————————————————————————	$\frac{319}{380}$
Laryngological, Rhinological, and Otological Society; officers	900
elected 1906	284
Appethosis (wife in) proceedings	333
Anæsthesia (artificial), radical mastoid operation performed painlessly	396
without (Dr. Jaumenne)	
(local) antrotomy and radical operations under (H. Neumann)	$\frac{402}{112}$
vapour method of (J. T. Gwathmey)	112
Anæsthetic, injection of solid paraffin into nose without (A. Wylie)	19
49	

	PAGE
Anæsthetics (administration of) for operations on nose and throat	
(A. de Prenderville, review)	308
Angeio-fibroma, microscopical section of (E. A. Peters)	78
Angeioma of auricle (H. E. Jones)	192
——— (discrete) of septum (L. H. Pegler)	202
——— (nasal) removed from floor of inferior meatus (W. R. Kelson) .	134
Antitoxin in treatment of diphtheria, nine years' experience (J. H.	
McCollom).	109
Antrotomy and radical operations under local anæsthesia (H. Neumann)	402
Antrum (maxillary), empyema of; symptoms (K. M. Menzel)	209
Aphonia (functional) following ague (E. A. Peters)	294
Armstrong (G. E.), carcinoma of the tongue	54
Arthritis (infective) complicating otitis media (P. W. Eagleton)	167
Aryepiglottic fold (left), swelling of (J. B. Ball)	571
Arytenoid region (left), large sessile tumour in (H. W. Carson)	183
(right), fixation of (H. J. Davis)	184
ASHBY (Henry), a discussion on congenital stridor (laryngeal and	
tracheal)	457
Aspergillus of external auditory meatus, causing severe vertigo (A.	
$\overline{\mathrm{Bronner}}$	99
niger, case of; specimens and drawings (R. Lake)	99
Atresia (congenital, complete osseous) of right nasal fossa (R. Botey)	302
Attic, discharge from, with headache for eighteen months (E.	
Urbantschitsch)	223
Auricle, angeioma of (H. E. Jones)	192
cyst of (V. W. Wingrave)	23
granuloma of (V. W. Wingrave)	191
lobule of, ulceration of (W. Stuart-Low)	187
removal of, for epithelioma of posterior surface (D. Mackenzie).	105
Auricles: indurated swelling of both auricles accompanying swelling	100
below anterior commissure of vocal cords (C. A. Parker).	236
Austrian Otological Society: proceedings	
	anı
- Proceedings	301
, ,	
BABER (E. Cresswell), thimbles for making aseptic wool mops	572
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index	
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative	572 338
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469,	572 338 483
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx	572 338 483 77
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx	572 338 483 77 570
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, Ball (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold	572 338 483 77 570 571
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose	572 338 483 77 570 571 572
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? BALL (J. B.), case of ulceration of the pharynx and larynx	572 338 483 77 570 571 572 334
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum	572 338 483 77 570 571 572
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx — tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and	572 338 483 77 570 571 572 334 626
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear	572 338 483 77 570 571 572 334 626 340
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure	572 338 483 77 570 571 572 334 626 340 439
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, Ball (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals	572 338 483 77 570 571 572 334 626 340
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, Ball (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barny (Dr.), theory of the function of the semicircular canals Barnhill (J. F.), results of operation upon the nasal septum by means	572 338 483 77 570 571 572 334 626 340 439 361
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions .	572 338 483 77 570 571 572 334 626 340 439
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, Ball (J. B.), case of ulceration of the pharynx and larynx — tumour of the pharynx — swelling of the left aryepiglottic fold — papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus — discussion on treatment of deviation of nasal septum Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals Barnhill (J. F.), results of operation upon the nasal septum by means of various incisions Barr (J. Stoddart), case of otitic extra-dural abscess associated with	572 338 483 77 570 571 572 334 626 340 439 361 336
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis.	572 338 483 77 570 571 572 334 626 340 439 361
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? Ball (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals Barnhill (J. F.), results of operation upon the nasal septum by means of various incisions Bar (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis Barr (Thomas), valedictory address at Annual Meeting of Otological	572 338 483 77 570 571 572 334 626 340 439 361 336 151
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis. BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 introductory paper to discussion on "Fixation of the Stapes"	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46 242
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx — tumour of the pharynx — swelling of the left aryepiglottic fold — papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus — discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 — introductory paper to discussion on "Fixation of the Stapes" BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46 242 37
Baber (E. Cresswell), thimbles for making aseptic wool mops Babitt (J. A.), the nasal turbinate as a vaso-motor index Bacon (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, Ball (J. B.), case of ulceration of the pharynx and larynx — tumour of the pharynx — swelling of the left aryepiglottic fold — papillomata in the nose Ballenger (William L.), presentation of instruments and apparatus — discussion on treatment of deviation of nasal septum Bane (W. C.), treatment of [tuberculosis of] the upper air passages and the ear Bar (Louis), mastoiditis without otorrhea; hearing recovered; cure Barany (Dr.), theory of the function of the semicircular canals Barnhill (J. F.), results of operation upon the nasal septum by means of various incisions Barr (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis Barr (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 — introductory paper to discussion on "Fixation of the Stapes" Barwell (Harold S.), case of tuberculous ulceration of the nose, healed— case of lupus of the larynx and uvula, healed.	572 338 483 77 570 571 334 626 340 439 361 336 151 46 242 37 38
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? 469, BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 introductory paper to discussion on "Fixation of the Stapes" BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed case of tuberculous laryngitis; removal of epiglottis; cure	572 338 483 77 570 571 334 626 340 439 361 336 151 46 242 37 38 121
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhœa; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 introductory paper to discussion on "Fixation of the Stapes" BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed case of lupus of the larynx and uvula, healed. case of tuberculous laryngitis; removal of epiglottis; cure case of tuberculous laryngitis; active local treatment; cure	572 338 483 77 570 571 572 334 626 340 439 361 336 151 46 242 37 38 121 122
BABER (E. Cresswell), thimbles for making aseptic wool mops BABITT (J. A.), the nasal turbinate as a vaso-motor index BACON (Gorham), to what extent is it advisable to adopt conservative methods in the treatment of aural diseases? BALL (J. B.), case of ulceration of the pharynx and larynx tumour of the pharynx swelling of the left aryepiglottic fold papillomata in the nose BALLENGER (William L.), presentation of instruments and apparatus discussion on treatment of deviation of nasal septum BANE (W. C.), treatment of [tuberculosis of] the upper air passages and the ear BAR (Louis), mastoiditis without otorrhea; hearing recovered; cure BARANY (Dr.), theory of the function of the semicircular canals BARNHILL (J. F.), results of operation upon the nasal septum by means of various incisions BARR (J. Stoddart), case of otitic extra-dural abscess associated with paralysis of sixth cranial nerve and double otitic neuritis. BARR (Thomas), valedictory address at Annual Meeting of Otological Society of the United Kingdom, December 4, 1905 introductory paper to discussion on "Fixation of the Stapes" BARWELL (Harold S.), case of tuberculous ulceration of the nose, healed case of lupus of the larynx and uvula, healed case of tuberculous laryngitis; removal of epiglottis; cure case of tuberculous laryngitis; removal of epiglottis; cure case of ulceration of epiglottis	572 338 483 77 570 571 334 626 340 439 361 336 151 46 242 37 38 121

Barwell (Harold S.), a case of infiltration of the left vocal cord .	292
BAUMANN (Walther), the pharyngeal reflex	301
BAUMGARTEN (Egmont), acute affections of the eyes following acute	002
nasal disease	400
Beck (Jos. C.), the submucous resection operation on the nasal septum	335
Beco (Dr.), naso-pharyngeal polypus; extirpation; death by collapse.	433
Belgian Society of Otology, Laryngology, and Rhinology: proceedings	100
	431
Bellin (L.), a case of dermoid cyst of the dorsum of the nose	$\frac{101}{285}$
and Leroux (R.), congenital membranous occlusion of choanæ.	438
Bernstein (Edward J.), discussion on conservative methods in treat-	100
ment of aural diseases	481
BIRKETT (H. S.), two cases of bony occlusion of the right posterior	TOL
naris	55
BLAKE (C. J.), therapeutic effect of sound-waves	402
-—— the value of the blood-clot as a primary dressing in mastoid	404
operations	545
Bloch (Maurice), on the employment of borate of soda in ear cases	166
	$\frac{100}{545}$
Blood-clot as primary dressing in mastoid operations (C. J. Blake)	949
as dressing in acute suppurative inflammation of middle ear, with	FO.4
acute mastoiditis (F. L. Jack)	584
(modified) in mastoid surgery (W. S. Bryant)	339
Blood-supply of inner ear (G. E. Shambaugh)	364
Blood-vessels in membranous labyrinth and the endosteum, and those	
in bony capsule of labyrinth, communications between (G. E.	100
Shambaugh)	166
Boenninghaus (G.), on a peculiar condition of sensory irritability of	ara
the superior and inferior laryngeal nerves	653
Bond (J. W.), a case of palatal tumour of twenty years' duration	293
Bone impacted in larynx (J. M. Ingersoll)	382
Bony occlusion of right posterior naris (H. S. Birkett)	55
Borate of soda in ear cases (M. Bloch)	166
Bosviel (Dr.), a case of perichondritis of the thyroid cartilage	284
Botey (Ricardo), a case of congenital complete osseous atresia of the	000
right nasal fossa	302
Boulay (Dr.), exhibition of young girlaged seventeen who had recovered	
from diseased hip-joint and was affected with old-standing otorrhea	287
BOURGUET (Julien), surgery of the labyrinth	305
BOUYER (Dr.), hyperæsthesia and paræsthesia of the pharynx.	435
Bôval (Dr.), radiograph of a coin lodged in esophagus of a child aged	
four, at the level of second dorsal vertebra	392
———— radiograph of a patient wearing a tracheotomy tube, and with a	
revolver bullet lodged in the left side of the neck	392
Brady (A. J.), fibromata of the naso-pharynx and their removal by	
enucleation	315
Brain, abscess, cases of (S. Walker) 157, (P. Hammond) 211, (A. L.	
Whitehead) 349, (Dr. Trétrôp)	391
——— (hind), continuity of the fibres of auditory nerve with the auditory	
sense epithelium and with the nuclei in (J. Cameron and W.	
	354
——————————————————————————————————————	
$(H. Neumann) \qquad . \qquad . \qquad . \qquad .$	289
British Laryngological, Rhinological, and Otological Association: pro-	
ceedings	297
British Medical Association, Annual Meeting, Toronto, 1906, combined	
sections of Laryngology and Pediatrics: proceedings	441
——————————————————————————————————————	107
——————————————————————————————————————	517
Broeckaert (Dr.), ozena cured by submucous injections of paraffin	396
case of pseudo-leukæmia simulating so-called Mikulicz's disease.	434

	PAGE
BROECKAERT (Dr.), normal and pathological inclusion of soft and hard	401
paraffin in the tissues	431
—— presentation of instruments	393
——————————————————————————————————————	431
Bronchoscopy (direct), new instruments for removal of foreign bodies	12
from bronchi by (W. C. Morton) Bronchus, foreign body extracted from, by tracheotomy (Dr. van	12
Swieten)	398
Bronner (Adolph), notes on a case of severe vertigo, due to aspergillus	000
of the external auditory meatus	99
Bryan (J. H.), malignant disease of tongue	386
BRYANT (Alice G.), the use of the cold wire snare in the removal of	000
hypertrophied tonsils	563
BRYANT (W. S.), obstruction of the Eustachian tube and its treatment.	166
——— modified blood-clot in mastoid surgery	339
Buccal pouch, lipoma of, congenital (V. W. Wingrave)	23
Bullet (revolver) in left side of neck (Dr. Bôval)	392
BULETTE (W.), a case of epileptiform hysteria, probable result of	
necrosing ethmoiditis	334
S .	
Calculi of unusual size from Wharton's duct (Koenig)	285
Calomel (injections of) in syphilitic ulceration in pharynx (J. Dundas	
Grant)	80
CAMERON (John) and MILLIGAN (William), the mode of continuity of	
the fibres of the auditory nerve with the auditory sense epithelium,	
and with the nuclei in the hind brain	354
Cancer (inoperable) of fauces treated with a bacterial vaccine of	
Micrococcus neoformans (S. Spicer)	577
Cannula, laryngotomy performed without (A. Castex)	66
——— (tracheal) worn for nearly twenty-seven years on account of	
incomplete bilateral paralysis of posterior crico-arytenoid muscles	
(Sir F. Semon)	70
CAPART (A.), diverticulum of the entrance of the esophagus	165
naso-pharyngeal fibromata	396
the indications for operation in the treatment of sinusitis	511
Carbonic-acid gas at Spa in treatment of affections of throat, nose, ears,	1.07
and eyes (E. Delneuville)	$\frac{167}{396}$
Carcinoma, total resection of superior maxilla for (Dr. Goris) .	183
Carson (H. W.), large sessile tumour in left arytenoid region.	100
a man with an ulcerated swelling in the middle line of the naso- pharynx, and ulceration of the left posterior fold of the palate	184
	264
Casselberry (W. E.), a discussion on laryngeal disturbances produced	ニリザ
by voice use. Introductory paper	536
Castex (A.), laryngotomy without cannula.	66
CATHCART (G. C.), a case of tertiary syphilis of the larynx	44
report on Dr. E. Law's case of incrustations in trachea terminating	
fatally	45
CAUTLEY (E.), discussion on congenital stridor, laryngeal and tracheal.	$4\overline{54}$
Cerebellum, abscess of (A. L. Whitehead) 63, 146, 348, (D. Grant) 113,	
(H. Neumann)	289
Cervical glands: cancer (inoperable) of fauces, pharynx, tongue, and	
cervical glands; amelioration after treatment with bacterial vaccine	
of neoformans (R. H. Scanes Spicer and Sir A. E. Wright) 265,	292
CHEATLE (Arthur H.), the prevention of ear affections due to exposure	
to loud noises and to explosives	4 8
	300
Children, laryngeal papillomata in; treatment by operation (D. R.	
Paterson)	511

	PAGI
Chin, sinus of (W. H. Kelson)	69
CHISHOLM (W. A.), skiagraphy in diagnosis of frontal sinusitis	338
Choana (right), absence of (E. B. Waggett)	
Choanæ, congenital membranous occlusion of (L. Bellin and R. Leroux)	438
mucous polypi of, origin (G. Killian)	437
Cholesteatomatous lining, retention in operation for acute mastoiditis	
(W. Stuart-Low)	20
Circulation in labyrinth of ear (G. E. Shambaugh)	555
Circulatory disturbances following ligation of internal jugular vein in	
sinus thrombosis (W. P. Eagleton)	654
Cleft palate, case showing that adenoids diminish the dyslalia (W.	
Stuart-Low)	297
Climatic treatment of tuberculosis of upper air-tract (W. Freudenthal).	341
COAKLEY (Cornelius G.), nasal skiagraphy	323
	020
	537
of the accessory sinuses of the nose	
Cochlea, partial necrosis of, and sigmoid sinus thrombosis (H. S. Walker)	343
COFFIN (Rockwell), a new gouge for submucous operations in the nose	263
Coin lodged in esophagus at level of second dorsal vertebræ (Dr. Bôval)	392
COLLET (Dr.), a series of patients operated upon by evacuation of the	
ethmoid from the nostril	395
Collier (Mayo), a case of syphilitic disease of larynx	188
case of nævus of the cheek	300
Connective-tissue, closure of sinus by (F. Alt)	289
COOLIDGE (A., jun.), a foreign body in the esophagus	55
—— foreign bodies and tracheoscopy	330
Cranium (human, embryonic), models of (O. Grosser)	289
(osteomyelitis of, diffused), following acute frontal sinusitis of	
staphylococcic origin (Luc)	288
Crico-arytenoid joint (right), fixation of, due to infiltration (E. F.	
Potter)	85
—— muscles, posterior; incomplete bilateral paralysis of (Sir F.	00
	70
Semon)	211
Chromanname (A. E.) presidential address (Otological Society of the	211
CUMBERBATCH (A. E.), presidential address (Otological Society of the	136
	262
Cyst (air-containing), connected with left ventricle of Morgagni (Dr.	
Labarre)	392
	111
Davis (H. J.), case of atrophic rhinitis	125
	171
	172
case of fixation of the right arytenoid in a woman aged forty; for	
	184
three cases of syphilis in one family, (?) oral infection	227
	576
	582
Deaf and Dumb School, patient from; case presenting points of interest	
(Dr. v. Hammerschlag)	223
Deafness: pathological conditions found in subject of deafness during	220
	56
life (A. A. Gray)	90
(progressive), influence of pregnancy and parturition on certain	255
forms of (W. Milligan)	5 55
DELAVAN (D. Bryson), the ultimate results of radical operations upon	000
	323
Delneuville (E.), the treatment of affections of the throat, the nose,	-
	167
——— a case of sphenoidal sinusitis with ocular complication.	263
= = = = = = = = = = = = = = = = = = =	

	PAG
Delsaux (Charles Emile), microscopic sections—tuberculosis of the	201
septum and lupus of the nose.	392
Delsaux (V.), stereoscopic photographs of Killian's rhino-phantom .	391
——— subperiosteal abscess of the forehead complicated with thrombo-	
phlebitis of the superior longitudinal sinus	542
Delstanche (E.), mastoiditis and furunculosis	26
the treatment of other atoma	43:
DENKER (Alfred), a new mode of access in the operation for nasal	
malignant tumours	302
Dental saliva-ejector as a surgical instrument (R. H. Woods) 61	, 162
Denture removed by esophagotomy (W. Downie)	129
Dermoid cyst of dorsum of nose (L. Bellin).	285
of neck (V. W. Wingrave)	28
Digestive tract, leukæmic changes in (K. M. Menzel)	437
Diphtheria, treatment by antitoxin, nine years' experience (J. H.	
McCollom)	109
Dixon (G. Sloan), report of a case of panotitis resulting in meningitis	166
DONELAN (J.), chronic thickening and deformity of epiglottis and vocal	
cords of four years' duration in a girl aged sixteen; for diagnosis .	32
case of laryngeal ulceration in a man aged fifty-four	79
a woman aged twenty-four with a swelling on the upper part of	• •
the septum nasi; for diagnosis	184
Donovan (John A.), discussion on cold wire snare in removal of hyper-	101
	563
trophied tonsils Downer (Wallson) what complete of some cases of nowellin injection for	000
Downie (Walker), photographs of some cases of paraffin injection for	126
nasal deformity	140
description of two cases where esophagotomy was performed for	129
removal of a denture impacted in the gullet	$\frac{128}{226}$
Dressings, methods for carrying and keeping aseptic (Prof. Pollak)	$\frac{220}{202}$
DUPUY (Homer), acute affections of the pharyngeal tonsil in early life	202
Dura of posterior fossa displaced inwards; sinus compressed by neo-	200
plasm (H. Neumann)	290
Dyslalia, diminution of, by adenoids, shown in case of cleft palate (W.	205
Stuart-Low)	297
Dysphagia, case of (W. Chichele Nourse)	17
for liquids in case of fixation of right vocal cord (W. Stuart-Low)	578
Dysphonia, without tubercular or other lesions (Koenig)	287
Dyspnea due to swelling below anterior commissure of vocal cords	000
(C. A. Parker)	236
EAGLETON (P. Wells), infective arthritis complicating otitis media	
(abstract)	167
——————————————————————————————————————	
jugular vein in sinus thrombosis	654
Ear, circulation in labyrinth of (G. E. Shambaugh)	555
(diseases), pathogenic influence of aural lesions in systemic	
disease (S. MacCuen Smith)	457
statistical report of department of oto-rhino-laryngology	
at Hospital Saint-Jean, Brussels (A. Fallas)	512
treated by carbonic acid gas at Spa (E. Delneuville)	167
by conservative methods (G. Bacon)	469
use of borate of soda in (M. Bloch)	166
and injuries due to loud noises and to explosives, pre-	
vention of (A. H. Cheatle)	48
	340
	364
(inner), blood-supply of (G. E. Shambaugh)	402
mechanico-therapeutics of (C. J. Blake)	T 04
(middle, disease of) associated with left recurrent paralysis,	
paralysis of soft palate and facial palsy on same side (D. R.	230
Paterson)	400

Ear (middle, disease of) inflammation, acute suppurative, with acute	PAGE
mastoiditis, blod-clot dressing in (F. L. Jack)	584
therapeutical aspect with reference to	
their various etiology (Scheibe)	307
suppuration of, acute, complicated by labyrinthine fistula	
and paralysis of the abducens nerve (H. Hastings)	306
as a cause of retropharyngeal abscess (E. M.	
Holmes)	335
——————————————————————————————————————	. 57
——————————————————————————————————————	193
pain in (great), with loud subjective noises (H. Neumann)	225
——— (right), hæmatoma of, in Swiss wrestlers (Valentin)	401
sarcoma of, alveolar (J. A. Stucky)	324
tuberculosis of, treatment (W. C. Bane)	340
surgical (R. Levy)	340
Electro-cautery, in treatment of sarcoma of nose (J. Price-Brown)	593
Electrolysis in treatment of chronic Eustachian stenosis (F. T. Hopkins)	
Elevators, newly-designed, exhibition of (R. H. Woods)	301
ELLIS (H. Bert), infective sigmoid sinus thrombosis; resection of internal	335
jugular, report of a case, recovery Empyema (frontal, chronic), four cases operated on by simplified Killian	
operation (H. Tilley).	232
right frontal, with subacute osteomyelitis of frontal bone (R. H.	202
Scanes Spicer)	35
Encephalocele (fronto-nasal) (F. E. Hopkins)	327
Endosteum, blood-vessels in, and in membranous labyrinth, communi-	
cating with those in bony capsule of labyrinth (G. E. Shambaugh).	166
cating with those in bony capsule of labyrinth (G. E. Shambaugh) . Endothelioma of pharynx (V. W. Wingrave)	191
Epiglottis: chronic thickening and deformity of epiglottis and vocal	
$\operatorname{cords}\left(\operatorname{J.\ Donelan}\right)$	32
deformity of, accompanying swelling below anterior commissure	220
of vocal cords (C. A. Parker).	$\frac{236}{121}$
removal of, for tuberculous laryngitis (H. Barwell) tuberculosis of soft palate, pharynx and epiglottis (C. Fox)	$\frac{121}{234}$
ulceration (V. W. Wingrave) 17, (H. Barwell)	$\frac{234}{124}$
Epileptiform hysteria probable result of necrosing ethmoiditis (E. Bulette)	334
Epithelioma: villous papillomatous growths in larynx, probably epi-	001
thelioma (J. Dundas Grant)	237
Epithelium (auditory sense), mode of continuity of fibres of auditory	
nerve with (J. Cameron and W. Milligan)	8, 354
ESCAT (Dr.), indications for the use of the galvano-cautery in the various	
forms of laryngeal tuberculosis and its value	433
Ether narcosis by rectum (J. A. Stucky)	341
Ethmoid, evacuation of, from nostril (Dr. Collet)	395
and superior maxilla, osteomyelitis of, with suppuration in sinuses	20.4
and in orbit (Dr. van der Wildenberg).	394
Ethmoiditis (necrosing) probable cause of epileptiform hysteria	334
(W. Bulette)	
(F. L. Jack)	583
Ethmo-turbinal cells, clinically considered (J. O. Roe)	326
Eustachian cartilages, great enlargement of (W. Stuart-Low) .	186
——— eminences projecting into naso-pharynx (E. F. Potter).	149
tube, electrolysis in chronic stenosis of (F. T. Hopkins)	363
——— obstruction of, with treatment (W. S. Bryant).	166
Explosives, prevention of ear affections due to exposure to (A. H. Cheatle)	48
Eye, diseases of, treated by carbonic acid gas at Spa (E. Delneuville)	167
(acute), following acute nasal disease (E. Baumgarten)	400
ocular complication of sphenoidal sinusitis (E. Delneuville)	263
——————————————————————————————————————	334

	PAGE
Face, tumour of left half of, originating in roof of pharynx (K. Jager)	301
Fallas (A.), some cases of laryngeal stenosis 397,	398
statistical report of the department of oto-rhino-laryngology at	
the Hospital Saint-Jean at Brussels	512
a case of laryngeal stenosis (abstract)	653
and PARMENTIER (Dr.), papillomata of the vocal cords	397
Fauces, cancer (inoperable) of fauces, pharynx, tongue, and cervical	
glands; amelioration after treatment with bacterial vaccine of	
neoformans (R. H. Scanes Spicer and Sir. A. C. Wright) . 265,	292
infection through (septic) (G. A. Leland)	583
(gretamic) (T.N. Goodele)	582
(systemic) (J. N. Goodale)	004
Faucial pillar (right), new growth (? sarcoma) in region of right tonsil	104
and anterior faucial pillar (P. H. Abercrombie)	104
FERRERI (G.), a contribution to the treatment of laryngeal tumours	110
Fibro-angeioma of nasal septum (H. B. Robinson)	130
Fibro-sarcoma arising from the thyro-hyoid membrane (K. Renshaw) .	169
FIGURE (Dr.), a case of primary hamorrhage from the naso-pharynx .	285
Fish-hook removed from esophagus (D. R. Paterson)	229
Fistula between mouth and nose, closure of (Luc)	288
Flames, inhalation of, causing papilloma of larynx (A. B. Thrasher) .	380
Forceps (Lubet-Barbon's) used in operation for voluminous naso-pharyn-	
geal polypus (Lubet-Barbon)	287
newly-designed, exhibition of (R. H. Woods) .	301
Foreign helican of the learning of Californium)	330
Foreign bodies and tracheoscopy (A. Coolidge, jun.)	550
foreign body extracted from bronchus by tracheotomy	000
(Dr. van Swieten)	398
in auditory meatus resembling fibrous polypus	
(Koenig)	285
in larynx, rare case (N. Zia)	165
———— in œsophagus (A. Coolidge, jun.)	55
esophagoscope in diagnosis and treatment of	
(H. Neumayer)	210
new instruments for removal from bronchi by direct	
bronchoscopy (W. C. Morton)	12
Formawn	$\overline{56}$
FORSTELLES (Arthur), on the resection of the inferior turbinal bone .	202
Fossa (nasal, right), congenital complete osseous atresia of (R. Botey).	302
——— (posterior), displacement of dura inwards, and compression of	002
	290
sinus by neoplasm (H. Neumann)	$\frac{200}{209}$
FOSTER (E. E.), description of Killian's frontal sinus operation (abstract)	408
Fox (Clayton), a case of tuberculosis of the soft palate, the pharynx, and	004
the epiglottis	234
FREER (Otto T.), the removal of adenoid vegetations through the nasal	
passages by a new method	384
the problem of the correction of deflections of the nasal septum	OOT
solved by the submucous resection 619,	631
solved by the submucous resection 619,	
solved by the submucous resection 619, FREUDENTHAL (Wolff), the climatic treatment of tuberculosis of the	
solved by the submucous resection 619, FREUDENTHAL (Wolff), the climatic treatment of tuberculosis of the upper air-tract	631
solved by the submucous resection	631 341 291
solved by the submucous resection	631 341
solved by the submucous resection	631 341 291 295
solved by the submucous resection	341 291 295 35
solved by the submucous resection	631 341 291 295 35 363
solved by the submucous resection	341 291 295 35 363 209
solved by the submucous resection	341 291 295 35 363 209 576
solved by the submucous resection	341 291 295 35 363 209
solved by the submucous resection	341 291 295 35 363 209 576 484
solved by the submucous resection	341 291 295 35 363 209 576
solved by the submucous resection	341 291 295 35 363 209 576 484

Thomas in the second of final to the second of the second	PAGE
Frontal sinuses, sarcoma of, further notes on case previously exhibited twice (P. H. Abercrombie)	104
suppuration in, treated by intra-nasal methods (J. Dundas	
	74, 82
	82
Fruit pastilles, laxative (tabloid)	$\frac{440}{287}$
Furer (Dr.), a woman aged forty, with syphilis in naso-pharynx . Furunculosis: diagnosis from mastoiditis (E. Delstanche)	$\frac{267}{264}$
rundiculosis: diagnosis from mastordidis (E. Deistandie)	404
Galvano-cautery in laryngeal tuberculosis (Dr. Escat)	433
GAVAZZENI (S.) and LIMONTA (G.), the treatment of Ménière's disease.	111
GAVELLO (G.), on the laryngeal disturbances in syringomyelia .	110
the paralyses of the vocal cords in mitral affections	110
Glaseptic nebuliser	168
Glass, syringe for intra-tracheal injections made entirely of (Koenig).	285
GLEITSMANN (Joseph W.), presidential address, American Laryngological	910
Association	$\frac{319}{580}$
Glottis, stenosis of (StC. Thomson)	176
requiring tracheotomy, caused by complete healing of	170
extensive tuberculous laryngitis (StC. Thomson)	573
Goitre (exophthalmic), medical treatment of (R. D. Rudolf)	55
GOLDSMITH (Perry E.), inflammation of the nasal mucous membrane	55
some unusual cases of frontal sinus suppuration	484
GOLDSTEIN (M. A.), the treatment of perforations of nasal septum .	337
GOODALE (J. L.), examination of the throat in chronic systemic infections	386
systemic infection through fauces	582
GORDON (A. Knyvett), some further experiences of the operative treat-	
ment of scarlatinal otitis	275
some further experience of the radical mastoid operation in	
scarlatinal otitis	353
Goris (Dr.), disturbances of the recurrent nerves following thyroidectomy	395
——— total resection of the superior maxilla for carcinoma	396
Gouge (new) for submucous operations in nose (R. Coffin)	263
Granuloma of auricle (V. W. Wingrave)	191
Grant (J. Dundas), case of swelling over the left superior maxilla in a	
middle-aged woman (formerly shown)	43
the dangerous sequelæ of middle-ear suppuration	57
case of ulceration of the pharynx (probably specific) presenting	
unusual features	71
extensive syphilitic ulceration in the pharynx of a man aged	90
twenty-eight, treated by calomel injections; rapid improvement . Sondermann's suction apparatus	80 81
	01
	4, 82
- case of injection of cold paraffin for nasal deformity	89
a case of thrombo-phlebitis of jugular bulb and cerebellar abscess;	00
ligature of vein, later evacuation of sinus and bulb, drainage of	
cerebellar abscess, recovery	113
case of lateral sinus thrombosis treated by operation without	-10
ligature of jugular vein; recovery	148
case of infiltration, with fixation, of the right vocal cord in a man	
aged forty-six	185
villous papillomatous growth, probably epithelioma	237
——— preparations illustrating Dr. Dundas Grant's case of laryngeal	
growth, shown by Dr. Wyatt Wingrave	237
case of epithelioma of the palate in a male patient aged sixty .	238
address on some practical problems in otology and rhinology .	405
introductory remarks at Annual Meeting of British Medical	
Association, Section of Laryngology and Otology (1906)	517

	PAGE
Grant (J. Dundas) and Nourse (W. Chichele), retrospect of otology, 1905	7
Gray (Albert A.), the pathological conditions found in the case of an individual who had suffered from deafness during life (abstract).	56
demonstration illustrating pathological conditions found in the human labyrinth	141
demonstration illustrating the comparative anatomy of the laby- rinth of the mammalia	142
——— introductory paper to discussion on fixation of the stapes . ——— observations on the labyrinth of certain animals	$\frac{247}{365}$
Green (D. Crosby), a study of the larynx in tabes	$\frac{209}{362}$
Grosser (Otto), models of the human embryonic skull . Guisez: concerning paraffin endonasally as supplementary treatment	289
of sinusites	164
GWATHMEY (James T.), the vapour method of anæsthesia (abstract) Gynæcological operation curing case of Ménière's symptom-complex	112
(E. Urbantschitsch)	224
Hæmatoma of right ear in Swiss wrestlers (Valentin)	401
Hæmorrhage from tonsil during morcellement (Heckel)	$\frac{287}{285}$
HALSTED (T. H.), mixed tumour of the soft palate	389
Hamaide (Dr.), stenosis of the larynx consecutive to intubation von Hammerschlag (Dr.), a pupil of the Deaf and Dumb School whose case presented some points of interest	$\frac{392}{223}$
Hammond (P.), brain abscess; operation; recovery (abstract).	$\frac{223}{211}$
HARRIS (Thomas J.), fibroma of the larynx in a child aged five; apparent cure; recurrence as a papilloma; laryngo-fissure; cure	331
Hastings (Hill), a case of acute middle-ear suppuration complicated by labyrinthine fistula and paralysis of the abducens nerve (abstract). ———————————————————————————————————	306 334
Headache: pathological conditions of middle turbinal a causal factor (H. Smurthwaite)	565
(persistent, unilateral) due to nævoid changes in the anterior extremity of the middle turbinal bone (V. W. Wingrave)	$\frac{375}{223}$
Hearing (defective) from childhood; considerable recovery (H. S. Walker)	342
organ of, histo-pathological examination of (Wittmaarck) (organs of) in lower animals (L. Miall)	$\frac{402}{351}$
HECKEL (Dr.), exhibition of patient in whom severe hæmorrhage from the tonsil took place during morcellement	287
Heine (B.), isoform in the after-treatment of the radical operation (abstract)	402
Henrici on tuberculosis of the mastoid in childhood the indications for "curative" tracheotomy in laryngeal tuber-	401
culosis	$\frac{653}{340}$
long-standing atrophic rhinitis Hip-joint (disease of), case of recovery from, old-standing otorrhœa	44
persisting (Boulay) . HITZ (H. B.), double mastoiditis complicated by an intercommunicating	286
suboccipital abscess . Holmes (Edgar M.), middle-ear suppuration as a cause of retropharyn-	211
geal abscess	$\frac{335}{327}$

HODELING F T) electrolysis in the treatment of abronic Fretechian	PAGE
Hopkins (F. T.), electrolysis in the treatment of chronic Eustachian stenosis (abstract)	363
HORNE (W. Jobson), a point in the differential diagnosis of excrescences	
in the interarytenoid space	. 33
report on Dr. E. Law's case of incrustations in trachea, termi-	
	45, 46
Hubbard (Thomas), cases of sarcoma	389
Hunt (J. Middlemass), a discussion on laryngeal disturbances produced	
	9, 536 435
Hyperæsthesia of pharynx (Dr. Bouyer)	$\frac{433}{387}$
Hysteria (epileptiform), probable result of necrosing ethmoiditis (W.	
Bulette)	334
Hysterical mutism (G. H. Makuen)	332
Incrustations in trachea, fatal termination of case (E. Law, G. C. Cathcart	
	44, 45
Infection (septic) through fauces (G. A. Leland)	583
——— (systemic) through fauces (J. N. Goodale)	582
Infections (systemic, chronic), examination of throat in (J. L. Goodale).	387
Ingersoll (J. M.), the function of the accessory cavities of the nose	337
two cases of bone impacted in the larynx	382
Instruments, presentation of (Dr. Broeckaert, Dr. Trétrôp)	393
——— (new) for removal of foreign bodies from bronchi by direct	
bronchoscopy (W. C. Morton) ———————————————————————————————————	$\begin{array}{c} 12 \\ 226 \end{array}$
and apparatus, presentation of (W. L. Ballenger)	$\frac{220}{334}$
Interarytenoid fold, tumour in, probably tuberculous (Sir F. Semon)	31
space, excrescences in: point in differential diagnosis of (W.	
Jobson Horne)	33
International Laryngo-Rhinological Congress (1908)	107
Intra-nasal methods in treatment of suppuration in both frontal sinuses	
	74,82
Intra-tracheal injections, syringe for, made entirely of glass (Koenig). Intubation in laryngeal stenosis, necessity for early use (E. W. Saunders)	$\begin{array}{r} 285 \\ 264 \end{array}$
stenosis of larynx consecutive to (Dr. Hamaide)	393
Iodides, in treatment of tertiary syphilis of nose (Dr. Mahu)	432
Irrigation in treatment of suppuration of left frontal and left maxillary	
sinuses (C. J. Symonds)	92
——— only, in treatment of suppuration of frontal sinuses (C. J.	
Symonds) .	82
Isoform in the after-treatment of radical operation (B. Heine)	402
Italian Laryngological, Otological, and Rhinological Society, date of	283
tenth Congress (1905)	400
Jack (F. L.), report of four cases showing the results of Killian's operation	
the blood-clot dressing	584
Jackson (Chevalier) submucous resection of the nasal septum thyrotomy and laryngectomy for malignant disease of larynx 63	. 336 2 651
JACOBI (A.), the tonsil as a portal of microbic and toxic invasion	<u>., 001</u>
(abstract)	-399
JAGER (Karl), tumour of the left half of the face originating in the	
roof of the pharynx	301
JAUMENNE (Dr.), a case of radical mastoid operation performed pain-	
lessly without artificial anæsthesia	396
Jaw, sinusitis and osteomyelitis of (Dr. Trétrôp) Jawas (Burkland) and frankring of the lawrenger and soft relate	435
JONES (Buckland), case of paralysis of the larynx and soft palate.	103
Jones (Hugh E.), angeioma of the auricle (with photographs, macroscopic and microscopic specimens and plaster casts from a case)	192
boopio and injujustopio speciments and plaster casts fruit a case).	. 104

JONES (Buckland), some complications of suppurative disease of the	PAG
middle ear	193
introductory paper to a discussion on the indications for the	100
ligation of the internal jugular vein in otitic pyæmia	498
Jugular vein, internal; ligation in otitic pyæmia (H. E. Jones)	498
(J. F. McKernon)	507
ligation of, in sinus thrombosis, followed by cir-	
culatory disturbances (W. P. Eagleton)	654
resection of, in sigmoid sinus thrombosis (H. B.	
Ellis)	335
,	
Kelly (A. Brown), sclerotic hyperplasia of the pharynx and naso-	
pharynx	40
sketch of larynx and microscopic section of uvula from case of	
hyperplastic congenital syphilis	130
Kelson (W. H.), a case of sinus of the chin	69
a case of ulceration of the left vocal cord	76
a pedunculated growth of uvula in a man aged nineteen .	87
——————————————————————————————————————	
both sides, with marked stenosis	99
case of ulceration of the nasal septum	102
—— microscopic section from a case of nasal angeioma (bleeding	10/
polypus) removed from floor of inferior meatus in a girl aged fifteen	134
a case of ulceration of the left cord.	175
case of laryngeal disease	300
a case of ulceration (? malignant disease) of the base of the tongue	581
KILLIAN (G.), origin of mucous polypi of the choanæ (abstract)	437
Killian's operation in chronic suppurative ethmoiditis; result in four	583
cases (F. L. Jack)	000
Jack)	583
(bilateral) on frontal sinus (StC. Thomson)	576
(simplified) in treatment of four cases of chronic frontal empyema	010
(H. Tilley)	232
Killian's rhino-phantom, stereoscopic photographs of (V. Delsaux)	391
King (Gordon), a voluminous papilloma of nasal cavity	164
a lymphoid tumour of the larynx removed by partial laryngectomy	209
some reflex neuroses of nasal origin	363
KIRKPATRICK (A. B.), the subcutaneous injection of paraffin for nasal	
and other deformities and the submucous injection for atrophic	
rhinitis	164
KNAPP (Arnold), serous meningitis	306
KOENIG (Dr.), exhibition of (1) a syringe for intra-tracheal injections	
made entirely of glass; (2) an unusual foreign body of the auditory	
meatus, resembling a fibrous polypus; (3) two calculi of unusual	
size from Wharton's duct	285
exhibition of (1) a man aged fifty, with dysphonia without tuber-	
cular or other lesions; (2) a woman aged forty with a cold abscess	20=
of the left false cord	287
KOPLIK (H.), congenital laryngeal strider, a contribution to the patho-	105
logy of the affection, with report of an autopsy on a case.	165
Koplik spots: relation and interest to laryngologists (H. G. Langworthy)	583
KUTTNER (A.), critical observations on the present position of the	439
"recurrent" question	400
TARABRE (Du) lawracecole of the ventuicle, on air containing and	
LABARRE (Dr.), laryngocele of the ventricle; an air-containing cyst con-	392
nected with the left ventricle of Morgagni Labyrinth circulation in (G. E. Shambangh)	$\begin{array}{c} 352 \\ 555 \end{array}$
Labyrinth, circulation in (G. E. Shambaugh)	000
Hastings)	306
************* * * * * * * * * * * * *	200

and the second s	PAG
Labyrinth (human), demonstration of pathological conditions in (A. A. Gray)	
(membranous), blood-vessels in, and in endosteum, communicat-	1.4
ing with those in bony capsule of labyrinth (G. E. Shambaugh)	. 16
of certain animals (A. A. Gray)	36
of mammalia, comparative anatomy of (A. A. Gray)	. 14
suppuration of; histological preparation (A. Politzer).	22
surgery of (J. Borguet)	30
Labyrinthitis (suppurative), clinical and anatomo-pathological study of case (P. Laurens)	28
LAKE (Richard), skulls showing the different stages of an operation for	•
opening the vestibule	. 9
specimens and drawings of a case of aspergillus niger	. 9
fixation of stapes.	35
Landesberg (Rudolf), a piece of cartilage impacted in the pyriform	
fossa	26
LANGMAID (S. W.), the effects of tobacco upon the throat LANGMAID (H. Clever), a case of primary cyrcineles of the pharmy	10
Langworthy (H. Glover), a case of primary erysipelas of the pharynx	58
——— Koplik spots; their relation and interest to laryngologists Laryngectomy in treatment of malignant disease of larynx (C. Jackson)	
——— (partial), lymphoid tumour of larynx removed by (G. King)	$\frac{00}{20}$
Laryngitis (tubercular), treatment of cases in public sanatoria (G. L.	
Richards)	58
	129
by removal of epiglottis (H. Barwell)	12
(extensive); no local treatment; complete healing causing	
stenosis of glottis, requiring tracheotomy (StC. Thomson).	57
Laryngocele of ventricle (Dr. Labarre)	399
Laryngo-fissure for recurrence of fibroma of larynx as papilloma (T. J.	
Harris)	33.
Laryngological Society of London, annual meeting and dinner .	10'
officers and members of Council for Session 1906-1907.	28
proceedings	
	5, 29
Laryngologists, relation and interest of Koplik spots to (H. G. Langworthy)	58
Laryngology, retrospect of 1905 (J. Macintyre)	000
Laryngotomy performed without cannula (A. Castex)	6
Larynx, angeioma of (V. W. Wingrave)	160
bone impacted in (J. M. Ingersoll)	38
——————————————————————————————————————	16
(disease of) case of (W. H. Kelson)	300
laryngeal disturbances produced by voice use (J. Middle-	
mass Hunt), 519; (W. E. Casselberry)	528
statistical report of department of oto-rhino-laryngo-	
logy at Hospital Saint-Jean, Brussels (A. Fallas)	51:
(disturbances of) in syringomyelia (G. Gavello)	110
epithelioma of (V. W. Wingrave) 191, (Dr. Schiffers) 396, P.	
Watson Williams)	580
fibroma of, recurrence as papilloma treated by laryngo-fissure	
(T. J. Harris)	33
foreign body in rare case of (N. Zia)	16
growths of, innocent: pathology of 50 cases (V. W. Wingrave).	21.
——in tabes (D. C. Green)	$\frac{209}{188}$
lymphoid tumour of, removed by partial laryngectomy (G. King)	$\begin{array}{c} 188 \\ 209 \end{array}$
———— rymphoid tumour of, removed by partial laryngectomy (C. King) ————————————————————————————————————	633
	580
	632
neoplasm of (W. Chichele Nourse)	1
morphism of (11. chronoto riotato).	

Larynx, neoplasm, intrinsic; case previously shown (R. H. Scanes	PAGI
Spicer)	86
——————————————————————————————————————	338
——————————————————————————————————————	-582
papilloma of, from inhaling flames (A. B. Thrasher)	380
in children, treatment by operation (D. R. Paterson)	511
(multiple), recurrence after treatment fifteen years ago	0.0
(R. H. Scanes Spicer)	33
paralysis of larynx and soft palate (B. Jones)	$\frac{103}{200}$
—— pharyngo-laryngeal unilateral (Avellis' syndrome) (C. Poli)	303
association with paralysis of other muscles on same	900
side (C. Poli)	303
	381
——————————————————————————————————————	130
	-576
	$\frac{370}{393}$
following subglottic abscess (A. Fallas)	-398
necessity for early use of intubation in (E. W. Saunders)	264
with paralysis of left vocal cord (A. Fallas)	$\frac{204}{397}$
syphilis of, tertiary (G. C. Catheart)	44
syphilitic disease of (M. Collier)	188
granulomata and stenosis: thyrotomy (H. S. Barwell)	39
— tuberculosis of, indications for "curative" tracheotomy in	00
(Henrici)	653
bilateral, healed without local treatment (StC. Thomson)	573
galvano-cautery in (Dr. Escat)	433
(tumours of), treatment (G. Ferreri)	110
—— ulceration of (J. Donelan)	79
——— pharynx and larynx (J. B. Ball)	77
—— villous papillomatous growth, probably epithelioma (J. Dundas	
Grant)	237
——— preparations illustrating cases (V. W. Wingrave)	237
and uvula, lupus of (H. S. Barwell)	38
Lateral sinus, latent thrombosis of (Dr. van den Wildenberg).	436
LAURENS (Paul), a clinical and anatomo-pathological study of a case of	
suppurative labyrinthitis	286
Law (Edward), report on the fatal termination of the case of incrusta-	
tions in the trachea, with at times well-marked stenosis; shown by	
Dr. Edward Law at the meetings of the Society on November 4 and	
December 2, 1904, and March 17, 1905 (with reports by Drs. G. C.	
Cathcart and Jobson Horne) . 4	4, 45
LAWRENCE (L. A.), a case of almost complete occlusion of the meatus, the result of an accident	144
Lecoco (Dr.), gigantic polypus removed from a female aged sixty	391
LELAND (G. A.), septic infection through fauces	583
Leroux (R.) and Bellin (L.), congenital membranous occlusion of the	000
choanæ	438
LEVY (Robert), surgical treatment of tuberculosis of the upper air-	100
passages and the ear	340
Leukæmia of mucous membrane of upper air-passages and digestive	010
tract (K. M. Menzel)	437
"Lichenoids" (V. W. Wingrave)	108
LIMONTA (G.) and GAVAZZENI (S.), the treatment of Ménière's disease	111
LINCOLN (William), mouth-breathing	385
Lip (upper), lymphangitis of (A. Wylie)	299
Lipoma of buccal pouch (congenital) (V. W. Wingrave)	23
Liquids, dysphagia for, in case of fixation of right vocal cord (W. Stuart-	
Low)	578
Lobule (auricular), ulceration of (W. Stuart-Low)	187

Loeb (Hanau W.), a study of the anatomy of the accessory sinuses of the nose, based upon reconstructions of two heads
Logan (James E.), endothelioma of the throat; tonsillar disease — presidential address at Kansas City
Love (J. Kerr), stereograms illustrating five cases of the radical mastoid operation, and one of a polypus attached to a diseased malleus. Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps. Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose. Lymphangitis of upper lip (A. Wylie) Lymphoid tonsillar circle (G. Wishart) Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant). McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin. McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper. Mackalane (Murray), discussion on pathogenic influence of aural lesions in systemic disease. Macintyre (John), retrospect of laryngology, 1905. Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave). McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyæmia. Mader (L.), on X-ray therapy in upper air-passages. 333 342 542 548 Seventarion (J. Dundas Grant). 549 540 541 542 548 549 549 549 540 540 541 541 542 542 544 546 546 546 546 546
Longitudinal sinus (superior), thrombo-phlebitis of (V. Delsaux) Love (J. Kerr), stereograms illustrating five cases of the radical mastoid operation, and one of a polypus attached to a diseased malleus Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose Lymphangitis of upper lip (A. Wylie) Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant) McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper Macfarlane (Murray), discussion on pathogenic influence of aural lesions in systemic disease Macintyre (John), retrospect of laryngology, 1905 Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave) McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia Mader (L.), on X-ray therapy in upper air-passages. 436
Love (J. Kerr), stereograms illustrating five cases of the radical mastoid operation, and one of a polypus attached to a diseased malleus Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose Lymphangitis of upper lip (A. Wylie) Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant) McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave) McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia Mader (L.), on X-ray therapy in upper air-passages 436
operation, and one of a polypus attached to a diseased malleus Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose Lymphangitis of upper lip (A. Wylie) Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant) McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper Mackenzie (Dan); discussion on pathogenic influence of aural lesions in systemic disease Macintyre (John), retrospect of laryngology, 1905 Mackenzie (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave) McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyæmia McCallom (J. J.), on X-ray therapy in upper air-passages 436
Lubet-Barbon (Dr.), a patient who had been operated on recently for a voluminous naso-pharyngeal polypus by means of the author's forceps
a voluminous naso-pharyngeal polypus by means of the author's forceps
forceps Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose Lymphangitis of upper lip (A. Wylie) Lymphoid tonsillar circle (G. Wishart) Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant) MCCOLLOM (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin MCDONAGH (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper MACFARLANE (Murray), discussion on pathogenic influence of aural lesions in systemic disease MACINTYRE (John), retrospect of laryngology, 1905 MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave) MCKERNON (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia MADER (L.), on X-ray therapy in upper air-passages 287 288 288 288 288 288 289 486 MCCOLLOM (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin 109 MCDONAGH (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper 615 MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave) 105 MCCOLLOM (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin 109 MCDONAGH (George R.), a discussion on the treatment of diphtheria with antitoxin 109 MCDONAGH (George R.), a discussion on pathogenic influence of aural lesions in systemic disease 109 MCCOLLOM (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin 109 MCDONAGH (George R.), a discussion on the treatment of diphtheria with antitoxin 109 MCDONAGH (George R.), a discussion on the treatment of diphtheria with
Luc (Dr.), exhibition of (1) a patient who was cured of diffused osteomyelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
myelitis of the cranium following an acute frontal sinusitis of staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
staphylococcic origin, complicated with extra- and intra-dural abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
abscess; (2) a complicated deviation of the nasal septum; (3) a case of closure of fistula between mouth and nose
Lymphangitis of upper lip (A. Wylie)
Lymphoid tonsillar circle (G. Wishart)
Lympho-sarcoma, glosso-epiglottidean (J. Dundas Grant) McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin
McCollom (J. H.), the experience of nine years in the treatment of diphtheria with antitoxin
diphtheria with antitoxin
diphtheria with antitoxin
McDonagh (George R.), a discussion on the treatment of deviations of the nasal septum; introductory paper
the nasal septum; introductory paper
MACFARLANE (Murray), discussion on pathogenic influence of aural lesions in systemic disease
lesions in systemic disease
MACINTYRE (John), retrospect of laryngology, 1905. MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave). ———————————————————————————————————
MACKENZIE (Dan): auricle removed for epithelioma of posterior surface with microscopic sections (prepared by Dr. Wyatt Wingrave)
with microscopic sections (prepared by Dr. Wyatt Wingrave) . 105 ————————————————————————————————————
——————————————————————————————————————
McKernon (J. F.), introductory paper to a discussion on the indications for the ligation of the internal jugular vein in otitic pyemia . 507 Mader (L.), on X-ray therapy in upper air-passages
for the ligation of the internal jugular vein in otitic pyemia . 507 MADER (L.), on X-ray therapy in upper air-passages
MADER (L.), on X-ray therapy in upper air-passages
Mahu (Dr.): the efficiency of treatment of tertiary syphilis of the nose
by iodides
Makuen (G. Hudson), hysterical mutism
two cases of stammering, illustrating the importance of early
treatment
 discussion on congenital stridor, laryngeal and tracheal discussion on laryngeal disturbances produced by voice use 534
———— discussion on laryngeal disturbances produced by voice use . 534 Malignant disease: infiltration, probably malignant disease, causing
fixation of right crico-arytenoid joint (E. F. Potter)
Malignant growth, originating in skin over mastoid process (W. Milligan) 145
Malleus (diseased), polypus attached to (J. K. Love)
——— (handle of), necrosis of (P. Macleod Yearsley)
Mammalia, labyrinth of, comparative anatomy of (A. A. Gray) . 142
Masseur (aural), simple and efficacious (G. D'Aiutolo)
Mastoid disease, cases of (A. L. Whitehead)
(chronic); subdural abscess (H. S. Walker) 347
tuberculosis in, in childhood (Henrici) 401
operation (radical), isoform in after-treatment of (B. Heine) . 402
in scarlatinal otitis (A. K. Gordon)
performed painlessly without artificial anæsthesia
(Dr. Jaumenne)
results of (W. Chichele Nourse)
Love)
operations, blood-clot as a primary dressing in (C. J. Diake) . 54. process, dissecting abscess in region of, but not invading it; deep
penetration into neck (E. Urbantschitsch)
malignant growth originating in skin over (W. Milligan) 148

Mastoid surgery, modified blood-clot in (W. S. Bryant)	339
Mastoiditis: diagnosis from furunculosis (E. Delstanche)	264
and temporo-sphenoidal abscess (S. Oppenheimer)	340
—— without otorrhea trepanning; hearing recovered; absolute cure (L. Bar)	439
(acute): prevention, diagnosis, and treatment (I. I. Thomson)	584
retention of cholesteatomatous lining in operation for	
(W. Stuart-Low)	20
clot dressing in (F. L. Jack)	584
——— (double), complicated by an intercommunicating sub-occipital	903
abscess (H. B. Hitz).	211
Maxilla (superior) and ethmoid, osteomyelitis of, with suppuration in	
sinuses and in orbit (Dr. van der Wildenberg)	394
total resection of, for carcinoma (Dr. Goris)	396
——— (left superior), swelling over (J. Dundas Grant) Maxillary gives exet of (Dy year day Wilderborg)	43 204
Maxillary sinus, cyst of (Dr. van der Wildenberg)	394
sinuses, closure of wound, and irrigation (C. J. Symonds).	92
sinusitis (caseous): symptoms and diagnosis (Dr. Texier)	432
MAYER (Emil), scleroma of the larynx	381
Meat, piece of, impacted in gullet, skiagram showing (D. R. Paterson).	229
Meatus (auditory), foreign body in, resembling fibrous polypus	
(Koenig)	285
Recurrent (external), aspergillus of, causing severe vertigo (A.	99
Bronner)	33
stenosis (W. H. Kelson)	99
epithelioma of (H. S. Walker).	347
——— (inferior), nasal angeioma removed from (W. R. Kelson)	134
occlusion of, almost complete (L. A. Lawrence)	144
Mechanico-therapeutics of ear (C. J. Blake).	402
Ménière's disease: see Vertigo (aural).	
symptom-complex: see Vertigo (aural).	100
Meningitis following panotitis (G. S. Dixon)	$\begin{array}{c} 166 \\ 433 \end{array}$
	211
(active), operation, recovery (E. R. Grockett) ——————————————————————————————————	306
Menthol and eucalyptus pastilles (tabloid)	440
Mentholated throat tablets (modified)	168
MENZEL (K. M.), the symptoms of empyema of the maxillary antrum	
(abstract)	209
—— a contribution to our knowledge of leukæmic changes in the	
mucous membrane of the upper air-passages and the digestive tract	405
(abstract) . Menguy (I) maningitis following namoval of a nalynus from the	437
MERCKX (J.), meningitis following removal of a polypus from the middle turbinal	433
	351
	399
Micrococcus neoformans, bacterial vaccine of, in treatment of inoperable	
cancer of fauces (S. Spicer)	577
——— pharynx, tongue, and cervical glands; ameliora-	
tion (R. H. Scanes Spicer and Sir A. E. Wright) 265,	
, The state of the	434
	337
MILLIGAN (William), retrospect of rhinology, 1905	5
a case of malignant growth originating in the skin over the	145
mastoid process ———————————————————————————————————	T.TO
progressive deafness	355
	-

MILLIGAN (William), remarks (communicated for him in his absence) at	PAGE
discussion on fixation of the stapes	261
and Cameron (John), the mode of continuity of the fibres of the	201
auditory nerve, with the auditory sense epithelium and with the	
	354
Mitral affections, paralyses of vocal cords in (G. Gavello)	110
Mole (Harold), a case of acute otitis media suppurativa, with prolonged	
high temperature, but without other serious symptoms	96
Morbid Growths Committee, Laryngological Society of London, report	
of	292
Morcellement, severe hæmorrhage from tonsil during (Heckel)	287
Morgagni, ventricle of, laryngocele of ventricle connected with (Dr.	•
Labarre)	392
MORTON (William Cuthbert), some new instruments for removing	
foreign bodies from the bronchi by direct bronchoscopy	12
Mosher (H. P.), inflammation of the frontal sinus	363
——— a speculum for the examination of the pyriform sinuses and the	
upper end of the esophagus (exhibited at Brit. Med. Assoc., Annual	
Meeting, 1906)	542
——————————————————————————————————————	493
——————————————————————————————————————	628
MOUNIER (Dr.), nasal syphilis with a progressive destructive course;	
death of the patient	68
Moure (E. J.), suppurative phlebitis of the sinuses	431
Mouth, obscure lesion of (de la Sota Ramon)	163
and nose, fistula between, closure of (Luc)	288
Mouth-breathing (W. Lincoln)	385
Mutism (hysterical) (G. H. Makuen)	332
Nevoid changes in anterior extremity of middle turbinal bone, causing	0=0
persistent unilateral headache ($\check{\mathbf{V}}$. W. Wingrave)	378
Nevus of cheek (Mayo Collier)	300
Nasal cavity, voluminous papilloma of (S. King)	$\frac{164}{301}$
guards, exhibition of (A. Wyne)	$\frac{301}{168}$
	172
passages, malignant tumour of: new mode of access in operation	112
for (A. Denker)	302
reflex, photophobia as (E. D. Spear).	263
respiration interfered with by Eustachian eminences (E. F.	_00
Potter)	149
Naso-pharynx, carcinoma of (C. J. Symonds)	183
epithelioma of, microscopic section (W. Stuart-Low) 87, (V. W.	
Wingrave).	88
Eustachian eminences projecting into, interfering with free nasal	
respiration (E. F. Potter)	149
fibromata of (A. Capart)	396
——————————————————————————————————————	315
—— hæmorrhage (primary) from (Fiocre)	285
—— malignant growth in (P. R. W. de Santi)	182
——————————————————————————————————————	382
——— polypus of, extirpation, death by collapse (Dr. Beco)	433
——— (voluminous), operation by Lubet-Barbon's forceps	
' (Lubet-Barbon)	287
—— syphilis of (Furet)	287
ulcerated swelling in middle line of (H. W. Carson)	184
and pharynx, sclerotic hyperplasia of (A. Brown Kelly)	40
Neck: deep penetration of dissecting abscess in neighbourhood of mas-	207
toid into neck (E. Urbantschitsch)	
dermoid cyst of (V. W. Wingrave)	23
50	

Neck: radiograph of revolver bullet in left side of (Dr. Bôval). Nerve (abducens), paralysis of, complicating acute middle-ear suppuration	392
(H. Hastings)	306
- (auditory), fibres of, mode of continuity with auditory sense	
epithelium and with nuclei in hind brain (J. Cameron and W.	۵.,
Milligan)	354
(laryngeal, recurrent), adhesions fixing and dragging on, most probable cause of case of fixation of left vocal cord in cadaveric	
position (W. Stuart-Low)	296
critical observations on present position of "recurrent"	200
question (A. Kuttner)	439
(sixth cranial) paralysis of, and double optic neuritis in case of	
otitic extra-dural abscess (J. T. Barr)	151
Nerves (auditory) experimental degenerative neuritis of (Wittmaack)	364
—— (laryngeal, superior and inferior) peculiar condition of sensory	653
irritability of (G. Boenninghaus)	055
(Dr. Goris)	395
NEUMANN (Heinrich), a child, aged eleven months, who suffered from	000
transitory facial paralysis after a radical operation	225
a patient who was attacked by an acute otitis after a nasal	
operation	225
a patient, aged sixty, who for four months had suffered from	005
great pain in the ear and loud subjective noises	$\begin{array}{c} 225 \\ 289 \end{array}$
preparation of abscess of both the temporal lobes and cerebellum a preparation in which the dura of the posterior fossa was dis-	400
placed inwards, and the sinus compressed by a neoplasm the size of	
a small apple	290
antrotomy and radical operations under local anæsthesia	
	402
NEUMAYER (H.), the use of the esophagoscope in diagnosis and treat-	010
ment of foreign bodies in the esophagus Nouvitia (double entia) with paralysis of girth power in ease of ctitic.	210
Neuritis (double optic), with paralysis of sixth nerve, in case of otitic extra-dural abscess (J. S. Barr)	151
——— (experimental, degenerative) of auditory nerves (Wittmaack)	364
——— (retro-bulbar) complicating sphenoidal sinusitis (E. Delneuville).	263
Neuroses (reflex) of nasal origin (G. King)	363
Newcomb (James E.), diseases of the trachea	327
Nodules (vocal), cause of (F. E. Miller)	337
Noises (loud), prevention of ear affections due to (A. H. Cheatle)	48
Nose: accessory sinuses, anatomy of (Van den Wildenberg) 263, (H. W.	225
Loeb)	541
diseases, diagnosis and treatment: skiagraphy as	011
	537
	337
review of Dr. A. Onodi's "Die Nebenhöhlen der	
	404
	487
	323
deformity: injection of cold paraffin for (J. Dundas Grant)	89
	126
diseases of, acute), followed by acute affections of eyes (E.	
Baumgarten)	4 00°
statistical report of department of oto-rhino-laryngology	E10
	$\frac{512}{167}$
	$\frac{107}{285}$
floor of, angeio-myxoma of (V. W. Wingrave)	160°
,,,, \ \ \ \ \ \ \ \	

	PAGE
Nose: inflammatory obstruction of, as an etiologic factor in production	
of sputa (W. P. Porcher)	563
——————————————————————————————————————	19
responsible for (H. L. Swain)	320
(mucous membrane of), inflammation of (P. E. Goldsmith)	55
ocular symptoms of nasal origin (H. Hastings)	334
operation on, followed by acute otitis (H. Neumann)	225
(operations on), anæsthetic technique for (A. de Prenderville)	308
papillomata of (J. B. Ball)	$\frac{572}{572}$
pathological conditions of, specimens and drawings (L. Turner)	$\frac{372}{177}$
(polypus of), "Polypus of the Nose" (1906), by Eugene S.	1.,
Yonge	655
reflex neuroses of nasal origin (G. King)	363
removal of adenoid vegetations through the nasal passages by a	909
new method (O. T. Freer)	384
rodent ulcer (A. Wylie) 102, (V. W. Wingrave)	160
	$\frac{160}{362}$
(Roman), subcutaneous correction of (D. C. Green)	$\frac{502}{555}$
operation results, statistical report (J. Price-Brown)	-593
	$\frac{593}{593}$
treatment by electro-cautery (J. Price-Brown). skiagraphy (nasal) (C. G. Coakley).	$\frac{333}{323}$
	$\frac{323}{263}$
	200
	eo
death (Mounier)	68
	432
tuberculous ulceration of (H. S. Barwell)	37
	288
	395
(right posterior), bony occlusion of (H. S. Birkett)	55
Nourse (W. Chichele), a case of dysphagia	17
a case of laryngeal neoplasm	17
two cases showing the results of the radical mastoid operation.	189
and Grant (J. Dundas), retrospect of otology, 1905	•
Obituary: Stewart, William Robert Henry	213
Watson, William Spencer	
Esophagoscope in diagnosis and treatment of foreign bodies in esophagus	585
(H. Neumayer)	210
Esophagotomy, removal of denture by (W. Downie).	$\frac{210}{129}$
Esophagus, coin lodged in, at level of second dorsal vertebra (Dr.	128
Bôval)	392
distortion of, produced by vertebral ecchondrosis (Zahn)	$\frac{332}{304}$
diverticulum of entrance of; operation (Capart)	165
fish-hook removed from (D. R. Paterson)	$\frac{100}{229}$
foreign body in (A. Coolidge, Jun.) .	55
impaction of piece of meat in, skiagram showing (D. R. Paterson)	$\frac{35}{229}$
	110
	110
(H. Neumayer)	210
speculum for examination of upper end of (H. P. Mosher)	$\frac{210}{542}$
tooth-plate removed from (D. R. Paterson)	$\frac{342}{229}$
Onodi (A.) "Die Nebenhöhlen der Nase" (review)	$\frac{229}{404}$
OPPENHEIMER (Seymour) report of a case of mastoiditis and temporo-	404
sphenoidal abscess; operation; recovery	340
Oral infection, question of mutual communication of syphilis in three	940
cases by (H. J. Davis)	227
Orbit, suppuration in, in a case of osteomyelitis of superior maxilla and	441
of ethmoid (Dr. van den Wildenberg)	394
Osteitis of frontal bone (chronic). with chronic sinusitis (E. A. Peters).	$\frac{594}{295}$
osocios di Itolicai bone (chiomo), with chiome singsidis (E. A. Letels).	200

0. +	PAGE
Osteomyelitis of cranium (diffused) following acute frontal sinusitis of	
staphylococcic origin, complicated with extra- and intra-dural abscess;	288
cure (Luc)	$\frac{200}{435}$
of superior maxilla and ethmoid, with suppuration in sinuses and	400
in orbit (Dr. van den Wildenberg)	394
(subacute) of frontal bone with empyema of right frontal sinus	004
(R. H. Scanes Spicer)	35
Othematoma, treatment of (Dr. Delstanche)	435
Otitis (acute) following nasal operation (H. Neumann)	$\frac{100}{225}$
media complicated by infective arthritis (P. W. Eagleton)	167
——— (purulent), abscess of brain following (Dr. Trétrôp)	391
(chronic purulent) results of radical operation for	
(S. MacCuen Smith)	339
(suppurative acute): case with prolonged high temper-	
ature; no other serious symptoms (H. Mole)	96
(chronic), four cases; recovery after operation	
(Dr. Alexander)	226
(scarlatinal), operative treatment of (A. K. Gordon)	275
radical mastoid operation in (A. K. Gordon)	353
Otological Society of the United Kingdom: annual meeting and dinner	3, 54
proceedings	
Otology, retrospect of, 1905 (J. Dundas Grant and W. Chichele Nourse)	, 0 1 2
and rhinology, practical problems in (J. Dundas Grant)	405
Otorrhea (chronic), cases of (A. L. Whitehead)	349
—— mastoiditis without (L. Bar)	439
(old-standing), persisting after recovery from hip-joint disease	
(Boulay)	286
Ozæna cured by submucous injections of paraffin (Dr. Broeckaert) .	396
etiology of (Dr. Broeckaert)	431
	200
Palate, epithelioma of (J. Dundas Grant)	238
lupus of larynx, palate, and pharynx (H. Barwell)	188
(soft) ? congenital malformation of (F. Spicer)	$\frac{101}{389}$
mixed tumour of (T. H. Halsted)	$\frac{369}{239}$
paralysis of larynx and soft palate (B. Jones)	$\frac{239}{103}$
with left recurrent paralysis associated with	100
middle-ear disease and facial palsy on same side (D. R. Paterson) .	230
tuberculosis of soft palate, pharynx, and epiglottis	
(Clayton Fox)	234
——— tumour of; twenty years' duration (J. W. Bond)	293
—— ulceration of left posterior fold of (H. W. Carson)	184
Panotitis resulting in meningitis (G. S. Dixon)	166
Papilloma, fibroma of larynx recurring as, treated by laryngo-fissure	
(T. J. Harris)	331
Paræsthesia of pharynx (Dr. Bouyer)	435
Paraffin injection, endonasal, as supplementary treatment of sinusites	104
(Guisez)	$\begin{array}{c} 164 \\ 126 \end{array}$
for nasal deformity (W. Downie)	120
Kirkpatrick)	164
submucous, in treatment of atrophic rhinitis (A. B.	104
Kirkpatrick)	164
	396
——— (cold) injection in case of nasal deformity (J Dundas Grant)	89
——— (soft and hard), normal and pathologic inclusion in tissues	-
(Dr. Broeckaert)	431
——— (solid) injection into nose without anæsthetic (A. Wylie)	19

Paralysis (abductor): paralysis of abducens nerve complicating acus	te	PAGE
middle-ear suppuration (H. Hastings)		306
supplementary report of case of (G. L. Richards)		569
two cases (G. L. Richards)		495
——— (facial, transitory) following radical operation in child of eleve	\mathbf{n}	
months (H. Neumann)		225
(left recurrent) and paralysis of soft palate, associated wit	h	
middle-ear disease and facial palsy on same side (D. R. Paterson)	٠	230
of larynx and soft palate (B. Jones).	÷	103
of posterior crico-arytenoid muscles, incomplete bilateral, traches	ai T	
cannula worn on account of, nearly twenty-seven years (Sir I Semon)	2.	70
paralyses of vocal cords in mitral affections (G. Gavello)	٠	110
—— (pharyngo-laryngeal, unilateral) (Avellis' syndrome) (C. Poli)	•	303
association with paralysis of other muscles on same side	le.	000
(C. Poli)		303
Parisian Society of Laryngology, Otology, and Rhinology: proceeding	rs	
66, 1	20.	. 284
PARKER (Charles A.), a case of swelling below the anterior commissur	·e ´	
of the vocal cords, causing some dyspnæa, with deformity of the		
epiglottis and indurated swelling of both auricles, in a woman age	d	
fifty-five		236
PARMENTIER (Dr.) and Fallas (Dr.), papillomata of the vocal cords		397
Parturition and pregnancy, influence on certain forms of progressiv		222
	80,	
PATERSON (D. R.), fish-hook removed from the esophagus		229
skiagram of the neck in a case where a piece of meat was impacte	a	229
in a structure in the gullet	•	$\frac{229}{229}$
left recurrent paralysis and paralysis of the soft palate associate	ä	449
with middle-ear disease and facial palsy on the same side.	u	230
the operative treatment of laryngeal papillomata in childre	n n	200
(abstract)		511
Pathological conditions found in subject of deafness during life (A. A.	١.	
Gray)		56
Pegler (L. Hemington), case of secondary syphilitic lesions of the voca	ıl	
cords in a girl aged twenty		133
the pathology, affinities, and treatment of so-called bleedin	g	
polypus (discrete angeioma) of the septum (abstract)		202
——— bilateral ulceration of the posterior segments of the vocal cord	s	207
in a man	•	231
Perichondritis of thyroid cartilage (Bosviel)	•	284
Peters (E. A.), case of chronic pharyngitis with polypi of uvula	•	$\frac{42}{78}$
a microscopic section of an angeio-fibroma	•	231
a case of epithelioma of the tonsils	٠	$\frac{291}{294}$
functional aphonia in a soldier after ague	•	$\frac{294}{294}$
chronic osteitis of the frontal bone with chronic sinusitis		295
Pharyngeal reflex (W. Baumann)		301
Pharyngitis, chronic, with polypi of uvula (E. A. Peters)		42
Pharynx: abstracts of literature on 109, 20		301
- cancer (inoperable) of fauces, pharynx, tongue, and cervica	ıl İ	
glands: amelioration after treatment with bacterial vaccine o	f	
neoformans (R. H. Scanes Spicer and Sir A. E. Wright) . 20	65,	292
——— endothelioma of (V. W. Wingrave)		191
erysipelas of, primary (H. G. Langworthy)	•	582
—— hyperæsthesia and paræsthesia of (Dr. Bouyer)	•	435
—— lupus of larynx, palate, and pharynx (H. Barwell)		188
paralysis, pharyngo-laryngeal unilateral (Avellis' syndrome) (C	٠.	900
Poli)		303

Pharynx: paralysis, association with paralysis of other muscles on same side (C. Poli)	303
(roof of), tumour of left half of face originating in (K. Jager) .	301
syphilitic ulceration in (extensive), rapid improvement under	
calomel injections (J. Dundas Grant)	80
— tuberculosis of soft palate, pharynx, and epiglottis (C. Fox)	234
tumour of (J. B. Ball)	570
ulceration of pharynx and larynx (J. B. Ball)	77
(nucleably excepted) with unusual features (I Dundes	• • •
(probably specific), with unusual features (J. Dundas	71
Grant)	
and naso-pharynx, sclerotic hyperplasia of (A. Brown Kelly)	40
PHILLIPS (Wendell C.), discussion on treatment of deviations of nasal	000
septum	628
Phlebitis (suppurative) of sinuses (Dr. Moure)	431
Photophobia as a nasal reflex (E. D. Spear)	263
Pinna, epithelioma of (M. Yearsley)	137
(H. S. Walker)	348
Poli (C.), Avellis' syndrome (abstract)	303
POLITZER (A.), histological preparation from a case of suppuration of	
the labyrinth	222
Pollak (Professor), instrument for vibration massage of ear-drum .	226
—— methods for carrying and keeping aseptic dressings and small	
instruments	226
Polypi (mucous) of choanæ, origin of (G. Killian)	437
of uvula, with chronic pharyngitis (E. A. Peters)	42

Polypus attached to diseased malleus, stereogram illustrating (J. K.	0.4
Love)	94
(bleeding): see Septum (nasal, angeioma, discrete.	204
(fibrous), foreign body in auditory meatus resembling (Koenig).	285
——— (gigantic) removal (Dr. Lecocq)	391
——— meningitis following removal of, from middle turbinal (J. Merckx)	433
(nasal) and sinusitis, recent, with long-standing atrophic rhinitis	
(W. Hill)	44
(naso-pharyngeal): extirpation; death by collapse (Dr. Beco)	433
——— (voluminous): operation by Lubet-Barbon's forceps	
(Lubet-Barbon)	287
DE PONTHIÈRE (Dr.), pseudo-membranous rhinitis	436
PORCHER (W. Peyre), discussion on congenital stridor, laryngeal and	
tracheal	456
discussion on conservative methods in treatment of aural diseases	480
discussion on laryngeal disturbances produced by voice use	535
inflammatory nasal obstruction as an etiologic factor in the pro-	000
	563
duction of sputa	909
POTTER (E. Furniss), case of fixation of right crico-arytenoid joint due	05
to infiltration, probably malignant disease, in a woman aged fifty.	85
case of swelling projecting from left tonsil (retention cyst) in a	
girl aged twenty-three	134
——————————————————————————————————————	
the naso-pharynx to the extent of interfering with free nasal respira-	
tion	149
Pregnancy and parturition: influence on certain forms of progressive	
deafness (W. Milligan)	355
DE PRENDERVILLE (A.), the anæsthetic technique for operations on the	
nose and throat (review)	308
PRICE-Brown (J.), a new operation for extreme cases of septal deflection,	000
with presentation of a successful result in an adult case . 309,	394
± 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	555
nasal sarcoma	OOO
a statistical report of the results of operation in sarcoma of the	
nose by methods generally adopted, with a plea for the more extended	too
use of the electro-cautery in suitable cases	593

PRICE-BROWN (J.), discussion on treatment of deviations of nasal septum PRITCHARD (Urban), introductory paper to discussion on fixation of the	627
stapes Pseudo-leukæmia simulating so-called Mikulicz's disease (Dr. Broeckaert) Pyæmia (otitic), ligation of internal jugular vein in (H. E. Jones) (J. F. McKernon)	240 434 498 507
Pyriform fossa, piece of cartilage impacted in (R. Landesberg) sinuses, speculum for examination of (H. P. Mosher).	$\frac{264}{542}$
RAMON (de la Sota), obscure lesion of mouth (abstract)	163
Rectum, ether narcosis by (J. A. Stucky)	341
"Recurrent" question, present position of (A. Kuttner)	439
Renshaw (Knowles), a case of fibro-sarcoma arising from the thyro-hyoid	
membrane.	169
Rhinitis, atrophic (H. J. Davis)	125
long standing, with recent nasal polypus and sinusitis	
(W. Hill)	44
treatment by submucous injection of paraffin (A. B.	.
Kirkpatrick)	164
(pseudo-membranous) (Dr. de Ponthière)	436
Rhinolith, specimen of (P. Watson Williams)	36
Rhinology, retrospect of, 1905 (W. Milligan)	5
and otology, practical problems in (J. Dundas Grant).	405
Rhino-phantom (Killian's), stereoscopic photographs of (V. Delsaux)	391
Rhodes (J. E.), sarcoma of the naso-pharynx; treatment by injections	
of adrenalin	382
RICHARDS (George L.), discussion on conservative methods in treatment	
of aural diseases	480
———— discussion on sinus suppuration	494
two cases of abductor paralysis (Brit. Med. Assoc., Annual	
Meeting, Toronto, 1906)	495
supplementary report on case of abductor paralysis (Brit. Med.	
Assoc., Annual Meeting, 1906)	569
——— what should be the attitude of public sanatoria towards cases of	
tubercular laryngitis, with suggestions as to the general plan of	
treatment of such cases in sanatoria	583
RICHARDSON (Charles W.), some observations on non-traumatic per-	001
forations of the septum	321
three cases of laryngeal neoplasm	338
ROBINSON (H. Betham), case of fibro-angeioma of nasal septum	130
Rodent ulcer on nose, excision of (A. Wylie)	102
Roe (John O.), the ethmo-turbinal cells clinically considered.	326
discussion on the treatment of deviations of the nasal septum;	010
introductory paper (Brit. Med. Assoc., Annual Meeting, 1906)	610
RUDOLF (R. D.), the medical treatment of exophthalmic goitre .	55
	, 162
Sanatoria (public), treatment of cases of tubercular laryngitis in (G. L.	
Richards)	583
DE SANTI (Philip R. W.), case of syphilitic granulomata and stenosis of	-
the larynx; thyrotomy performed	39
a woman with immobile right vocal cord; previously shown	30 -
May 5, 1905	135
woman aged fifty with malignant growth in naso-pharynx;	• • • •
question of operation	182
child aged twelve with growth on left side of the tongue.	185
Sarcoma, cases of (T. Hubbard)	389
SAUNDERS (E. W.), a plea for the more timely use of intubation in	
laryngeal stenosis, and for the use of tracheotomy in certain	
neglected cases	264

Saw (nasal) (E. A. Peters)	231
Scarlatina: see Otitis (scarlatinal).	201
SCHEIBE: the therapeutical aspect of acute inflammations of the middle	90=
ear, with reference to their various etiology	307
Schiffers (Dr.), epithelioma of larynx	396
Semicircular canals, theory of function of (Dr. Barany)	361
SEMON (Sir Felix), a case of tumour in the interarytenoid fold, probably	
tuberculous	31
a case in which a tracheal cannula had been worn for nearly	
twenty-seven years on account of incomplete bilateral paralysis of	
the posterior crico-arytenoid muscles, which had remained un-	
changed all that time	70
Septum (nasal), abnormalities of, are they responsible for mal-function	• •
of nose? (H. L. Swain)	320
angiome of discrete (T. H. Bogley)	202
deviations of (editorial)	586
deviations of (editorial)	
complicated (Luc)	288
treatment (StC. Thomson)	604
(J O. Roe)	610
(G. R. McDonagh)	615
	582
by submucous resection (I C Beck)	335
	336
(O. Vacason)	619
instruments for (H. Smurthweite)	175
- Instituted to (ii. Smarthware)	110
new operation for extreme cases of de-	904
flection (J. Price-Brown)	
disease of; case for diagnosis (F. Spicer)	100
fibro-angeioma of (H. B. Robinson)	130
——— perforations of, treatment (M. A. Goldstein)	337
non-traumatic (C. W. Swain) .	321
results of operations on, by various incisions (J. F. Barn-	
hill)	336
swelling on upper part of (J. Donelan)	184
tuberculosis of (C. E. Delsaux)	392
ulceration of (W. H. Kelson)	102
SHAMBAUGH (G. E.), communications between the blood-vessels in the	104
membranous labyrinth and the endosteum and those in the bony	
	166
capsule of the labyrinth (abstract)	100
some relations of the blood-supply of the inner ear, which have a	00.1
practical bearing on the clinical study of otology (abstract)	364
circulation in the labyrinth of the ear (Brit. Med. Assoc., Annual	
Meeting, 1906)	555
Sigmoid sinus thrombosis, cases of (A. L. Whitehead) 348,	
———— (infective), resection of internal jugular (H. B. Ellis)	335
——————————————————————————————————————	343
pathological preparations of (H. S. Walker)	351
	329
	337
	289
	69
of chin (W. H. Kelson)	224
the second of th	224
circulatory disturbances following ligation of internal	0× 1
	654
(lateral) treated by operation, without ligature of vein	
(J. Dundas Grant)	148
Sinuses, suppuration in, in case of osteomyelitis of superior maxilla and	
of ethmoid (Dr. van den Wildenberg)	394
	431
* * * * * * * * * * * * * * * * * * *	

Sinusitis (chronic), with chronic osteitis of frontal bone (E. A. Peters) .	29.
(frontal) (H. P. Mosher)	363
	338
of staphylococcic origin complicated with extra-dural and	000
intra-dural abscess, followed by diffuse osteomyelitis of cranium (Luc)	$\frac{288}{435}$
(maxillary) (Dr. Trétrôp)	432
paraffin endonasally as supplementary treatment of (Guisez)	$\frac{46}{164}$
recent, and recent nasal polypus, with long-standing atrophic	10.
rhinitis (W. Hill)	44
(sphenoidal) with ocular complication (E. Delneuville) .	263
treatment by operation, indications for (A. Capart, jun.)	511
Skiagraphy as aid in diagnosis and treatment of diseases of accessory	
sinuses of nose (C. G. Coakley)	537
in diagnosis of frontal sinusitis (W. A. Chisholm)	338
(nasal) (C. G. Coakley)	323
Skulls showing different stages of operation for opening vestibule (R.	94
Lake)	628
SMITH (M. C.), discussion on treatment of deviation of hasai septum. SMITH (S. MacCuen), the results obtained from the radical operation	020
for chronic purulent otitis media	339
the pathogenic influence of aural lesions in systemic disease	000
(Brit. Med. Assoc., Annual Meeting, Toronto, 1906)	457
discussion on conservative methods in treatment of aural diseases	480
SMURTHWAITE (H.), a patient shown in June, 1905, with thickening of	
right cord thought to be malignant; exhibited again for further	
diagnosis	131
instruments for submucous resection operation	$\frac{175}{491}$
discussion on conservative methods in treatment of aural diseases discussion on laryngeal disturbances produced by voice use	$\frac{481}{535}$
discussion on cold wire snare in removal of hypertrophied tonsils	563
headache: pathological conditions of the middle turbinal a	000
causal factor, 565. Discussion, Dundas Grant (President) (Brit.	
Med. Assoc., Annual Meeting, 1906)	569
discussion on treatment of deviations of nasal septum	627
Snare (cold wire) in removal of hypertrophied tonsils (A. S. Bryant) .	556
Sodium citrate tabloid	212
"Soloid" eosin-azur	656
Sondermann's suction apparatus (J. Dundas Grant)	81
Sound-waves, therapeutic effect of (C. J. Blake)	402
acid gas at (E. Delneuville)	167
SPEAR (Edmund D.), photophobia: a nasal reflex (abstract)	263
Speculum for examination of pyriform sinuses and upper end of eso-	
phagus (H. P. Mosher)	542
SPICER (Frederick), case of disease of the septum, for diagnosis	100
case of (?) congenital malformation of the soft palate	101
SPICER (R. H. Scanes), multiple papillomata of the larynx in a man	
aged forty-one, which had recurred after three years' treatment	90
ending fifteen years ago a case of subacute osteomyelitis of frontal bone, with empyema	33
of right frontal sinus, shown on May 5, 1905	35
case of intrinsic laryngeal neoplasm in a man aged seventy-three,	00
shown June, 1905	86
case of inoperable cancer of fauces treated with a bacterial	
vaccine of Micrococcus neoformans	577
and Wright (Sir A. E.), case of inoperable cancer of the	
fauces, the pharynx, the tongue, and the cervical glands that has	
shown marked amelioration after treatment for ten weeks with a	202
bacterial vaccine of neoformans	292

	PAGE
Spilsbury (B.), description of microscopical appearances in Dr. Scanes	
Spicer's case of inoperable cancer of fauces treated with bacterial	~
vaccine of Micrococcus neoformans	577
Sputa, production of, inflammatory nasal obstruction as an etiologic	563
factor in (W. P. Porcher)	339
Stapes, fixation of (R. Lake)	357
discussion on (Otological Society of United Kingdom) 240	
STEWART (John), obstruction of the esophagus (abstract)	$\frac{-202}{110}$
STEWART (William Robert Henry), obituary	213
Stridor, laryngeal and tracheal, congenital: discussion (Annual Meeting,	210
Brit. Med. Assoc., Toronto, 1906)	-457
(laryngeal, congenital) (H. Koplik)	165
STUART-Low (W.), two cases illustrating the retention of the chole-	
steatomatous lining in the operation for acute mastoiditis, a sequel	
of chronic suppurative disease	20
case of epithelioma of the naso-pharynx, with microscopic	
section	87
——— with report by Dr. Wyatt Wingrave .	88
——————————————————————————————————————	186
—— a case of ulceration of the auricular lobule of fifteen years'	
standing	187
——— fixation of the left vocal cord in the cadaveric position, most	
probably due to adhesions fixing and dragging on the recurrent	
laryngeal nerve	296
———— case of cleft palate, showing that adenoids diminish the dyslalia	297
case of fixation of the right vocal cord with dysphagia for	
liquids	578
STUCKY (J. A.), presentation of pathologic exhibit	334
ether narcosis by rectum .	341
discussion on conservative methods in treatment of aural	400
diseases	480
discussion on ligation of internal jugular vein in otitic pyæmia.	$\begin{array}{c} 510 \\ 628 \end{array}$
——— discussion on treatment of deviations of nasal septum.	020
thyrotomy and laryngectomy for malignant disease of larynx	651
	162
SUTHERLAND (G. A.), discussion on congenital stridor, laryngeal and	,
tracheal	456
Swiss wrestlers, hæmatoma of right ear in (Valentin)	401
Suction apparatus (Sondermann's) (J. Dundas Grant)	81
SWAIN (Henry L.), how far are abnormalities of the nasal septum respon-	
sible for malfunction of the nose?	320
Symonds (C. J.), suppuration of frontal sinuses treated by irrigation	
only	82
suppuration of the left frontal and the left maxillary sinuses:	
closure of the wound and irrigation	92
——— carcinoma of the naso-pharynx	183
Syphilis, congenital, case of (A. Wylie)	18
——— (hyperplastic, congenital), section of larynx and uvula from case	• • • •
of (A. Brown-Kelly)	130
malignant disease of right side of larynx in syphilitic man	F 00
(StC. Thomson)	580
of naso-pharynx (Furet)	287
three cases in one family (?) communicated mutually by oral	oo=
infection (H. J. Davis)	227
(secondary), secondary lesions of vocal cord (L. H. Pegler)	133
(tertiary) extensive syphilitic ulceration in pharynx; rapid	80
improvement under calomel injections (J. Dundas Grant). of larynx (G. C. Cathcart).	44
or larytiz (O. O. Caulicard)	TT

Syphilis (tertiary) of nose: case with progressive destructive course;	PAGE
death (Mounier)	68
treatment by iodides (Dr. Mahu)	432
——————————————————————————————————————	71
Syphilitic disease of larynx (M. Collier)	188
granulomata and stenosis of larynx; thyrotomy (H. S. Barwell)	39
Syringe, aseptic (V. W. Wingrave)	108
for intra-tracheal injections, made entirely of glass (Koenig)	285
Syringomyelia, laryngeal disturbances in (G. Gavello)	110
Sympony one, nary ngour disoursaires in (Gr. Gartens)	
Tabes, larynx in (D. C. Green)	209
Temporal bone, anatomy of (H. Frey)	291
disease, diagnosis of complications of (A. L. Whitehead)	351
based on study of 135 fatal cases (A. L.	
Whitehead)	269
—— pathological preparations of (H. S. Walker)	350
Temporo-sphenoidal abscess and mastoiditis (S. Oppenheimer)	340
Texier (Dr.), the symptoms and diagnosis of caseous maxillary sinusitis	432
Therapeutics: abstracts of literature on	
Therapeutic preparations	
THEISEN (Clement F.), tracheal tumours	328
Thimbles for making aseptic wool mops (E. C. Baber)	572
Thomson (J. J.), acute mastoiditis, its prevention, diagnosis, and treat-	••-
ment (abstract)	584
Thomson (StClair), a case of glottic stenosis	176
discussion on sinus suppuration	494
discussion on laryngeal disturbances produced by voice use	535
discussion on cold wire snare in removal of hypertrophied tonsils	563
	000
three years, without local treatment, in a man aged fifty-five	573
case of extensive tuberculous laryngitis, no local treatment, com-	010
plete healing causing stenosis of glottis, and requiring tracheotomy,	573
healing maintained since one year, in a woman aged forty	
——————————————————————————————————————	576
——— malignant disease of the right side of the larynx in a syphilitic	580
man aged sixty	900
discussion on the treatment of deviations of the nasal septum:	690
introductory paper (Brit. Med. Assoc., Annual Meeting, 1906) 604,	030
discussion on thyrotomy and laryngectomy for malignant disease	e = 1
of larynx .	$\begin{array}{c} 651 \\ 380 \end{array}$
THRASHER (A. B.), papilloma of larynx from inhaling flames.	167
Throat, diseases of, treated by carbonic acid gas at Spa (E. Delneuville)	107
effects of tobacco upon (S. W. Langmaid)	
endothelioma of; tonsillar disease (J. A. Logan)	333
examination of, in chronic systemic infections (J. L. Goodsale).	386
(operation on), anæsthetic technique for (A. de Prenderville)	308
——— pathological conditions, specimens and drawings of (L. Turner).	177
tablets, mentholated (modified)	168
Thrombo-phlebitis of jugular bulb with cerebellar abscess (J. Dundas	110
	113
——— of superior longitudinal sinus complicating subperiosteal abscess	٠
of forehead (V. Delsaux)	542
Thrombosis (infective sigmoid sinus), resection of internal jugular (H. B.	
Ellis)	335
(latent) of lateral sinus (Dr. van den Wildenberg)	436
—— of lateral sinus treated by operation without ligature of jugular	
vein (J. Dundas Grant)	148
of sigmoid sinus, cases of (A. L. Whitehead) 348,	
pathological preparations of (H. S. Walker)	351
and partial necrosis of cochlea (H. S. Walker)	343

Thyro-hyoid membrane, fibro-sarcoma arising from (K. Renshaw) Thyroid cartilage, perichondritis of (Bosviel)	$\frac{169}{284}$
revolver bullet in left side of neck opposite lower part of	
(Dr. Bôval).	392
—— gland, abstracts of literature on	55 395 39
in treatment of malignant disease of larynx (C. Jackson)	632
TILLEY (Herbert), four cases of chronic frontal empyemata operated on	
by a simplified Killian operation	232
——————————————————————————————————————	239
some considerations upon certain factors in the diagnosis and	
treatment of suppurative lesions in the nasal accessory sinuses (Brit.	
Med. Assoc., Annual Meeting, Toronto, 1906)	$\begin{array}{r} 487 \\ 562 \end{array}$
 discussion on cold wire snare in removal of hypertrophied tonsil discussion on conservative methods in treatment of aural diseases 	
discussion on thyrotomy and laryngectomy for malignant	
disease of larynx	650
discussion on treatment of deviations of nasal septum .	627
Tobacco, effects upon throat (S. W. Langmaid)	109
Tongue: cancer (inoperable) of fauces, pharynx, tongue, and cervical	
glands; amelioration after treatment with bacterial vaccine of neo-	
formans (R. H. Scanes Spicer and Sir A. E. Wright) . 26	5, 292
carcinoma of (G. E. Armstrong)	54
epithelioma of (squamous) (V. W. Wingrave).	23
growth on left side of (P. R. W. de Santi)	185
—— malignant disease of (J. H. Bryan) .	386
ulceration (? malignant disease) of base of (W. H. Kelson)	581
Tongue clip, exhibition of (P. Watson Williams)	582
Tonsil, hæmorrhage (severe) from, during morcellement (Heckel)	$\begin{array}{c} 287 \\ 134 \end{array}$
——— (left), retention cyst of (E. F. Potter)	$\frac{134}{202}$
as portal of microbic and toxic invasion (A. Jacobi)	$\frac{202}{399}$
anterior faucial pillar (P. H. Abercrombie)	104
Tonsillar circle, lymphoid (G. Wishart)	54
Tonsils, epithelioma of (E. A. Peters)	294
endothelioma of throat; tonsillar disease (J. A. Logan) .	333
hyperkeratosis of, etiology (G. B. Wood)	387
(hypertrophied), cold wire snare in removal of (A. G. Bryant) .	556
Tooth-plate removed from the esophagus (D. R. Paterson)	229
Toxic and microbic invasion, tonsil at portal of (A. Jacobi)	399
Trachea, diseases of (J. E. Newcombe)	327
incrustations in, fatal termination of case (E. Law, G. C. Cath-	44 45
	$44, 45 \\ 329$
stenosis of (W. K. Simpson)	$\frac{328}{328}$
Tracheotomy, "curative," in laryngeal tuberculosis (Henrici)	653
foreign body extracted from bronchus by (Dr. van Swieten) .	398
importance of, in certain neglected cases (E. W. Saunders)	264
required for stenosis of glottis following complete healing of	
extensive tuberculous laryngitis (StC. Thomson)	573
tube, radiograph of patient wearing, with revolver bullet lodged	
in left side of neck (Dr. Bôval)	392
Tracheoscopy and foreign bodies (A. Coolidge, jun.)	330
Tragus (accessory), case of (A. Wylie)	301
TRÉTRÔP (Dr.), large abscess of the brain following purulent otitis media	391
presentation of instruments	393
——— sinusitis and osteomyelitis of the jaw	435

	PAGI
Trow (C.), discussion on cold wire snare in removal of hypertrophied	× 00
tonsils	$\frac{562}{420}$
Tuberculosis (laryngeal), galvano-cautery in (Dr. Escat)	433
of larynx (bilateral) healed without local treatment (StC. Thomson)	$\frac{573}{234}$
of soft palate, pharynx, and epiglottis (C. Fox) tumour in interarytenoid fold, probably tuberculous (Sir F. Semon)	$\frac{259}{3}$
Tuberculous ulceration of nose (H. S. Barwell)	37
laberculous alceration of nose (11. S. Bai wen) lesions absent in case of dysphonia (Koenig).	287
Turbinal (middle), meningitis following removal of polypus from (J.	201
Merckx)	433
pathological conditions of, a causal factor of headache	100
(H. Smurthwaite)	565
bone (inferior), resection of (A. Forstelles)	202
(middle), nævoid changes in anterior extremity of, causing	
persistent unilateral headache (V. W. Wingrave)	378
(nasal) as a vasomotor index (J. A. Babitt)	338
Turner (A. Logan), specimens and drawings illustrating various patho-	
logical conditions of the nose and throat	177
a discussion on congenital stridor (laryngeal and tracheal); in-	
troductory paper (Annual Meeting, Brit. Med. Assoc., Toronto, 1906)	
441,	456
——————————————————————————————————————	494
Tympanic membrane, abnormal colour of (M. Yearsley)	138
Tympanum, vibration-massage of, instrument for (Professor Pollak) .	226
TT (T) 1.1.3 3 (T) 1.1.3 (T)	
Urbantschitsch (E.), a case in which Ménière's symptom complex was	
cured by a gynæcological operation .	224
abscessus dissecans profundus of an unusual type . 290,	291
Urbantschitsch (Professor E.), a patient who had suffered from a	000
discharge from the attic and headache for eighteen months Uvula and larynx, lupus of (H. S. Barwell)	228
———— pedunculated growth in (W. H. Kelson)	$-38 \\ -87$
polypi of, with chronic pharyngitis (E. A. Peters)	42
section of, from case of hyperplastic congenital syphilis (A.	42
Brown Kelly)	130
	100
Vaccine (bacterial) of Micrococcus neoformans in treatment of inoperable	
cancer of fauces, pharynx, tongue, and cervical glands; ameliora-	
tion (R. H. Scanes Spicer and Sir A. E. Wright)	292
inoperable cancer of fauces treated by (S. Spicer)	577
Vail (Derrick T.), herpes zoster auris	340
VALENTIN: on hæmatoma of the right ear in Swiss wrestlers (abstract)	401
VAN DEN WILDENBERG: a contribution to the anatomy of the accessory	
sinuses of the nose (abstract).	263
cyst of the maxillary sinus	394
osteomyelitis of superior maxilla and of the ethmoid, with	
suppuration in the sinuses and in the orbit	394
a case of latent thrombosis of the lateral sinus	436
Vapour method of anæsthesia (J. T. Gwathmey)	112
Vasomotor index, nasal turbinate as (J. A. Babitt)	338
Ventricle, laryngocele of, air-containing cyst connected with left ventricle	
of Morgagni (Dr. Labarre)	392
Vertebra (second dorsal), coin in esophagus at level of (Dr. Bôval)	392
Vertebral ecchondrosis producing distortion of esophagus (Zahn)	304
Vertigo (aural): case of Ménière's symptom complex cured by gynæco-	00
logical operation (E. Urbantschitsch)	224
severe case due to aspergillus invading external auditory	04
meatus (A. Bronner)	99
——————————————————————————————————————	111
Gavazzeni)	111

Tr. 4:11. (:	PAGE
Vestibule (opening of), skulls showing different stages of an operation	94
for (R. Lake)	$\frac{94}{226}$
Vocal cord (left), fixation in cadaveric position, probably due to adhesions	220
fixing and dragging on recurrent laryngeal nerve (W. Stuart-Low).	296
infiltration of (H. S. Barwell)	292
paralysis of, with narrowing of larynx (Dr. Fallas)	397
ulceration of (W. H. Kelson)	, 175
——————————————————————————————————————	287
(right), fixation of (V. W. Wingrave)	16
fixation, with dysphagia for liquids (W. Stuart-Low)	578
immobile (P. R. W. de Santi)	135
infiltration of, with fixation (J. Dundas Grant)	185
thickening of, thought to be malignant (H. Smurthwaite)	131
Vocal cords, chronic thickening and deformity of epiglottis and vocal	
cords (J. Donelan)	32
papillomata of (Dr. Parmentier and Dr. Fallas)	397
paralyses in mitral affections (G. Gavello)	110
secondary syphilitic lesions of (L. H. Pegler).	133
swelling below anterior commissure of, causing dyspnea, with	
deformity of epiglottis, and indurated swelling of both auricles	000
(C. A. Parker)	$\frac{236}{231}$
—— ulceration (bilateral) of posterior segments (L. H. Pegler) . Voice, sudden loss of (H. J. Davis)	$\frac{251}{171}$
use of, producing laryngeal disturbances (J. Middlemass Hunt).	$\frac{171}{519}$
	528
VON SWIETEN (Dr.), extraction of a foreign body from the bronchus by	020
tracheotomy	398
	000
WAGGETT (E. B.) a boy, aged seventeen, with absence of right choana.	133
a case of absence of the right choana	172
Walker (H. Secker), notes of an unusual and fatal case of cerebral	
abscess	157
——————————————————————————————————————	342
partial necrosis of cochlea and sigmoid sinus thrombosis .	343
	347
epithelioma of the external auditory meatus	347
epithelioma of the pinna; amputation	$\frac{348}{250}$
pathological preparations of the temporal bone	$\frac{350}{251}$
—— pathological preparations of sigmoid sinus thrombosis	$\begin{array}{r} 351 \\ 585 \end{array}$
WEST (C. E.) discussion on fixation of the stapes	$\frac{360}{261}$
Wharton's duct, calculi of unusual size from (Koenig)	$\frac{285}{285}$
WHITEHEAD (A. L.) three cases of cerebellar abscess	63
notes of three cases of cerebellar abscess	146
some points in the diagnosis of the complications of temporal	
	351
exhibition of cases of cerebral abscess, cerebellar abscess, sig-	•
moid sinus thrombosis, double mastoid disease, and chronic otor-	
	3, 349
WILLIAMS (P. Watson), specimen of a rhinolith	36
—— discussion on sinus suppuration	494
——— discussion on laryngeal disturbances produced by voice use	535
discussion on cold wire snare in removal of hypertrophied tonsils	562
a case of epithelioma of the larynx	580
drawings illustrating method adopted in operation for submucous	F 00
excision of septum	$\begin{array}{r} 582 \\ 582 \end{array}$
——— exhibition of tongue clip	2002
——— discussion on treatment of deviations of nasal septum	629

WINGRAVE (V. Wyatt), fixation of right vocal cord in a male aged fifty-	PAGE
six	$\frac{16}{17}$
pathological specimens shown—(a) Lipoma of buccal pouch (congenital); (b) Squamous epithelioma of tongue from a woman	23
aged forty-two; (c) Dermoid cyst of neck; (d) Cyst of auricle . ———————————————————————————————————	25
the naso-pharynx	88
removed for epithelioma of posterior surface	105
	$\frac{108}{108}$
——————————————————————————————————————	160
microscopic specimens of endothelioma of pharynx, granuloma of	
auricle, epithelioma of larynx	191
 notes on the pathology of fifty cases of innocent laryngeal growths preparations illustrating Dr. Dundas Grant's case of laryngeal growth shown by 	$\frac{215}{237}$
persistent unilateral headache due to nævoid changes in the	201
anterior extremity of the middle turbinal bone	375
WISHART (Gibb), the lymphoid tonsillar circle	54
——— discussion on congenital stridor, laryngeal and tracheal . Wittmaack: on experimental degenerative neuritis of the auditory	454
nerves (abstract)	364
on the histo-pathological examination of the organ of hearing,	
with a special reference to the administration of fat and myelin	400
substances (abstract)	$\frac{402}{387}$
Woods (Robert H.), on the dental saliva-ejector as a surgical instrument	61
——— the dental saliva-ejector as a surgical instrument	162
exhibition of newly-designed forceps and elevators	301
Presidential Address at Annual General Meeting of British	0.4
Laryngological, Rhinological, and Otological Association. Wool mops (aseptic), thimbles for making (C. Baber).	$\begin{array}{r} 24 \\ 572 \end{array}$
WRIGHT (Sir A. E.) and Spicer (R. H. Scanes), case of inoperable	o
cancer of the fauces, the pharynx, the tongue, and the cervical	
glands that has shown marked amelioration after treatment for ten	202
weeks with a bacterial vaccine of neoformans	$\frac{5,292}{401}$
WYLIE (Andrew), congenital specific disease	18
injection of solid paraffin into the nose without an anæsthetic .	19
case of excision of rodent ulcer on the nose	102
case of lymphangitis of the upper lip	299
	$\frac{301}{301}$
exhibition of hasai guards.	301
Xaxa tabloid	211
X-ray therapy in upper air-passages (L. Mader)	436
YEARSLEY (P. Macleod), sketch and specimen of a case of necrosis of the handle of the malleus	93
— patient, drawing, macroscopic and microscopic specimens of a case of epithelioma of the pinna	137
case of abnormal colour of membrana tympani, shown for diag-	100
nosis	$\frac{138}{260}$
Yonge (Eugene S.), polypus of the nose (review)	$\frac{200}{655}$

7	,	PAGE
Zahn: a second case of distortion of the esophagus produced	b y	
vertebral ecchondrosis (abstract)	٠.	304
ZIA (Noury), a rare case of foreign body in larynx (abstract).		165

PRINTED BY ADLARD AND SON, LONDON AND DORKING.