

THE BRITISH JOURNAL OF PSYCHIATRY

May 1986

Vol 148

MORENT MICH. 51. JUN 23 1

ISSN 0007-1250

Published by authority of The Royal College of Psychiatrists

NOTICE TO CONTRIBUTORS

- 1. The British Journal of Psychiatry is published monthly under the auspices of the Royal College of Psychiatrists. The Journal publishes original work in all fields of psychiatry. Communications on general editorial matters, including manuscripts for publication, printed matter, and books for review, should be sent to The Editor, The British Journal of Psychiatry, 17 Belgrave Square, London SW1X 8PG.
- 2. Contributions are accepted for publication on the condition that their substance has not been published or submitted for publication elsewhere. The *Journal* does not hold itself responsible for statements made by contributors. Unless so stated, material in the *Journal* does not necessarily reflect the views of the Editor or the Royal College of Psychiatrists.
- 3. Published articles become the property of the *Journal* and can be published elsewhere, in full or in part, only with the Editor's written permission.
- 4. Manuscripts accepted for publication are subject to copyediting, and to editorial changes required for conformity with *Journal* style.
- 5. We regret that papers unsuitable for publication will not be returned.
- 6. General advice to authors In the assessment of manuscripts submitted to the *Journal*, great importance is attached to clarity and brevity of expression. Authors should read *General Notes on the Preparation of Scientific Papers* (3rd ed. 1974, £0.45, from The Royal Society) and/or Judith Butcher's *Typescripts, Proofs and Indexes* (1980, Cambridge University Press, £2.95). Spelling should follow the *Concise Oxford Dictionary*.

The standard of statistical work in papers submitted for publication has proved to be very variable. Authors using any statistical methods at all are strongly advised to study the paper 'Statistical guidelines for contributors to medical journals' (D. G. Altman et al, British Medical Journal, 7 May 1983, 286, 1489–1493) at the earliest possible stage in preparing their work for publication.

- 7. Manuscripts Two high-quality copies should be submitted and the author should retain a copy. Articles must be typed on one side of the paper only, double spaced with wide margins, and all the pages must be numbered sequentially, starting with the title page.
- a. The title should be brief and to the point. If necessary, a sub-title may be used to amplify the main title. The names of the authors should appear on the title-page, and their names, degrees, affiliations and full addresses at the end of the paper.
- b. A summary should be given at the *beginning* of the article. It should be brief and factual and not normally more than 150 words.
- c. References should be listed alphabetically at the end of the paper, the titles of journals being given in full. Authors should follow Journal style for the reference list and study the examples given below. Titles of books and journals are printed in italic and should therefore be underlined on the typescript. Reference lists not in Journal style will be returned to the author for correction.

Authors should check that the text references and the reference list are in complete agreement as regards dates and spelling of names. The text reference should be in the form '(Smith, 1971)' or 'Smith (1971) showed that...'

- DURKHEIM, E. (1897) Le Suicide. Paris. Translated (1952) as Suicide: A Study in Sociology, by J. A. Spaulding & C. Simpson. London: Routledge & Kegan Paul.
- KENDELL, R. E. (1974) The stability of psychiatric diagnoses. British Journal of Psychiatry, 124, 352-358.
- RUTTER, M. TIZARD, J. & WHITMORE, K. (1970) Education, Health and Behaviour, London: Longman.
- SCOTT, P. D. (1974) Definition, classification, prognosis and treatment. In Pathology and Treatment of Sexual Deviation (ed. I. Rosen) Oxford: Oxford University Press

'Personal Communications' need written authorisation.

- d. Symbols and abbreviations Follow Units, Symbols and Abbreviations: A Guide for Biological and Medical Editors and Authors (3rd ed. 1977), £2.00, available from the Publications Office of the Royal Society of Medicine. Terms or abbreviations which might not be understood by the average reader should be explained at first occurrence.
- e. Tables and Figures Each table should be on a separate sheet, with an adequate heading; table and heading should be self-explanatory without reference to the text. The desired position of the table relative to the text should be indicated in the left margin.

Figures should be individual glossy photographs, or other camera-ready prints, not photocopies, clearly numbered and captioned below. Avoid cluttering figures with explanatory text which is better incorporated succinctly in the caption. A figure intended to occupy a single column should be drawn (or photographed) 80–110 mm wide to allow for a 2/3 reduction; a figure requiring the whole width of the page should be 180–210 mm wide. Lettering (film-set or stencil) should be 12pt sans (initial capital for the first word only) to give 8pt on the printed page. Labels on graphs should read parallel to the axes. Units must be clearly indicated and should be in brackets (note—'litre' should be spelled out in full unless modified to ml, dl, etc.).

- f. Photographs Prints must be taken directly from the original b/w negative (not, for example, from a colour slide or a printed page) and should be glossy and sharply focussed. Labels, arrows, etc. should be shown on a duplicate print or overlay. Do not write anything on photographic prints, and do not use staples or paper-clips on them. These procedures apart, all the comments on figures and tables apply equally to photographs.
- 8. **Proofs** A proof will be sent to the senior author of an article. Reprints, which are prepared at the same time as the *Journal*, should be ordered when the proof is returned to the Editor.
- 9. Letters to the Editor Letters should not exceed two double-spaced typed pages. They will be edited for clarity and conformity with *Journal* style and may be shortened. There should be no more than five references; tables and figures cannot be used.

THE BRITISH Journal of Psychiatry

MAY 1986 Published monthly Volume 148

Founded in 1853 as the Asylum Journal and known as the Journal of Mental Science from 1855 to 1963.

EDITOR Hugh Freeman

ASSOCIATE EDITORS

Martin Roth Kenneth Rawnsley

ASSISTANT EDITORS

Sidney Bloch
Sidney Crown
Margaret Little
Gaius Davies
Michael Reveley
Ian Falloon
Alan Kerr
Mullian Leff
William Spry
Chris Thompson
Peter Tyrer
Greg Wilkinson

EDITORIAL MANAGEMENT ASSISTANT ASSISTANT FOR THE BULLETIN

Jacqueline Yates Susan Marshall Elaine Millen

Correspondence, manuscripts, books for review, for both the Journal and the Bulletin should be addressed to the Editor, 17 Belgrave Square, London SW1X 8PG (Tel 01-235 8857). See inside front cover for further instructions.

Advertising enquiries, correspondence and copy should be addressed to Mr. Peter T. Mell, Advertisement Manager, PTM Professional Publications Ltd, 282 High Street, Sutton, Surrey SM1 1PQ (Tel 01-642 0162 PBX).

Subscriptions for non-members of the College are payable to British Journal of Psychiatry Subscription Department, The Royal Society of Medicine, 1 Wimpole Street, London W1M 8AE. Queries about missing or faulty copies should be addressed within six months to the printers, Henry Ling Ltd, The Dorset Press, 23 High East Street, Dorchester, Dorset DT1 1HD.


Annual subscription rates 1986 (12 issues post free) United Kingdom: Institutions £80.00; Individuals £65.00 United States: Institutions \$230.00; Individuals \$190.00 Elsewhere: Institutions £110.00; Individuals £90.00 Single copies of the Journal, £7.00, \$14.00 (post free)

US Mailing Agents: Expediters of the Printed Word Ltd, 527 Madison Avenue, Suite 1217, New York, NY 10022. 2nd Class postage paid at New York City, NY (USPS No. 536–870).

Back issues published before 1986 may be purchased from William Dawson & Sons Ltd, Cannon House, Folkestone, Kent, England (Tel. 0303 57421).

Printed by Henry Ling Ltd, The Dorset Press, 23 High East Street, Dorchester, Dorset DT1 1HD (Tel 0305 65066).

© 1986 THE ROYAL COLLEGE OF PSYCHIATRISTS



ELECTROCONVULSIVE THERAPY—THEORY AND PRACTICE

This 22 minute tape has been designed specifically for trainees in psychiatry and it focuses on the practical administration of ECT.

The tape has been awarded the BMA/BLAT Video Seal of Educational Value.

Prices inclusive of p & p: VHS--£60 U-Matic--£65

Cheques should be made payable to the TV Unit a/c no. W4/XK.

The Department of Mental Health, The Whitla Medical Building, The Queen's University of Belfast, 97 Lisburn Road, Belfast, Northern Ireland, BT9 7BL.

UNIVERSITY OF OTAGO and OTAGO HOSPITAL BOARD Dunedin, New Zealand

SENIOR LECTURER IN CHILD AND ADOLESCENT PSYCHIATRY

Applications are invited for the post of Senior Lecturer in Child and Adolescent Psychiatry within the Department of Psychological Medicine of the Faculty of Medicine, Dunedin.

This is a full-time University-Hospital post with University conditions of appointment, including a limited right of private practice, and carrying consultant status in the Dunedin Hospitals. Applicants should be suitably qualified psychiatrists with clinical experience and an interest in research and teaching. The appointee would be involved in a full range of undergraduate and postgraduate teaching and would be encouraged to pursue his/her own area of research interest. An exceptionally well qualified applicant may be considered for appointment at the level of Associate Professor.

Salary: Senior Lecturer: NZ\$52,600-\$66,400 per annum. An allowance for clinical responsibility may be payable in the light of status and duties performed.

Intending applicants are invited to write for further information from the Secretary General, Association of Commonwealth Universities (Appts), 36 Gordon Square, London WC1H 0PF, or from the Registrar of the University, P.O. Box 56, Dunedin, New Zealand.

Applications close as soon as possible.

PSYCHODRAMA INTERNATIONAL WORKSHOP

FOR MENTAL HEALTH PRACTITIONERS

Zerka Moreno, wife of founder J. L. Moreno, will run two 5-day workshops in Devon, August 10–15 and August 17–22. A rare opportunity to see a world expert in group psychotherapy work at Holwell Centre for Psychodrama and Sociodrama.

Other workshops run by director Marcia Karp include "Training in small groups" June 15–20 or June 22–27.

Brochure on residential workshops: Holwell Centre, East Down, Barnstaple, Devon. Phone 027 182 267.



Mary Hare

This much needed book gives a comprehensive overview of the range of physiotherapy involvement in mental health care, together with a basic grounding in clinical psychiatry. Case histories are used to highlight not only the successes but also some of the pitfalls when treating the mentally ill.

186 x 123mm, limp, illustrated, 208pp

£9.95

Heinemann Medical Books

23 Bedford Square, London WC1B 3HH

(01) 637 3311

TAVISTOCK Videotapes

Tavistock videotapes are specially designed to exploit the teaching potential of video and engage with a range of current approaches in counselling and effective communication and interaction. Using the knowledge and skills of established and respected practitioners and academics, each tape concentrates on issues and difficulties that are commonly experienced by the helping professions - doctors. nurses, psychiatrists. therapists, social workers, health visitors – but are seldom demonstrated successfully in training.

Write and ask to see our catalogue.

SCHIZOPHRENIA: TALKING TO THE RELATIVES LOSS AND GRIEF

WORKING WITH THE TERMINALLY ILL

COUNSELLING AND THE PHYSICALLY HANDICAPPED

SELF ESTEEM AND PERSONAL SAFETY

A guide for professionals working with sexually abused children

YOU CAN'T BE TOLD: TEACHING COMMUNICATION SKILLS

11 New Fetter Lane, London EC4P 4EE

When there seems to



Ticehurst House was established as a psychiatric clinic more than 200 years ago. Today it retains its position at the forefront of psychiatric care.

The reputation of Ticehurst House stems from the comprehensive service it offers to patients and to the medical and psychiatric professions.

The psychiatric team at Ticehurst House offers a full spectrum of treatments in the care of short and long term patients and specialises in the active care of short term patients, the treatment of alcoholics and the assessment and treatment of psychogeriatric patients.

The hospital responds promptly to requests for out-patient consultation and admission of patients. There are excellent liaison procedures between Ticehurst House and outside Consultants and G.P's.

The special facilities at Ticehurst House include a psychogeriatric assessment unit, the Newington Alcohol Treatment Unit and facilities for day care patients.

Within the grounds of the hospital Highlands Lodge offers high quality accommodation for low dependency patients under the care of Consultants and experienced nursing staff.

Ticehurst House enjoys an excellent reputation for its cuisine. Bedrooms are spacious and equipped with nurse-call systems.

It is easily accessible by both road and rail, being close to Wadhurst in Sussex (70 minutes from Charing Cross), and stands in forty-eight acres of delightful gardens and grounds.

For further information write or

For further information write or telephone The Medical Director, Ticehurst House, Ticehurst, Near Wadhurst, Sussex TN5 7HU. Telephone (0580) 200391.

TICEHURST HOUSE HOSPITAL Helps restore the balance

Ticehurst House is owned by Nestor Medical Services

Ticehurst House, FREEPOST, Ticehurst, Wadhurst, East Sussex TN5 7BR.

SENIOR PSYCHIATRIST

Ministry of Health—Malawi

c. £22,800

This is a senior appointment in psychiatric medicine in the Ministry of Health. Responsibilities and duties will include taking full charge of administration and control of a Mental Hospital in Malawi as well as acting as Consulting Psychiatrist to the Queen Elizabeth Central Hospital.

Applications are invited from qualified medical practitioners with a degree registerable in Malawi and who hold the Diploma in Psychological Medicine or its equivalent.

Malawi has much to commend it in terms of climate, living and working conditions and

social/leisure amenities. Salary, including a special supplement paid to expatriates, will be around £22,800 with a terminal tax free gratuity of 25% of salary on completion of a tour, which normally spans a 30–36 month period. Other benefits include free passages, settlement allowances, subsidised accommodation, generous home leave and medical care.

Please write for further details and an application form, quoting ref: MHCL/2/83 to: Recruitment Section, Malawi High Commission, 33 Grosvenor Street, London W1X ODE. Applications as soon as possible.



the warm keart of Africa

AUSTRALIA ILLAWARRA AREA HEALTH SERVICE

Staff Psychiatrist

Shellharbour Hospital

Applications are invited for the above position within the Illawarra Area Health Service.

Shellharbour Hospital is a new health facility which commenced services in November 1985. The Psychiatry Unit, with 25 inpatient beds, day hospital and outpatient services is modern and progressively designed. The Unit will provide a pleasant health care delivery environment for both patients and staff.

A high priority for the new Staff Psychiatrist will be further organisation of the admission service of the Unit at Shellharbour. Specific duties will include the overall management of the Unit and its liaison with community mental health services. The position offers an exciting opportunity to implement Richmond initiatives including careful monitoring of admissions and promotion of community oriented care.

The Unit will have defined links with Gladesville, Prince Henry and the Department of Liaison Psychiatry at The Wollongong Hospital.

Minimum qualifications—registrable as a Specialist Psychiatrist in New South Wales. Terms and conditions of employment will be in accordance with the Staff Specialists' Award.

Enquiries should be directed to Dr. L. Noonan, Medical Superintendent on (042) 74 0444. Written applications should be addressed to:


Personnel Manager,
Illawarra Area Health Service,
P.O. Box 2015,
Wollongong, 2500,
Australia.

Bowden House Clinicback on the map.

Bowden House Clinic, now part of the St Andrew's Hospital Group of private psychiatric hospitals, has specialist in-patient and out-patient treatment programmes for:

- Acute psychiatric disorders Alcohol problems
 - Anorexia nervosa and other eating disordersAgoraphobia

As well as the newly established
North-West Home Counties Psychotherapy Centre



Bowden House Clinic, set in attractive, secluded grounds at Harrow-on-the-Hill, is only 30 minutes by road or rail from central London.

Subscribers to private medical insurance schemes may be able to claim within the terms of their insurance for treatment at the clinic.

BOWDEN HOUSE CLINIC

For further information, write to
The Medical Director, Bowden House Clinic, London Road, Harrow-on-the-Hill, Middlesex HA1 3JL. Tel: 01-864 0221



International Conference on Mental Health and Technology

June 8-13, 1986 University of British Columbia Vancouver, B.C. Canada Conférence Internationale sur la Santé Mentale et Technologie

du 8 au 13, juin 86 l'Université de la Columbie-Britannique Vancouver, C.B. Canada

Implications and Applications of Mental Health and Technology in Diagnostics; Therapeutics; Technology and People; and Research Keynote Presentations; Workshops; Seminars; Poster Sessions; Exhibits

Held in conjunction with Expo 86, the world's fair on transportation and communications.

Information

Conference Secretariat
International Conference
on Mental Health and
Technology

#204, 560 Beatty Street Vancouver, B.C. Canada, V6B 2L3 (604) 681-3418

SYMPOSIUM ON EPONYMOUS AND UNUSUAL PSYCHIATRIC CONDITIONS

Over the years a number of presentations of psychiatric illness have been written up and presented as distinct conditions, and for many, eponymous titles have been given. While these do not form the core of psychiatric practice, recognition and management of some of them requires awareness and also specialist knowledge.

In this Symposium it is intended to discuss a number of such disorders calling on the experience of experts who have seen and dealt with these conditions. The Symposium will provide not only an historical background of the conditions, but also an update with regards to current thinking and management, and will create a forum in which to meet physicians who have experience with these syndromes.

Guest speakers and topics will include: Professor P. Pichot, De Clerambault's Syndrome; Professor W. Trethowan, The Couvade Syndrome; and Dr S. Lewis, the Syndrome Capgras and Fregoli.

This one day Symposium will be held on Friday 27th June 1986 at:


The Royal College of Physicians
11 St. Andrews Place
Regents Park
LONDON
NW1 4LE

(by kind permission of the Treasurer)

The cost of registration will be £20 (£10 for junior medical staff.)

For further details of speakers and their specific topics, and registration form, please contact: Diane Carter, Charter Clinic, 1/5 Radnor Walk, London, SW3 4PB. Tel No 01 351 1272.

Charter Clinics
Helping people help themselves



Excessive drinking invariably produces problems of one kind or another.

But when the abuse of alcohol is at work, more than the job may be threatened.

Dismissal, divorce, and debt are often part of a familiar pattern.

For the well motivated alcoholic who recognises the need to give up drinking, Antabuse has a part to play. Clinical evidence^{1,2,3} shows that when Antabuse

is administered under third party supervision with a contractual obligation, the results of therapy dramatically improve.

And that's a sobering thought.

Antabuse®

disulfiram B.P.

Help for the well motivated alcoholic

PRESCRIBING INFORMATION PRESENTATION: Whits, scored tablets each containing 200mg DISULFIRAM B. P. INDICATION: Anti-alcoholic agent used as an adjuvant in the treatment of co-operative, chronic alcoholics. DOSAGE: Day 1 of treatment: at least four tablets as a single dose, day 2: three tablets; day 3: two tablets; days 4 and 5 one tablet. The subsequent maintenance dose is one or half a tablet daily. CONTRA-INDICATIONS: Antabuse is contra-indicated in cardiac failure, coronary artery disease, pregnancy, psychosis and drug addiction. Caution should be accessed in the presence of renal failure, hepatic or respiratory disease, diabetes mellifuts and epilepsy. Disulfriam may interact with a number of drugs: for further information see data sheet. PRECAUTIONS: It is recommended that treatment with Antabuse should be intitated only in a hospital or specialised clinic and by physicians experienced in its use. Patients should not have ingested alcohol for at least 12 hours and must be warned of the potential dengers of an Antabuse -alcohol reaction. Antabuse should not be given during a dinking episode. The Antabuse-alcohol reaction. Antabuse should not be given during a dinking episode. The Antabuse-alcohol reaction is characterized by violent flushing, dyspnose, headache, palpitations, tachycardia, nauses and womiting, Intensive supportive therapy may be required. SIDE LEFFECTS: Drowiness and flatigue may occur during initial treatment. Nausa, vomiting, halfosis, reduction in libido, allergic dermatrits, peripheral neuritis and hepatic cell damage have been reported. Psychotic reactions occur rarely. BASIC NMS COST: £9.60 per 50 tablets. PL 0496/5900 (PL Holder: Weddel Pharmaceuticals).

- (1) Azrin, N.H. (1976) Behav Res. & Therapy, 14:339 (2) Robichaud, C. et al. (1979) ibid. 17:618 (3) Gerrein, J.R. et al. (1973) Arch. Gen. Psychiatry. 28:798
- Further information is available on request from



CP Pharmaceuticals Limited Red Willow Road, Wrexham Industrial Estate, Wrexham, Clwyd LL13 9PX Telephone: (0978) 61261 Telex 61507 CPWREX G

A Fisons plc Company —incorporating Weddel and Charnwood Pharmaceuticals

THE BRITISH JOURNAL OF PSYCHIATRY

May	1986	Volume	148
Annotation	n		
Treatment	t of Prolonged	Combat Reaction; A. Bleich, R. Garb and M. Kottler	493
Lecture Mindlessn	ess and Brain	lessness in Psychiatry; Leon Eisenberg	497
Papers			
Deficits of	f Chronic School P. S. Gopina	nizophrenia in Relation to Long-Term Hospitalisation; P. John	509
Clinical To	ests of Memor	ry; Michael D. Kopelman	517
Concurren	ry Control in nt Measureme David M. Cla	the Treatment of Panic Attacks: Replication and Extension with ent of Behaviour and pCO ₂ ; Paul M. Salkovskis, David R. O. rk	526
		ng General Practice Attenders: Prevalence, Characteristics and ms; Michael King	533
Karen Bol	la-Wilson, Ed	Intellectual Impairment in Stroke Patients; Robert G. Robinson, ith Kaplan, John R. Lipsey and Thomas R. Price	541
Keith W. I	Bridges and De	GHQ-28 and the use of the MMSE in Neurological In-Patients; avid P. Goldberg	548
Paul G. Co	otton	ess and Suicide in Chronic Schizophrenia; Robert E. Drake and	554
Pharmacokinetics and Therapeutic Efficacy of Haloperidol Decanoate after Loading Dose Administration; H. De Cuyper, J. Bollen, H. M. van Praag and D. Verstraeten			560
A Multivariate Investigation of Postpartum Mood Disturbance; P. R. Gard, S. L. Handley, A. D. Parsons and G. Waldron			567
The Prevalence of Schizophrenia in a Remote Area of Botswana; David I. Ben-Tovim and Josephine M. Cushnie			576
and Paul V		to Measure Treatment Attitudes in Psychiatry; Greg Wilkinson	581
Comment			
	A CONTRACTOR OF THE PARTY OF TH	ymptoms in Psychiatry; Michael R. Trimble	587
Brief Repo		Same Antidonomet Parismont America William I Colle	
hydrate Pi	reference; Brid	Seven Antidepressant Regimes on Appetite, Weight and Carbo- un Harris, John Young and Bill Hughes	590
Roberts ar	nd Neil Vass	nk Symptoms caused by Benzodiazepine Withdrawal; Keith	593
Manic Depressive Psychosis in a Mentally Handicapped Person – Diagnosis and Management; S. R. Kadambari			595
Does Viloxazine Really Improve Sex Drive? A Double-Blind Controlled Study; Diego De Leo and Guido Magni			597
Grade Scores of the Montgomery-Åsberg Depression and the Clinical Anxiety Scales; R. P. Snaith, F. M. Harrop, D. A. Newby and C. Teale			599
Gilles de la Tourette's Syndrome in Down's Syndrome – A Case Report; H. Karlinsky, P. Sandor, J. M. Berg, H. Moldofsky and E. Crawford Minimal Sydetics Required with Nitrons Oxide Oxygen Treatment of the Aleehal			601
Minimal Sedation Required with Nitrous Oxide-Oxygen Treatment of the Alcohol Withdrawal State; M. A. Gillman and F. J. Lichtigfeld			604
One Hundred Cases of Hysteria in Eastern Libya: A Socio-Demographic Study; Tinnyunt Pu, E. Mohamed, Kareema Imam and Ali M. El-Roey			606
Correspon	dence		610
Book Revi	iews		617

Notice to contributors, subscribers and advertisers inside front cover