


DIFCO

*Microbiological
reagents
and media*

***delivered
to your bench quickly***

Hundreds of different products in the complete Difco range are kept in stock ready to be on your bench without delay. We shall always be pleased to obtain other items specially to order.

Speed, convenience, reliability . . . and remember that Difco offer the only *complete* line of culture media available in U.K. Please send for the latest literature concerning your special interests.



BAIRD & TATLOCK (LONDON) LTD., CHADWELL HEATH, ESSEX, ENGLAND


Branches in London, Manchester and Glasgow.

TAS/DO.13

Burroughs Wellcome & Co.*

FOR BIOLOGICAL DIAGNOSTIC REAGENTS

★ Burroughs Wellcome & Co. supply the largest range of Biological Diagnostic Reagents of any Company in the world. A complete list of these products of the Wellcome Research Laboratories is available on request.



Normal Horse Blood
(oxalated or defibrinated)

Normal Horse Sera

Sheep Blood, defibrinated
(formolised, no preservative or
Alsever solution)

**Standard Agglutinable
Suspensions**

Diagnostic Sera
(specific for slide or tube test)
for—E. coli
Salmonella
Shigella
H. influenzae, etc.

Streptococcus Grouping Sera

**Wassermann, Kahn and
Cardiolipin Antigens**

Gonococcus Antigen

Hæmolytic Serum

Preserved Complement
(liquid or dried)

Species Precipitating Sera

Penicillinase

Rabbit Plasma, dried
(for coagulase test)

Coombs's Reagent

Streptolysin-O, dried

Staphylococcus a-hæmolysin

Thyroglobulin Tanned Red Cells

Receptor-Destroying Enzyme
(V. cholerae)

Also available:—

Opacity Tubes

'Agla' Micrometer Syringes

Culture Media

BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.)

THE WELLCOME BUILDING, EUSTON ROAD, LONDON, N.W.1

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Vol. 29, No. 3

35s.

November 1962

- H. D. ISENBERG. Studies of the nutritional requirements of *Poteriochromonas stipitata*.
- A. C. ZAGALLO and C. H. WANG. Comparative carbohydrate catabolism in *Arthrobacter*.
- F. KAPRALEK. The physiology of riboflavin production by *Eremothecium ashbyi*.
- M. SCHAECHTER, J. P. WILLIAMSON, J. R. HOOD (Jr.) and A. L. KOCH. Growth, cell and nuclear division in some bacteria.
- A. L. KOCH and M. SCHAECHTER. A model for statistics of the cell division process.
- J. N. COETZEE. Sucrose fermentation by *Proteus hauseri*.
- R. N. DE ZWAIG, D. N. ANTON and J. PUIG. The genetic control of colicinogenic factors E_2 , I and V .
- M. E. LACEY. The summer air-spores of two contrasting adjacent rural sites.
- D. E. BRADLEY. A study of the negative staining process.
- H. SMITH and J. L. STANLEY. Purification of the third factor of anthrax toxin.
- H. T. ZWARTOUW, J. C. N. WESTWOOD and G. APPLE-YARD. Purification of pox viruses by density gradient centrifugation.
- F. M. COLLINS and J. LASCELLES. The effect of growth conditions on oxidative and dehydrogenase activity in *Staphylococcus aureus*.
- J. H. STUY. Transformability of *Haemophilus influenzae*.
- J. M. VINCENT, B. HUMPHREY and R. J. NORTH. Some features of the fine structure and chemical composition of *Rhizobium trifolii*.
- B. HUMPHREY, and J. M. VINCENT. Calcium in cell walls of *Rhizobium trifolii*.

Subscription 80s. per volume of 3 parts.

Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W. 1

FULL PARTICULARS OF THE

JOURNALS

PUBLISHED BY THE

CAMBRIDGE UNIVERSITY PRESS

MAY BE HAD FROM

THE MANAGER, CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD

LONDON, N.W. 1

CONTENTS

(All rights reserved)

	PAGE
FARTHING, J. R. and HOLT, L. B. Experiments designed to determine the mechanism of the adjuvant activity of Gram-negative organisms upon antibody production	411
FAINE, S. Factors affecting the development of the carrier state in leptospirosis	427
FAINE, S. The growth of <i>Leptospira australis</i> B in the kidneys of mice in the incipient experimental carrier state	435
HUDSON, BRUCE W., QUAN, STUART, F. and KARTMAN, LEO. Efficacy of fluorescent antibody methods for detection of <i>Pasteurella pestis</i> in carcasses of albino laboratory mice stored for various periods.	443
MILLER, D. L., McDONALD, J. C., JEVONS, M. P. and WILLIAMS, R. E. O. Staphylococcal disease and nasal carriage in the Royal Air Force.	451
MILLER, D. L. The incidence of sepsis in the Royal Air Force.	467
AMES, C. R. An improved smallpox vaccine	473
AMES, C. R. Immunity to vaccinia induced by small doses of active virus	483
DAVIES, E. T. and VENN, J. A. J. The detection of a bovine carrier of <i>Salmonella heidelberg</i>	495
ROSS, CONSTANCE A. C. and STEVENSON, JOHN. Meningococcal 'aseptic' meningitis	501
HART, P. D'ARCY., LOVELOCK, J. E. and NASH, T. The lethal effect of cotton-wool lipid on tubercle bacilli in acid conditions and its prevention by surface-active agents	509

The Journal of Hygiene is issued in four parts to a volume.

Quotations can be given for back volumes on application.

Papers for publication should be sent to Dr R. M. Fry, Department of Pathology, Tennis Court Road, Cambridge. Other communications should be addressed to the University Press, Cambridge.

Papers forwarded to the Editor for publication are understood to be offered to *The Journal of Hygiene* alone, unless the contrary is stated.

Contributors receive twenty-five copies of their paper free. Additional copies, not exceeding two hundred (except in special cases) may be purchased; these should be ordered when the final proof is returned.

The subscription price is £4. 10s. per volume (post free), payable in advance; single numbers 30s. net. Subscriptions may be sent to any Bookseller, or to The Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1.

The subscription price in the U.S.A., is \$17.50. Single parts \$5.00. Enquiries should be addressed to the American Branch of the Press at 32 East 57th Street, New York 22, N.Y.