THE BRITISH JOURNAL OF PSYCHIATRY

INDEX TO VOLUME 145



JULY-DECEMBER 1984

© The Royal College of Psychiatrists

BRITISH JOURNAL OF PSYCHIATRY

Volume 145

Published monthly

DECEMBER 1984

Founded in 1853 as the Asylum Journal and known as the Journal of Mental Science from 1855 to 1963.

EDITOR

Hugh Freeman

ASSOCIATE EDITORS

Martin Roth

Kenneth Rawnsley

ASSISTANT EDITORS

Sidney Bloch Sidney Crown John Cutting Gaius Davies Alan Kerr Julian Leff Margaret Little Henry Rollin Andrew C. Smith

Philip Snaith William Spry Peter Tyrer Gregor Wilkinson

EDITORIAL MANAGEMENT Jacqueline Yates

Elaine Millen

ASSISTANT FOR THE BULLETIN
Alison Campbell

Correspondence, manuscripts, books for review, for both the *Journal* and the *Bulletin* should be addressed to the Editor, 17 Belgrave Square, London SW1X 8PG (Tel 01-235 8857). See inside front cover for further instructions.

Advertising enquiries, correspondence and copy should be addressed to Mr. Peter T. Mell, Advertisement Manager, PTM Professional Publications Ltd, 282 High Street, Sutton, Surrey SM1 1PQ (Tel 01-642 0162 PBX).

Subscriptions for non-members of the College are payable directly to the printers, Headley Brothers Ltd, to whom all queries about missing or faulty copies should be addressed within six months of publication and who also supply on order Special Publications and Gaskell Books.

Annual subscription rates 1984 (12 issues post free)

Inland: Institutions £65.00; Individuals £55.00

Overseas: Institutions £90.00, US\$200.00; Individuals £75.00, US\$165.00

Single copies of the Journal, £6.00, US\$12.00 (post free).

USA Mailing Agents, Expediters of the Printed Word Ltd., 527 Madison Avenue, Suite 1217, New York, NY 10022. 2nd Class postage paid at New York City, NY. (USPS No. 536-870).

Back issues published in 1984 may be purchased from Headley Brothers Ltd and all previous issues from William Dawson & Sons Ltd, Cannon House, Folkestone, Kent, England (Tel 0303 57421).

Printed by Headley Brothers Ltd, Ashford, Kent TN24 8HH, England (Tel 0233 23131).

© 1984 THE ROYAL COLLEGE OF PSYCHIATRISTS

NEW ADVANCED ECT SYSTEM



This new electroplexy system incorporates many unique electronic features which allows the psychiatrist to control all the physical parameters necessary for the safe clinical administration of ECT to the patient.

Designed and developed by the Northern Regional Medical Physics Department in conjunction with the Department of Psychiatric Medicine, Newcastle General Hospital, Newcastle Upon Tyne. For further information and complete specification contact—

JJ Electronic Components Ltd.,

Medical Products Division,

South Nelson Industrial Estate,

Cramlington,

Northumberland NE23 9QA.

Tel 0670 716691 Telex 537836

PRIVATE PSYCHIATRIC TREATMENT

Your Patient – a problem with drink? Consider St. Andrew's.

For details: The Medical Director, FREEPOST St. Andrew's Hospital, Northampton NN1 5DG Telephone Northampton (0604) 29696

St. Andrew's Hospital

PRIVATE PSYCHIATRIC TREATMENT

Your Patient –
when down days last for weeks
and drugs don't help.
Consider St. Andrew's.

For details: The Medical Director, FREEPOST St. Andrew's Hospital, Northampton NN1 5DG Telephone Northampton (0604) 29696

St. Andrew's Hospital

What do you look for in a patient support system?

Obviously, your relationship with your patients and the treatment programmes you determine for them are of paramount importance.

But a key element in any treatment programme is a complete and effective system that implements your decisions regarding patient care.

A system tailored within broad parameters to meet individual patient needs, covering a wide range of psychiatric disorders as well as drug addiction and alcoholism.

And it should be carried out by experienced staff – resident medical officers, trained psychiatric nurses, therapists and counsellors – who can design and implement a treatment

programme in your absence or complement your own.

In other words, a support system like ours, based on years of international experience within a caring and supportive environment.

Because after all, a good patient care system is one that helps you help your patients recover.

For further information, please call the Administrator on 01-351 1272.

Charter Clinic Chelsea, 1 5 Radnor Walk, London SW3 4PB. Charter Clinic Hampstead, 11 Fellows Road, London NW3 3LA.

Charter Clinics Helping people help themselves

Charter Clinics are licensed by the appropriate Health Authorities and are recognised by all the major medical insurance companies

PART OF THE LARGACTIL HERITAGE

chlorpromazine

May and Baker's record of innovation in psychotropic medicines includes the first, major tranquilliser, Largactil, and now Piportil Depot arguably the most useful of the depot neuroleptics in terms of:

Efficacy

against a wide range of target symptoms of schizophrenia.

Convenience

for patients, medical and nursing staff because of a full, four-week duration of activity.

Acceptability

because of its greater freedom from extrapyramidal effects than other depot neuroleptics1234

Experience

which comes from both short and long-term studies performed in the U.K. and worldwide.



HELPING TO SOLVE THE **PUZZLES OF** SCHIZOPHRENIA

PRESCRIBING INFORMATION

Dosage: (Adults) Initially 25mg (0.5ml) by deep intramuscular injection into the gluteal region to assess susceptibility of patient. Dosage should be increased by increments of 25 or 50mg at appropriate intervals until a satisfactory response is obtained. Most patients respond to a dose of 50-100mg (1-2ml) every 4 weeks. Patients should be stabilised under psychiatric supervision. Contra-indications:

Marked cerebral atherosclerosis. phaeochromocytoma, renal or liver failure, severe cardiac insufficiency or hypersensitivity to other phenothiazine derivatives.

Precautions:

A history of convulsive disorders or marked extra-pyramidal reactions to oral phenothiazines, in pregnancy and lactation

Side-effects:

Reversible extra-pyramidal reactions, sleep disturbance. depression, blurred vision, asthenia. impotence, dry mouth, nausea. amenorrhoea, galactorrhoea, hypotension, hyperhydrosis and weight gain have been observed occasionally. Corneal or lenticular cloudiness have not been observed with Piportil alone, but in treatment with phenothiazine preparations in high dosage over a long period, there is a risk of such side-effects occurring. Local reactions at site of njection are rare

Presentations and Basic N.H.S.

Box of 10 x 1ml ampoules (5mg) £53.70. Box of 10 x 2ml ampoules (100mg) £87.875 (PL0012/0017)

References:

. Villeneuve, A. et al., Clin.Ther. Res., 1972, 14, No. 11, 696

St. Laurent, J. et al., Can. Psychiatr. Assoc. J., 1974, 19, 583. 3. Singh, A.N. & Saxena, B. Curr. Ther. Res., 1979, 25, 121.

4. Villeneuve, A. & Fontaine, P. Curr. Ther. Res., 1980, 27, 411

Piportil Depot and Largactil are Trade Marks.

∰ ∰ M&B May&Baker Further information is available on

May and Baker Ltd, Dagenham,

