INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/ Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES How is affective instability defined and measured? A systematic review Marwaha S, He Z, Broome M, Singh SP, Scott J,		A Swedish national adoption study of criminality Kendler KS, Larsson Lönn S, Morris NA, Sundquist J, Långström N & Sundquist K	1913
Eyden J & Wolke D Childhood stressors in the development of fatigue syndromes: a review of the past 20 years of research Borsini A, Hepgul N, Mondelli V, Chalder T & Pariante CM	1793	Abnormalities in whole-brain functional connectivity observed in treatment-naive post-traumatic stress disorder patients following an earthquake Jin C, Qi R, Yin Y, Hu X, Duan L, Xu Q, Zhang Z, Zhong Y, Feng B, Xiang H, Gong Q, Liu Y, Lu G & Li L	1927
ORIGINAL ARTICLES Temporal discounting in major depressive disorder Pulcu E, Trotter PD, Thomas EJ, McFarquhar M, Juhasz G, Sahakian BJ, Deakin JFW, Zahn R, Anderson IM & Elliott R	1825	Childhood maltreatment, juvenile disorders and adult post-traumatic stress disorder: a prospective investigation Breslau N, Koenen KC, Luo Z, Agnew-Blais J, Swanson S, Houts RM, Poulton R & Moffitt TE	1937
Comparison of non-directive counselling and cognitive behaviour therapy for patients presenting in general practice with an ICD-10 depressive episode: a randomized control trial King M, Marston L & Bower P	1835	An internet-based program to enhance motivation to change in females with symptoms of an eating disorder: a randomized controlled trial Hötzel K, von Brachel R, Schmidt U, Rieger E, Kosfelder J, Hechler T, Schulte D & Vocks S	1947
Risk of adolescent offspring's completed suicide increases with prior history of their same-sex parents' death by suicide Cheng C-CJ, Yen W-J, Chang W-T, Wu KC-C, Ko M-C & Li C-Y Loss of a close family member the year before or during	1845	Alterations in brain structure in adults with anorexia nervosa and the impact of illness duration Fonville L, Giampietro V, Williams SCR, Simmons A & Tchanturia K	1965
pregnancy and the risk of placental abruption: a cohort study from Denmark and Sweden László KD, Ananth CV, Wikström AK, Svensson T, Li J, Olsen J, Vestergaard M, Obel C & Cnattingius S	1855	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys Begum A, Dewey M, Hassiotis A, Prince M, Wessely S &	
The neuroanatomy of subthreshold depressive symptoms in Huntington's disease: a combined diffusion tensor imaging (DTI) and voxel-based morphometry (VBM) study Sprengelmeyer R, Orth M, Müller H-P, Wolf RC, Grön G, Depping MS, Kassubek J, Justo D, Rees EM, Haider S, Cole JH, Hobbs NZ, Roos RAC, Dürr A, Tabrizi SJ, Süssmuth SD & Landwehrmeyer GB	1867	Stewart R A comprehensive assessment of memory, delay aversion, timing, inhibition, decision making and variability in attention deficit hyperactivity disorder: advancing beyond the three-pathway models Coghill DR, Seth S & Matthews K	1977
Offspring death and subsequent psychiatric morbidity in bereaved parents: addressing mechanisms in a total population cohort		Optimistic update bias increases in older age Chowdhury R, Sharot T, Wolfe T, Düzel E & Dolan RJ	2003
Ljung T, Sandin S, Långström N, Runeson B, Lichtenstein P & Larsson H	1879	BOOK REVIEW The Oxford Handbook of Philosophy and Psychiatry, 1st edition	
A naturalistic, randomized, controlled trial combining cognitive remediation with cognitive—behavioural therapy after first-episode non-affective psychosis		Tabb K Correspondence	20132015
Drake RJ, Day CJ, Picucci R, Warburton J, Larkin W, Husain N, Reeder C, Wykes T & Marshall M	1889	Corrigendum Realize Respired facilities and de	1976
Cognitive functioning associated with stimulant use in patients with non-affective psychosis, their unaffected siblings and healthy controls van der Meer FJ, Meijer JH, Meijer CJ, van den Brink W,		Books Received [online only]	



1901



Velthorst E & GROUP Investigators

