




Journal of
MATERIALS RESEARCH



VOLUME 31 • NO 12
JUNE 28, 2016

A publication of the

MRS MATERIALS RESEARCH SOCIETY®
Advancing materials. Improving the quality of life.

CAMBRIDGE
UNIVERSITY PRESS

Journal of MATERIALS RESEARCH

JOURNAL OF MATERIALS RESEARCH (JMR) is an interdisciplinary journal serving the materials research community through publication of original research articles and invited reviews encompassing the synthesis, processing, characterization, properties, and theoretical description of materials.

JMR publishes new research that demonstrates a significant impact or advance of scientific understanding of interest to the materials research community. Engineering studies and applications to commercial products are beyond the scope of *JMR* and should be submitted elsewhere. Manuscripts that report data without giving an analysis, interpretation, or discussion are only acceptable if the data are sufficiently important that publication is expected to lead to significant new studies or advancements in science or technology.

Manuscripts must be submitted to the *Journal of Materials Research* electronically via ScholarOne manuscripts, at the following website address: <http://mc.manuscriptcentral.com/jmr>. Electronic submission expedites the review process and also allows authors to track the status of their manuscripts at any time. Complete instructions are available on the ScholarOne site and authors will be prompted to provide all necessary information.

Manuscripts must be prepared in English, using a word processing program, formatted to fit 8½ x 11 in. paper, and saved as .doc, .pdf, .rtf, or .ps files. Separate graphics files (.eps and .tif) must be uploaded for each figure. Authors may also upload .xls or .ppt supplemental files as part of the manuscript submission process. All of these files will be converted to .pdf format. Detailed instructions are available on the submission web site. During submission, authors must enter all coauthor names and e-mail addresses. Manuscripts will not be considered for peer review until this information is provided. Authors must also enter manuscript keywords using the *JMR* keyword list (located on the submission web site). Authors who are not fluent in English must have their manuscript edited for correct English grammar and sentence structure before submission.

Authors are expected to follow the conventional writing, notation, and illustration style prescribed in *Scientific Style and Format: the CSE Manual for Authors, Editors and Publishers, 7th edition, 2006*. Authors should also study the form and style of printed material in this journal. SI units should be used. Authors should use an identical format for their names in all publications to facilitate use of citations and author indexes.

Manuscripts are accepted with the understanding that they represent original research, except for review articles, and that they have not been copyrighted, published, or submitted for publication elsewhere. Authors submitting manuscripts to *JMR* who have related material under consideration or in press elsewhere should send a copy of the related material to *JMR* at the time of submission. While their manuscripts are under consideration at *JMR*, authors must disclose any such related material. To expedite the review process, authors may provide names and contact information for up to four possible reviewers.

Articles are original research reports that include complete, detailed, self-contained descriptions of research efforts. All articles must contain an abstract and section headings.

Commentaries and Reviews: *Journal of Materials Research* occasionally publishes commentaries on topics of current interest or reviews of the literature in a given area. If an author proposes a review, the title, abstract, and a brief outline should be submitted to the Editorial Office via e-mail for prior consultation on the appropriateness of the topic.

Color policy: It is not necessary for authors to indicate that a figure should be displayed in color online. *JMR* will assume that any author who submits figures in color wants and agrees to their being produced in color online. Figures may be printed in color at the author's request for an additional charge. Color figures must be submitted before the paper is accepted for publication, and cannot be received later in the process. Authors cannot submit two versions of the same figure, one for color and one for black and white; only one version can be submitted. Authors need to carefully consider the following when submitting figures in color that will

be published in color online only: 1) The colors chosen must reproduce effectively and the colors should be distinguishable when printed in black and white; 2) The descriptions of figures in text and captions must be sufficiently clear for both online and print copy. When submitting figures to be in color online only, authors should include the phrase <<color online>> in the figure captions. This is the author's responsibility. Authors will see these color figures when viewing their author page proofs on screen. Authors should always print their page proofs in black and white to see how they will appear in print. Authors will NOT be allowed to submit color figures to replace black and white figures in the page proof stage. To maximize the probability that figures will be published in color online and also print as good quality black and white or grayscale graphics, authors are encouraged to follow these figure submission guidelines: 1) Submit a color graphic in Tagged Image File Format (.tif); 2) Submit color graphics with a resolution of at least 300 dpi (600 dpi if there is text or line art in the figure); 3) Submit color graphics in CMYK format; 4) Submit figures sized to fit the actual column or page width of the journal so that reduction or enlargement is not necessary; 5) Submit multipart figures in one single electronic file.

Copyright © 2016, Materials Research Society. All rights reserved. No part of this publication may be reproduced, in any form or by any means, electronic, photocopying, or otherwise, without permission in writing from Cambridge University Press. Policies, request forms and contacts are available at: <http://www.cambridge.org/rights/permissions/permission.htm>. Permission to copy (for users in the USA) is available from Copyright Clearance Center at: <http://www.copyright.com>, email: info@copyright.com.

Journal of Materials Research Subscription Prices (2016)

[includes on-line web access]

	USA and Poss.	Non-US	Online Only
MRS Regular and Student Members	\$273.00	\$334.00	\$105.00
Institutions	\$1955.00	\$1955.00	\$1764.00

Journal of Materials Research (ISSN: 0884-2914) is published twenty-four times a year by Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006 for the Materials Research Society. Periodical Postage Paid in New York, NY and additional mailing offices. **POSTMASTER:** Send address changes to *Journal of Materials Research*, c/o Journals Dept., Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006, USA.

Subscriptions, renewals, address changes, and single-copy orders should be addressed to Subscription Fulfillment, *Journal of Materials Research*, Cambridge University Press, One Liberty Plaza, 20th Floor, New York, NY 10006, USA (for USA, Canada, and Mexico); or Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge, CB2 8RU, England (for UK and elsewhere). Allow at least six weeks advance notice. For address changes, please send both old and new addresses and, if possible, include a mailing label from a recent issue. Requests from subscribers for missing journal issues will be honored without charge only if received within six months of the issue's actual date of publication; otherwise, the issue may be purchased at the single-copy price.

Reprints of individual articles in *Journal of Materials Research* may be ordered. For information on reprints, please contact Cambridge University Press. Reprints of complete back issues older than the prior volume year may be ordered on an individual basis via the Cambridge Journals Online website. To determine availability, visit the appropriate page for the *JMR* back issue desired (www.journals.cambridge.org/jmr).

Individual member subscriptions are for personal use only.

Journal of MATERIALS RESEARCH

Editor-in-Chief: Gary L. Messing, *Ceramic materials, The Pennsylvania State University, USA*

Associate Editor, Adrian Mann, *Biomaterials, Rutgers University, USA*

Associate Editor, Jürgen Eckert, *Montanuniversität Leoben, Austria*

Associate Editor, Linda S. Schadler, *Polymeric materials, Rensselaer Polytechnic Institute, USA*

2016 Principal Editors:

Lennart Bergström, *Materials processing, Colloidal science, Stockholm University, Sweden*

Xiaobo Chen, *Photocatalysis and batteries, University of Missouri-Kansas City, USA*

Yang-T. Cheng, *Mechanical behavior, Electrochemical energy storage, University of Kentucky, USA*

Paolo Colombo, *Pre-ceramic polymers, Porous ceramics, University of Padova, Italy; The Pennsylvania State University, USA*

Franz Faupel, *Functional nanomaterials, VPD, Metallic glasses, University of Kiel, Germany*

Amit Goyal, *Superconductors, Photovoltaics, 2D materials, Self-assembly, State University of New York at Buffalo, USA*

Himanshu Jain, *Inorganic glass, Optical, Electrical properties, Lehigh University, USA*

C. Robert Kao, *Metallic materials, Diffusion and joining, National Taiwan University, Taiwan*

Edson Roberto Leite, *Materials chemistry, Nanocrystals, Synthesis, Universidade Federal de São Carlos, Brazil*

Jörg Löffler, *Metallic materials/synthesis and properties, ETH Zurich, Switzerland*

Michael E. McHenry, *Magnetic materials, Carnegie Mellon University, USA*

Scott T. Miture, *In-situ diffraction, Electrochemically active ceramics, Alfred University, USA*

Paul Muralt, *Thin films, Piezoelectric and ferroelectric materials, Ecole Polytechnique Federale de Lausanne, Switzerland*

Akira Nakajima, *Photocatalysis, Surface wettability, Ceramic processing, Tokyo Institute of Technology, Japan*

Cewen Nan, *Ferroelectric, Multiferroic materials, Tsinghua University, China*

George M. Pharr, *Mechanical behavior, Nanoindentation, University of Tennessee, USA*

Ian M. Reaney, *Electroceramics, TEM, Thin films, The University of Sheffield, United Kingdom*

Edward M. Sabolsky, *Electroceramics, Electrochemistry, Processing, West Virginia University, USA*

Winston Schoenfeld, *Optical materials, University of Central Florida, USA*

Don W. Shaw, *Epitaxy, Vapor deposition, Semiconductors, The University of Texas at Dallas, USA*

Susan B. Sinnott, *Computational materials science, The Pennsylvania State University, USA*

Eric A. Stach, *Materials characterization, Nanostructure growth, Brookhaven National Laboratory, USA*

Mauricio Terrones, *Nanocarbon, Graphene, 2-D metal chalcogenides, The Pennsylvania State University, USA; Shinshu University, Japan*

Terry M. Tritt, *Thermoelectrics, Clemson University, USA*

José Arana Varela, *Functional ceramics, Synthesis, Electro-optical, University of Sao Paulo State, Brazil*

William J. Weber, *Radiation effects, Nuclear ceramics, University of Tennessee; Oak Ridge National Laboratory, USA*

Tao Xie, *Polymers, Functional soft materials, Zhejiang University, China*

Sam Zhang, *Thin films/coatings, Nanyang Technological University, Singapore*

Yanchun Zhou, *Structural ceramics, Electronic structure, Aerospace Research Institute of Materials and Processing Technology, China*

Editorial Office: Ellen W. Kracht, *Publications Manager, Materials Research Society, Warrendale, PA*

Linda A. Baker, *JMR Editorial Assistant, Materials Research Society, Warrendale, PA*

Kirby L. Morris, *JMR Production Assistant, Materials Research Society, Warrendale, PA*

Eileen M. Kiley, *Director of Communications, Materials Research Society, Warrendale, PA*

Cover: SEM micrograph of pits on the surface of 304L alloy treated at 900 °C for 72 h after corrosion test. [J. Cardoso, A. Cavalcante, R. Vieira, P. Lima-Neto, M. Gomes da Silva. Fu: Pitting corrosion resistance of austenitic and superaustenitic stainless steels in aqueous medium of NaCl and H₂SO₄. p. 1755].

Journal of MATERIALS RESEARCH

Volume 31, Number 12, June 28, 2016

REVIEWS

- 1633–1647 **Graphene oxide nanocomposites for potential wearable solar cells—A review** Raul Simões, Victor Neto
- 1648–1664 **Recent progress in flexible energy storage materials for lithium-ion batteries and electrochemical capacitors: A review** Zhiyu Wang, Weike Zhang, Xuelian Li, Lizhen Gao

ARTICLES

- 1665–1673 **Supercapacitance properties of porous carbon from chemical blending of phenolic resin and aliphatic dicarboxylic acids** Xiaohong Xia, Xuefang Zhang, Shangqi Yi, Hui Chen, Hongbo Liu
- 1674–1680 **Development of thermally stable and moldable chalcogenide glass for flexible infrared lenses** Ju Hyeon Choi, Du-Hwan Cha, Jeong-Ho Kim, Hye-Jeong Kim
- 1681–1690 **Annealing temperature-dependent crystallinity and photocurrent response of anodic nanoporous iron oxide film** Monna Rozana, Khairunisak Abdul Razak, Cheong Kuan Yew, Zainovia Lockman, Go Kawamura, Atsunori Matsuda
- 1691–1701 **Enhanced intergranular corrosion resistance and tensile strength in 304 stainless steel with dispersed nanocrystallines in microcrystalline austenite** Fuan Wei, Peiqing La, Fuliang Ma, Tibor Donic, Hongding Wang
- 1702–1710 **Effects of rare earth oxide Y_2O_3 on microstructure and mechanical properties of proeutectoid ferrite/granular bainitic coating** X.L. Xing, Y.F. Zhou, Y.G. Zhuo, J.B. Wang, Y.L. Yang, Q.X. Yang
- 1711–1722 **Microstructure and mechanical properties of dual two-phase Ni_3Al – Ni_3V intermetallic alloys charged with carbon** Yuki Hamada, Naotaka Kuroyanagi, Yasuyuki Kaneno, Takayuki Takasugi
- 1723–1731 **Interfacial characteristic, thermal conductivity, and modeling of graphite flakes/Si/Al composites fabricated by vacuum gas pressure infiltration** Yiwen Yang, Ying Huang, Haiwei Wu, Haitao Fu, Meng Zong
- 1732–1740 **Austenite grain growth in alumina-forming austenitic steel** Qiuzhi Gao, Fu Qu, Hailian Zhang, Qiang Huo
- 1741–1747 **Effect of $MoSi_2$ distribution on room and high temperature mechanical properties of aluminum matrix nanocomposites** Mahmood Sameezadeh, Masoud Emamy, Hassan Farhangi
- 1748–1754 **Very high cycle bending fatigue behaviors of FV520B steel under fretting wear** Ya-nan Song, Zhi-guo Xing, Hai-dou Wang, Peng-fei He, Bin-shi Xu
- 1755–1763 **Pitting corrosion resistance of austenitic and superaustenitic stainless steels in aqueous medium of NaCl and H_2SO_4** Jorge Luiz Cardoso, Alfredo Leão Silva Nunes Cavalcante, Regina Coeli Araujo Vieira, Pedro de Lima-Neto, Marcelo J. Gomes da Silva
- 1764–1772 **Hot deformation behavior of Ti–22Al–25Nb alloy by processing maps and kinetic analysis** He Zhang, Huijun Li, Qianyin Guo, Yongchang Liu, Liming Yu

(Continued)

- 1773–1783 **Effects of warm rolling reduction on the microstructure, texture and magnetic properties of Fe–6.5 wt% Si steel** Guojun Cai, Changsheng Li, Ban Cai, Qiwen Wang
- 1784–1792 **Research on the sensitivity of material parameters to cross-sectional deformation of thin-walled rectangular tube in rotary draw bending process** Jie Dong, Yuli Liu, He Yang
- 1793–1800 **Diffusion behavior of Sn atoms in Sn58Bi solder joints under the coupling effect of thermomigration and electromigration** Fu Guo, Qian Liu, Limin Ma, Yong Zuo
- 1801–1808 **Evaluation of wire electro discharge machining characteristics of $Ti_{50}Ni_{50-x}Cu_x$ shape memory alloys** Mallaiah Manjaiah, Rudolph Frans Laubscher, Sannayellapa Narendranath, Sathyappa Basavarajappa, Vinayak Neelakanth Gaitonde

CORRIGENDA

- 1809 **Evaluation of wire electro discharge machining characteristics of $Ti_{50}Ni_{50-x}Cu_x$ shape memory alloys – CORRIGENDUM** Mallaiah Manjaiah, Rudolph Frans Laubscher, Sannayellapa Narendranath, Sathyappa Basavarajappa, Vinayak Neelakanth Gaitonde
- 1810–1811 **Austenite grain growth in alumina-forming austenitic steel – CORRIGENDUM** Qiuzhi Gao, Fu Qu, Hailian Zhang, Qiang Huo