

THE PREPARATION OF TYPESCRIPTS

The attention of authors is particularly directed to the following requests:

1 Typescript

Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Generous margins should be left at the side, top and bottom of each page. The copy sent must be clear.

A cover page should give the title, the author's name and institution, with the address to which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the ergodic theorem*, whereas *Some applications of a theorem of Birkhoff* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2 Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining; wavy will be printed **wavy**.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , \circ , O , 0 ; x , \times ; ϕ , Φ , \emptyset ; l , 1 ; ε , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

3 Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay.* Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the typescript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams re-drawn, provided that they are clear.

4 Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5 References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication:

[4] N. Dunford & J. T. Schwartz *Linear Operators* Part I. Wiley: New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. *J. Analyse Math.* 23 (1970), 236–268.

Ergodic theory and dynamical systems

VOLUME 6 PART 2 JUNE 1986

CONTENTS

<i>Blanco García, C.</i> Chaos and topological entropy in dimension $n > 1$	163
<i>Dani, S. G.</i> On orbits of unipotent flows on homogeneous spaces, II	167
<i>Goldberg, L. R. and Keen, L.</i> A finiteness theorem for a dynamical class of entire functions	183
<i>Goodman, S.</i> Vector fields with transverse foliations	193
<i>Hockett, K. and Holmes, P.</i> Josephson's junction, annulus maps, Birkhoff attractors, horseshoes and rotation sets	205
<i>Irwin, M. C.</i> Hölder continuous paths and hyperbolic toral automorphisms	241
<i>Malta, I.</i> On Denjoy's theorem for endomorphisms	259
<i>Nasu, M.</i> Topological conjugacy for sofic systems	265
<i>Trow, P.</i> Resolving maps which commute with a power of the shift	281
<i>Urbański, M.</i> On Hausdorff dimension of invariant sets for expanding maps of a circle	295
<i>Young, L.-S.</i> Stochastic stability of hyperbolic attractors	311
Errata	
<i>Dani, S. G.</i> Corrections to the paper 'On orbits of unipotent flows on homogeneous spaces'	321
<i>Robinson, C.</i> Errata to 'Transitivity and invariant measures for the geometric model of the Lorenz equations'	323

© Cambridge University Press 1986

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by J. W. Arrowsmith Ltd, Bristol