

CONTENTS BY TOPIC

This table of contents is a topical listing of the articles contained in each issue. The topics are arranged in alphabetical order so that papers dealing with the same subjects are grouped together. Each article may be listed under a maximum of three topics.

Ab initio calculation	Stability of Fe-based alloys with structure type C_6Cr_{23} M. Widom et al.	237
Adsorption	Hollow mesoporous spheres with cubic pore network as a potential carrier for drug storage and its in vitro release kinetics Yu-fang Zhu et al.	54
Alloy	Determination of the trap state density differences in hydrogenated amorphous silicon-germanium alloys M. Boshta et al.	48
	Fine-grain processing by equal channel angular extrusion of rapidly quenched bulk Mg–Y–Zn alloy Hiroyuki Watanabe et al.	93
Amorphous	Determination of the trap state density differences in hydrogenated amorphous silicon-germanium alloys M. Boshta et al.	48
Annealing	Microstructure and chemistry of annealed Al–Cu–Fe–Cr quasicrystalline approximant coatings M.J. Daniels et al.	176
Bonding	Interfacial bonding behavior with introduction of Sn–Zn–Bi paste to Sn–Ag–Cu ball grid array package during multiple reflows Po-Cheng Shih et al.	219
Calorimetry	Enthalpy of formation of yttria-doped ceria Weiqun Chen et al.	144
	Enthalpies of formation of $LaMO_3$ perovskites (M = Cr, Fe, Co, and Ni) Jihong Cheng et al.	191
Ceramic	Meso-porous alumina capillary tube as a support for high-temperature gas separation membranes by novel pulse sequential anodic oxidation technique Takeshi Inada et al.	114
	Fabrication of Al_2O_3/BN nanocomposites by chemical processing and their mechanical properties Takafumi Kusunose et al.	183
	The effect of electrolyte composition on the fabrication of self-organized titanium oxide nanotube arrays by anodic oxidation Qingyun Cai et al.	230
Ceramic composite	Comparison of the high-temperature deformation of alumina-zirconia and alumina-zirconia-mullite composites Tiandan Chen et al.	13
Chemical reaction	High-temperature dielectric properties of goethite from 400 to 3000 MHz C.A. Pickles et al.	18
Chemical synthesis	Aerosol synthesis of pure and Pt-doped ZnO particles using nitrate and pdda-Pt(IV) complex solutions Vesna M. Djinovic et al.	102
	Alternative chemical route to mesoporous titania from a titanatrane complex . . . Chavalit Trakanprapai et al.	128
Coating	Characterization of anatase nanocrystal-precipitated coatings from $(100 - x)SiO_2 \cdot xTiO_2$ gel films via the sol-gel process with boiling hot water treatment Atsunori Matsuda et al.	256
Colloidal	Microstructural evolution of nanocrystalline magnetite synthesized by electrocoagulation Ying-Chieh Weng et al.	75
Composite	A novel structural mesoporous alumina/yttrium doped zirconia nanocrystalline composite derived by solvothermal approach Hangrong Chen et al.	42
	Fabrication of Al_2O_3/BN nanocomposites by chemical processing and their mechanical properties Takafumi Kusunose et al.	183
Crystal growth	Lattice thermal vibration and its nonharmonic effect in Nd-doped rare-earth vanadates H.R. Xia et al.	30
Crystallographic structure	Aerosol synthesis of pure and Pt-doped ZnO particles using nitrate and pdda-Pt(IV) complex solutions Vesna M. Djinovic et al.	102
Dielectric properties	High-temperature dielectric properties of goethite from 400 to 3000 MHz C.A. Pickles et al.	18
Diffusion	Effect of Fe segregation on the migration of a non-symmetric $\Sigma 5$ tilt grain boundary in Al M.I. Mendeleev et al.	208
Dislocations	Damage behavior of 200-nm thin copper films under cyclic loading G.P. Zhang et al.	201
Ductility	(Fe,Co,Ni)–B–Si–Nb bulk glassy alloy with super-high strength and some ductility Baolong Shen et al.	1
Electrical properties	Influence of electrode modification by Ar^+ ion beam upon passivation and electrical characteristics in organic light-emitting diodes Soon Moon Jeong et al.	81

(Continued)

Electrochemical synthesis	Microstructural evolution of nanocrystalline magnetite synthesized by electrocoagulation Ying-Chieh Weng et al.	75
	Meso-porous alumina capillary tube as a support for high-temperature gas separation membranes by novel pulse sequential anodic oxidation technique Takeshi Inada et al.	114
	The effect of electrolyte composition on the fabrication of self-organized titanium oxide nanotube arrays by anodic oxidation Qingyun Cai et al.	230
Electronic structure	Study on electronic structure and magnetic properties of Ni ₃ Fe ferromagnetic layer adjacent to Cu Xiaofang Bi et al.	36
Fatigue	Damage behavior of 200-nm thin copper films under cyclic loading G.P. Zhang et al.	201
Film	Epitaxial growth of solution-based rare-earth niobate, RE ₃ NbO ₇ , films on biaxially textured Ni–W substrates M. Paranthaman et al.	6
Glass	Refractive index and low dispersion properties of new fluorophosphate glasses highly doped with rare-earth ions J.H. Choi et al.	264
Grain boundaries	Effect of Fe segregation on the migration of a non-symmetric $\Sigma 5$ tilt grain boundary in Al M.I. Mendeleev et al.	208
Intermetallic alloys	Stability of Fe-based alloys with structure type C ₆ Cr ₂₃ M. Widom et al.	237
Ion-beam assisted deposition	Influence of electrode modification by Ar ⁺ ion beam upon passivation and electrical characteristics in organic light-emitting diodes Soon Moon Jeong et al.	81
Laser ablation	Technique to make nano carbon tubes buried inside rubber composite visible using femtosecond pulse laser ablation Yasunori Saito et al.	10
Laser-induced reaction	Laser-induced growth of titanium nitride microcolumns on biased titanium targets E. György et al.	62
Magnetic	Microstructural evolution of nanocrystalline magnetite synthesized by electrocoagulation Ying-Chieh Weng et al.	75
Magnetic properties	Study on electronic structure and magnetic properties of Ni ₃ Fe ferromagnetic layer adjacent to Cu Xiaofang Bi et al.	36
Mechanical properties	Fine-grain processing by equal channel angular extrusion of rapidly quenched bulk Mg–Y–Zn alloy Hiroyuki Watanabe et al.	93
	Anisotropic yield behavior of lotus-type porous iron: Measurements and micromechanical mean-field analysis M. Tane et al.	135
Metal	Anisotropic yield behavior of lotus-type porous iron: Measurements and micromechanical mean-field analysis M. Tane et al.	135
	Stresses during micromolding of metals at elevated temperatures: Pilot experiments and a simple model W.J. Meng et al.	161
Metallic glass	(Fe,Co,Ni)–B–Si–Nb bulk glassy alloy with super-high strength and some ductility Baolong Shen et al.	1
Microelectrical mechanical (MEMS)	Stresses during micromolding of metals at elevated temperatures: Pilot experiments and a simple model W.J. Meng et al.	161
Microindentation	Stresses during micromolding of metals at elevated temperatures: Pilot experiments and a simple model W.J. Meng et al.	161
Microspheres	Hollow mesoporous spheres with cubic pore network as a potential carrier for drug storage and its in vitro release kinetics Yu-fang Zhu et al.	54
Microstructure	Technique to make nano carbon tubes buried inside rubber composite visible using femtosecond pulse laser ablation Yasunori Saito et al.	10
	A novel structural mesoporous alumina/yttrium doped zirconia nanocrystalline composite derived by solvothermal approach Hangrong Chen et al.	42
	Influence of the microstructure on the optical characteristics of SrTiO ₃ thin films M. Gaidi et al.	68
	Meso-porous alumina capillary tube as a support for high-temperature gas separation membranes by novel pulse sequential anodic oxidation technique Takeshi Inada et al.	114
Morphology	Alternative chemical route to mesoporous titania from a titanatrane complex . . . Chavalit Trakanprapai et al.	128
	Surface morphology anisotropy and stress distribution uniformity in annealed Cu–W films Y. Wang et al.	151

(Continued)

Nanofiber	Technique to make nano carbon tubes buried inside rubber composite visible using femtosecond pulse laser ablation Yasunori Saito et al.	10
Nanoparticle	A novel structural mesoporous alumina/yttrium doped zirconia nanocrystalline composite derived by solvothermal approach Hangrong Chen et al.	42
Nanoscale	The effect of electrolyte composition on the fabrication of self-organized titanium oxide nanotube arrays by anodic oxidation Qingyun Cai et al.	230
Optical properties	Influence of the microstructure on the optical characteristics of SrTiO ₃ thin films M. Gaidi et al.	68
	Refractive index and low dispersion properties of new fluorophosphate glasses highly doped with rare-earth ions J.H. Choi et al.	264
Optoelectronic	Influence of electrode modification by Ar ⁺ ion beam upon passivation and electrical characteristics in organic light-emitting diodes Soon Moon Jeong et al.	81
	Properties of indium molybdenum oxide films fabricated via high-density plasma evaporation at room temperature Shi-Yao Sun et al.	247
Packaging	Interfacial bonding behavior with introduction of Sn–Zn–Bi paste to Sn–Ag–Cu ball grid array package during multiple reflows Po-Cheng Shih et al.	219
Paste	Interfacial bonding behavior with introduction of Sn–Zn–Bi paste to Sn–Ag–Cu ball grid array package during multiple reflows Po-Cheng Shih et al.	219
Phase equilibria	Stability of Fe-based alloys with structure type C ₆ Cr ₂₃ M. Widom et al.	237
Phase transformation	Surface morphology anisotropy and stress distribution uniformity in annealed Cu–W films Y. Wang et al.	151
Photochemical	Characterization of anatase nanocrystal-precipitated coatings from (100 – x)SiO ₂ · xTiO ₂ gel films via the sol-gel process with boiling hot water treatment Atsunori Matsuda et al.	256
Photovoltaic	Determination of the trap state density differences in hydrogenated amorphous silicon-germanium alloys M. Boshta et al.	48
	Photoelectrochemical and photocatalytic properties of multilayered TiO ₂ thin films with a spinodal phase separation structure prepared by a sol-gel process Ryohei Mori et al.	121
Physical vapor deposition (PVD)	Microstructure and chemistry of annealed Al–Cu–Fe–Cr quasicrystalline approximant coatings M.J. Daniels et al.	176
Piezoelectric	Orientation control of lead zirconate titanate film by combination of sol-gel and sputtering deposition Chee-Sung Park et al.	243
Plasma deposition	Properties of indium molybdenum oxide films fabricated via high-density plasma evaporation at room temperature Shi-Yao Sun et al.	247
Porosity	Anisotropic yield behavior of lotus-type porous iron: Measurements and micromechanical mean-field analysis M. Tane et al.	135
Powder	Alternative chemical route to mesoporous titania from a titanatrane complex . . . Chavalit Trakanprapai et al.	128
Powder processing	Fabrication of Al ₂ O ₃ /BN nanocomposites by chemical processing and their mechanical properties Takafumi Kusunose et al.	183
Pulsed laser deposition (PLD)	Influence of the microstructure on the optical characteristics of SrTiO ₃ thin films M. Gaidi et al.	68
Quasicrystal	Microstructure and chemistry of annealed Al–Cu–Fe–Cr quasicrystalline approximant coatings M.J. Daniels et al.	176
Raman spectroscopy	Lattice thermal vibration and its nonharmonic effect in Nd-doped rare-earth vanadates H.R. Xia et al.	30
Self-assembly	Hollow mesoporous spheres with cubic pore network as a potential carrier for drug storage and its in vitro release kinetics Yu-fang Zhu et al.	54
Sol-gel	Epitaxial growth of solution-based rare-earth niobate, RE ₃ NbO ₇ , films on biaxially textured Ni–W substrates M. Paranthaman et al.	6
	Photoelectrochemical and photocatalytic properties of multilayered TiO ₂ thin films with a spinodal phase separation structure prepared by a sol-gel process Ryohei Mori et al.	121
	Characterization of anatase nanocrystal-precipitated coatings from (100 – x)SiO ₂ · xTiO ₂ gel films via the sol-gel process with boiling hot water treatment Atsunori Matsuda et al.	256

(Continued)

Spray pyrolysis	Aerosol synthesis of pure and Pt-doped ZnO particles using nitrate and pdda-Pt(IV) complex solutions Vesna M. Djinovic et al.	102
Stability	Fine-grain processing by equal channel angular extrusion of rapidly quenched bulk Mg–Y–Zn alloy Hiroyuki Watanabe et al.	93
	Enthalpies of formation of LaMO ₃ perovskites (M = Cr, Fe, Co, and Ni) Jihong Cheng et al.	191
Strength	(Fe,Co,Ni)–B–Si–Nb bulk glassy alloy with super-high strength and some ductility Baolong Shen et al.	1
Structural	Laser-induced growth of titanium nitride microcolumns on biased titanium targets E. György et al.	62
Superconductor	Epitaxial growth of solution-based rare-earth niobate, RE ₃ NbO ₇ , films on biaxially textured Ni–W substrates M. Paranthaman et al.	6
Superplasticity	Comparison of the high-temperature deformation of alumina-zirconia and alumina-zirconia-mullite composites Tiandan Chen et al.	13
Surface reaction	Laser-induced growth of titanium nitride microcolumns on biased titanium targets E. György et al.	62
Thermal conductivity	Lattice thermal vibration and its nonharmonic effect in Nd-doped rare-earth vanadates H.R. Xia et al.	30
Thermodynamic properties	Enthalpy of formation of yttria-doped ceria Weiqun Chen et al.	144
	Enthalpies of formation of LaMO ₃ perovskites (M = Cr, Fe, Co, and Ni) Jihong Cheng et al.	191
Thermogravimetric analysis (TGA)	High-temperature dielectric properties of goethite from 400 to 3000 MHz C.A. Pickles et al.	18
Thin film	Photoelectrochemical and photocatalytic properties of multilayered TiO ₂ thin films with a spinodal phase separation structure prepared by a sol-gel process Ryohei Mori et al.	121
	Surface morphology anisotropy and stress distribution uniformity in annealed Cu–W films Y. Wang et al.	151
	Damage behavior of 200-nm thin copper films under cyclic loading G.P. Zhang et al.	201
	Orientation control of lead zirconate titanate film by combination of sol-gel and sputtering deposition Chee-Sung Park et al.	243
	Properties of indium molybdenum oxide films fabricated via high-density plasma evaporation at room temperature Shi-Yao Sun et al.	247
X-ray diffraction (XRD)	Effect of Fe segregation on the migration of a non-symmetric $\Sigma 5$ tilt grain boundary in Al M.I. Mendeleev et al.	208