Every aspect of scanning electron microscopy



Stereoscan S4-10



STEREOSCAN 180

Front-line Researcher

Most advanced scanning microscope in the world. Complete signal processing capability built into one fully integrated entity. Transmission imaging also available. Unique, automatically compensating imaging system keeps selected magnification constant regardless of beam voltage and working distance variation. Accessory range includes four types of x-ray microanalysis.

STEREOSCAN S4-10

World-renowned Research Worker

Build-up SEM that can grow with your needs. Latest of a series operating in nearly 30 countries. Unparalleled range of add-on accessories, including four types of x-ray microanalysis.

STEREOSCAN 600

Budget-price Routine Investigator

General purpose compact SEM for routine industrial or research duty. All the main SEM facilities at half the cost of a research-grade instrument. Accessory range includes transmission imaging and two types of x-ray microanalysis.

MICROSCAN 5

Purpose-built X-ray Microanalyser

Top-grade instrument for accurately repeatable quantitive analysis measurements. Push-button high-throughput operation. Can work in automatic computerised systems. Produces element distribution pictures, line scans, point analysis measurements with digital readout. Choice of readout systems.



Microscan 5

is covered by CAMBRIDGE

Stereoscan and Microscan are Registered Trade Marks

LINKERY & MAKEN FEWNERS

Cambridge Scientific Instruments Limited

Cambridge, England CB1 3QH Telephone: (0223) 42021 Telex: 81162

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM


PUBLISHED BY THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W.1 American Branch: 32 East 57th Street, New York, N.Y.10022

© Copyright Marine Biological Association of the U.K.

Printed in Great Britain at the University Printing House, Cambridge

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM



THE PLYMOUTH LABORATORY

VOLUME 54 1974

CAMBRIDGE
AT THE UNIVERSITY PRESS
1974

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

CONTENTS OF VOLUME 54

Number 1, pp. 1–259, 28 February 1974 Number 2, pp. 261–507, 28 May 1974 Number 3, pp. 509–767, 30 September 1974 Number 4, pp. 769–1058, 13 February 1975

				PAGE
Report of the Council, 1973–74				. 1021
Income and Expenditure Account and Balance Sheet				. 1056
ABDULLAH, M. I. and ROYLE, L. G. A study of the dissolved and particulate trace elements in the Bristol Channel				. 581
ALDRED, R. G. Structure, growth and distribution of the squid Bathothauma lyromma Chun				. 995
Angel, M. V. and Fasham, M. J. R. SOND Cruise 1965: Further factor analyses of the plankton data		•		. 879
Armstrong, F. A. J., Butler, E. I. and Boalch, G. T. Hydrographic and nutrient chemistry surveys in the western English Channel of the second	durir	ng 19	65 an	d . 895
Bayne, B. L., see Thompson, Ratcliffe and Bayne				. 699
BEAUMONT, A. R. and GRUFFYDD, Ll. D. Studies on the chromosomes of the scallop <i>Pecten maximus</i> (L.) and related spec	cies			. 713
BENNETT, D. B. Growth of the edible crab (Cancer pagurus L.) off south-west England				. 803
BERRILL, M. The burrowing behaviour of newly-settled lebsters, Homarus vulgaris (Crustace	ea – :	Deca	poda)	
BOALCH, G. T., HOLME, N. A., JEPHSON, N. A. and SIDWELL, J. M. C. A resurvey of Colman's intertidal traverses at Wembury, South Devon See also Armstrong, Butler and Boalch.				. 551
BOXSHALL, G. A. Infections with parasitic copepods in North Sea marine fishes	,			. 355
BUBEL, A. and Jones, M. B. Fine structure of the gills of Jaera nordmanni (Rathke) [Crustacea, Isopoda] .				. 737
BUCHANAN, J. B., KINGSTON, P. F. and SHEADER, M. Long-term population trends of the benthic macrofauna in the offshore mud of the	he N	orthu	mber	· -
land coast		•	•	. 785
BUCHANAN, J. B. and WARWICK, R. M. An estimate of benthic macorfaunal production in the offshore mud of the North	ımb	erland	d coas	t 197
Burrows, E. M., see DIAZ-PIFERRER and Burrows		•		. 529
Burton, J. D., see Leatherland and Burton				. 457
BUTLER, E. I., see Armstrong, Butler and Boalch				. 895
CLARKE, M. R. and Lu, C. C. Vertical distribution of cephalopods at 30° N 23° W in the North Atlantic .		•		. 960

	PAGE
CLARKE, M. R. and MACLEOD, N. Cephalopod remains from a sperm whale caught off Vigo, Spain	. 959
CLARKE, M. R. and STEVENS, J. D.	. 933
Cephalopods, blue sharks and migration	· 949
CORNER, E. D. S., HEAD, R. N., KILVINGTON, C. C. and MARSHALL, S. M. On the nutrition and metabolism of zooplankten. IX. Studies relating to the nutrition of or wintering <i>Calanus</i> .	ver- . 319
CRANFIELD, H. J. Observations on the morphology of the mantle folds of the pediveliger of Ostrea edulis L.	
their function during settlement	. 1
DAVIES, A. G. The growth kinetics of <i>Isochrysis galbana</i> in cultures containing sublethal concentrations of n curic chloride	ner- . 157
DECRAEMER, W., see Heip and Decraemer	. 251
DEMIR, NECLÂ and SOUTHWARD, A. J. The abundance and distribution of eggs and larvae of teleost fishes off Plymouth in 1969 1970. Part 3. Eggs of pilchard (Sardina pilchardus Walbaum) and sprat (Sprattus sprattus (and
DIAZ-PIFERRER, N. and BURROWS, E. M. The life history of Bryopsis hypnoides Lamour from Anglesey, North Wales and from Caribbean	the . 529
Dodge, J. D. A redescription of the dinoflagellate Gymnodinium simplex with the aid of electron microsco	py. 171
Droop, M. R. The nutrient status of algal cells in continuous culture	. 825
EDMUNDS, M., POTTS, G. W., SWINFEN, R. C. and WATERS, V. L. The feeding preferences of <i>Aeolidia paillosa</i> (L.) (Mollusca, Nudibranchia)	. 939
ENGELS, P., see Heip and Engels	. 559
Evans, F., see Sheader and Evans	. 915
Fasham, M. J. R., see Angel and Fasham	. 879
FERGUSON, C. F. and RAYMONT, J. K. B. Biochemical studies on marine zooplankton. XII. Further investigations of Euphausia super Dana	
Fish, J. D. and Fish, Susan The breeding cycle and growth of <i>Hydrobia ulvae</i> in the Dovey estuary	. 719
Fish, Susan, see Fish and Fish	. 685
Forster, G. R., see Pingree, Forster and Morrison	. 469
GAGE, J. Shallow-water zonation of sea-loch benthos and its relation to hydrographic and other phys	
features	. 223
GARDNER, M. L. G. Impaired osmoregulation in infected salmon, Salmo salar L	. 635
Gibbs, P. E. Golfingia margaritacea (Sipuncula) in British waters	. 871

						PAGE
GREEN, J. C. and PARKE, MARY A reinvestigation by light and electron microscopy of Ruttnera specta-	bilis C	eitle	r (Ha	ptopl	тусеа	
with special reference to the fine structure of the zoids	•	•	•	•	•	. 539
GROOT, S. J. DE, see WHEELER, DE, GROOT and NIJSSEN.	•	•	•	•	•	. 619
GRUFFYDD, LL. D., see BEAUMONT and GRUFFYDD	•	•	•	•	•	. 713
Guiry, M. D. A preliminary consideration of the taxonomic position of <i>Palmaria</i> house = <i>Rhodymenia palmata</i> (Linnaeus) Greville	palm	ata (Linn	aeus)	Stack	
HANNANT, P. J., see HOLLAND and HANNANT	•	•	•	•	•	. 509
	•	•	•	•	•	. 1007
HARDING, G. C. H. The food of deep-sea copepods						. 141
HARVEY, P. H.						
See HAYWARD and HARVEY						. 665
See Hayward and Harvey	•		•	•	•	. 677
Hayward, J.						
Studies on the growth of Stichococcus bacillaris Naeg in culture.		•	•	•	•	. 261
HAYWARD, P. J. and HARVEY, P. H. The distribution of settled larvae of the bryozoans Alcyonidium hir. nidium polyoum (Hassall) on Fucus serratus L Growth and mortality of the bryozoan Alcyonidium hirsutum (Flemi		•				. 665 . 677
HEAD, R. N., see Corner, HEAD, KILVINGTON and MARSHALL .						. 319
Heip, C. A new index measuring evenness						. 555
Heip, C. and Decraemer, W. The diversity of nematode communities in the southern North Sea	•					. 251
HEIP, C. and ENGELS, P. Comparing species diversity and evenness indices						. 559
HELM, M. M., HEPPER, B. T., SPENCER, B. E. and WALNE, P. R.						- 557
Lugworm mortalities and a bloom of Gyrodinium aureolum Hulbur Autumn 1971	t in	the e	aster	n Iris	h Sea	ı, . 857
Hendey, N. Ingram						-5,
A revised check-list of British marine diatoms						. 277
Hepper, B. T., see Helm, Hepper, Spencer and Walne						. 857
HEWETT, C. J. Growth and moulting in the common lobster (Homarus vulgaris Miln	ne-Fd	ward	s)	•		. 379
HOLDEN, M. J. and WILLIAMS, T. The biology, movements and population dynamics of bass, <i>Dicentrarch</i>						
HOLLAND, D. L. and HANNANT, P. J. Biochemical changes during growth of the spat of the oyster, Ostrea	edulis	L.				. 1007
Holme, N. A.		-				/
The biology of Loligo forbesi Steenstrup (Mollusca: Cephalopoda) in	the I	Plymo	outh :	area		. 481
See also Boalch, Holme, Jephson and Sidwell	•					. 551
ISAAC, M. J. Conenda Monstrilloida from south-west Britain including six new s	necie	•				

Jephson, N. A., see Boalch, Holme,	Tephson	and Sr	DWEL	L.								PAGE 551
Jones, A.	J				Ť	•	·	Ť	•	•	•	٠, رر
Sexual maturity, fecundity and gro	wth of th	he turbo	ot Sca	phtha	lmus	maxii	nus L	<i>.</i> .				109
JONES, M. B. Breeding biology and seasonal popu Asellotal	ılation ch	anges ir	1 Jaer	a nord	mann	i nore	lica L	emer	cier []	sopo	da,	727
See also Bubel and Jones		•										737
KILVINGTON, C. C., see CORNER, HEA	d, Kilvi	NGTON	and N	⁄IARSH	ALL							319
KINGSTON, P. Some observations on the effects o and Cardium glaucum larvae in th			nd sal	inity ı	ıpon	the g	rowtl	h of (Cardii	ım ed	ule	200
Kingston, P. F., see Buchanan, Kin		-	Aned	•	•	•	•	•	•	•	•	309
Leadbeater, B. S. C.	idston a	na omz	1DLK	٠	•	•	•	•	•	•	•	785
Ultrastructural observations on nan	oplankto 	n collec	ted fi	rom th	ie coa	ist of	Jugo	slavia	and	the E	3ay	179
Leadbeater, B. S. C. and Manton, I	[.									•	•	-17
Preliminary observations on the che		nd biolo	ogy of	the lo	rica i	nac	ollare	d flag	ellate	(Stef	bh-	
anoeca diplocosata Ellis).		•	•	•	•	•	•	٠	•	•	•	269
LEATHERLAND, T. M. and Burton, J. The occurrence of some trace meta		stal orga	nism	s with	parti	icular	refer	ence	to the	e Sole	ent	
region	• •	•	•	•	•	•	•	•	•	•	•	457
Lu, C. C. and Clarke, M. R. Two new species of cranchiid ceph	alopod fr	om the	Nort	h Atla	ntic.	Urar	ioteut	his bi	lucifer	n.ge	n	
n.sp. and Galiteuthis triluminosa:						•		•	•		,	985
See also CLARKE and LU		•	•	•			•	•	•			969
Macleod, N., see Clarke and Macli	EOD .		•	٠					•			959
Manton, I., see Leadbeater and Ma	NTON .								٠			269
Marshall, S. M., see Corner, Head	, Kilvin	GTON aı	nd M	ARSHAI	LL							319
Morrison, G. K., see Pingree, Forst	rer and l	Morris	ON									469
Newman, W. A.												
Two new deep-sea Cirripedia (Asc	othoracio	a and A	Acroth	oracio	a) fro	om tl	ne At	lantic				437
Nijssen, H., see Wheeler, de Groot	and Nij	SSEN	•	•			•					619
Page, F. C.												
Some marine Platyamoeba of East.	Anglia	•	•	•	•	•	•	•	•	•		651
Parke, Mary, see Green and Parke		•	•	•	•						•	539
PILGRIM, R. L. C. Stretch receptor organs in the thor	ax of the	hermit	crab	, Pagu	rus b	ernha	rdus ((L. 17	758)			13
PINGREE, R. D., FORSTER, G. R. and I Turbulent convergent tidal fronts	Morriso		Σ.									469
Potts, G. W.												. •
The colouration and its behavioura See also Edmunds, Potts, Swinfen			the c	orkwii •	ng w	rasse,	Cren	ilabrı •	ıs mel	ops		925 939
Pugh, P. R. The vertical distribution of the siple	honopho	res c olla	ected	during	the	SON	ID C	ruise	1065			26

SHEADER, M. and EVANS, F. The taxonomic relationship of Parathemisto gaudichaudi (Guerin) and P. gracilipes (Norman), with a key to the genus Parathemisto 915 See also Buchanan, Kingston and Sheader 915 See also Buchanan, Kingston and Sheader 978 SHELTON, R. G. J. Observations on the occurrence of an epizooic, blue-green alga on the chemoreceptor setae of the brown shrimp, Crangon crangon (L.) SIDWELL, J. M. C., see BOALCH, HOLME, JEPHSON and SIDWELL 551 SOUTHWARD, A. J. Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth. 641 See also Demir and Southward 9333 SPENCER, B. E., see HELM, HEPPER, SPENCER and WALNE 857 STEVENS, J. D. The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters 939 SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN and WATERS 939 SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN and WATERS 939 SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN and WATERS 939 MALNE, P. R., see HELM, HEPPER, SPENCER and WALNE 857 WARWICK, P. R., see BUCHANAN and BAYNE, B. L. Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.) 699 WALNE, P. R., see BUCHANAN and WARWICK 939 WATERS, V. L., see EDMUNDS, SWINFEN and WATERS 939 WATERS, V. L., see EDMUNDS, SWINFEN and WATERS 939 WATERS, V. L., see EDMUNDS, SWINFEN and WATERS 939 WEAR, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development 945 WESTERNHAGEN, H. VON 11 Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions 945 WHEELER, A., DE GROOT, S. J. and NIJSSEN, H. The occurrence of a second species of Lophius in northern European waters 649 WHITTEELD, M. The hydrolysis of ammonium ions in sea water – A theoretical study 945 Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973 393 YOUNG, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Callia	•										PAGE
ROYLE, L. G., see ABDULLAH and ROYLE SHEADER, M. and EVANS, F. The taxonomic relationship of Parathemisto gaudichaudi (Guerin) and P. gracilipes (Norman), with a key to the genus Parathemisto See also BUCHANAN, KINGSTON and SHEADER SERIELTON, R. G. J. Observations on the occurrence of an epizooic, blue-green alga on the chemoreceptor setae of the brown shrimp, Crangon crangon (L.) SIDWELL, J. M. C., see BOALCH, HOLME, JEPHSON and SIDWELL SOUTHWARD, A. J. Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth. See also DEMIR and SOUTHWARD SPENCER, B. E., see HELM, HEPPER, SPENCER and WALNE SPENCER, B. E., see HELM, HEPPER, SPENCER and WALNE SPENCER, B. C., see EDMUNDS, POTTS, SWINFEN and WATERS SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN and WATERS SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN and WATERS SWINFEN, R. C., see HELM, HEPPER, SPENCER and WALNE MATERS, V. L., see EDMUNDS, SWINFEN and WATERS WATERS, V. L., see EDMUNDS, SWINFEN and WATERS WEAR, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development WESTERNHAGEN, H. VON Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions WHEELER, A., DE GROOT, S. J. and NIJSSEN, H. The occurrence of a second species of Lophius in northern European waters 619 WHITFIELD, M. The hydrolysis of ammonium ions in sea water – A theoretical study WILLIAMS, T., see HOLDEN and WILLIAMS The hydrolysis of a	RATCLIFFE, N. A., see THOMPSON, RATCLIFFE and	BAYN	Œ	•	•	•	•	•	•	•	. 699
SHEADER, M. and EVANS, F. The taxonomic relationship of Parathemisto gaudichaudi (Guerin) and P. gracilipes (Norman), with a key to the genus Parathemisto 915 See also Buchanan, Kingston and Sheader 915 See also Buchanan, Kingston and Sheader 978 SHELTON, R. G. J. Observations on the occurrence of an epizooic, blue-green alga on the chemoreceptor setae of the brown shrimp, Crangon crangon (L.) Sidwell, J. M. C., see Boalch, Holme, Jephson and Sidwell 551 Southward, A. J. Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth. 641 See also Demir and Southward 9333 Spencer, B. E., see Helm, Hepper, Spencer and Walne 857 Stevens, J. D. The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters 939 Swinfen, R. C., see Edmunds, Potts, Swinfen and Waters 939 Swinfen, R. C., see Edmunds, Potts, Swinfen and Waters 939 Swinfen, R. C., see Edmunds, Potts, Swinfen and Waters 939 Malno, P. R., see Helm, Hepper, Spencer and Walne 857 Warwick, P. R., see Buchanan and function in the digestive gland of the mussel (Mytilus edulis L.) 699 Walne, P. R., see Buchanan and Warwick 197 Waters, V. L., see Edmunds, Swinfen and Waters 939 Waters, V. L., see Edmunds, Swinfen and Waters 939 Waters, V. L., see Edmunds, Swinfen and Waters 939 Wear, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development 945 Westernhagen, H. von 162 Incubation of garpike eggs (Belome belone Linné) under controlled temperature and salinity conditions 945 Whiteler, A., De Groot, S. J. and Nijssen, H. The occurrence of a second species of Lophius in northern European waters 649 Whiteler, A., De Groot, S. J. and Nijssen, H. The occurrence of a second species of Lophius in northern European waters 649 Whiteler, A., De Groot, S. J. and Nijssen, H. The occurrence of a second species of Lophius in northern European waters 649 Whiteler, A., De Groot, S. J. and Nijssen, H. The occurrence of a secon	RAYMONT, J. K. B., see FERGUSON and RAYMONT	•					•			•	. 719
The taxonomic relationship of Parathemisto gaudichaudi (Guerin) and P. gracilipes (Norman), with a key to the genus Parathemisto	Royle, L. G., see Abdullah and Royle .									•	. 581
a key to the genus Parathemisto See also Buchanan, Kingston and Sheader Shelton, R. G. J. Observations on the occurrence of an epizooic, blue-green alga on the chemoreceptor setae of the brown shrimp, Crangon crangon (L.) Sidwell, J. M. C., see Boalch, Holme, Jephson and Sidwell Southward, A. J. Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth See also Demir and Southward Speencer, B. E., see Helm, Hepper, Spencer and Walne Stevens, J. D. The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters See also Clarke and Stevens Swinfern, R. C., see Edmunds, Potts, Swinfern and Waters Stevens, R. J., Ratcliffer, N. A. and Bayne, B. L. Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.) Walne, P. R., see Helm, Hepper, Spencer and Walne Warner, R. M., see Buchanan and Warwick Waters, S. V. L., see Edmunds, Swinfern and Waters 939 Walne, P. R., see Helm, Hepper, Spencer and Walne Warrers, V. L., see Edmunds, Swinfern and Waters 939 Wear, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development 939 Weer, R. G. Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions Wiesternhagen, H. von Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions Wiesternhagen, H. von The hydrolysis of ammonium ions in sea water – A theoretical study 565 Whillend, T., see Holden and Williams 948 Williams, T., see Holden and Williams 949 Williams, T., see Holden and Williams 940 Williams, T., see Holden and Williams 940 Williams, T., see Holden and williams 940 Williams, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch)	SHEADER, M. and Evans, F.										
See also Buchanan, Kingston and Sheader	-	dichau	ıdi (G	uerin) and	P. gr	acilip	es (No	ormar	ı), witl	
SHELTON, R. G. J. Observations on the occurrence of an epizooic, blue-green alga on the chemoreceptor setae of the brown shrimp, Crangon (C.)		•	•	•	•	•	•	•	•	•	
Observations on the occurrence of an epizooic, blue-green alga on the chemoreceptor setae of the brown shrimp, Crangon crangon (L.)		•	•	•	•	•	•	•	•	•	. 705
brown shrimp, Crangon crangon (L.) SIDWELL, J. M. C., see BOALCH, HOLME, JEPHSON and SIDWELL SOUTHWARD, A. J. Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth. See also Demir and Southward SPENCER, B. E., see Helm, Hepper, Spencer and Walne STREVENS, J. D. The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters See also Clarke and Stevens SWINFEN, R. C., see Edmunds, Potts, Swinfen and Waters SYMINFEN, R. C., see Edmunds, Potts, Swinfen and Waters SHOMPSON, R. J., RATCLIFFE, N. A. and BAYNE, B. L. Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.) WALNE, P. R., see Helm, Hepper, Spencer and Walne Waters, V. L., see Edmunds, Swinfen and Waters Waters, V. L., see Edmunds, Swinfen and Waters Wearr, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development Westernhagen, H. von Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions Westernhagen, H. von Incubation of a second species of Lophius in northern European waters 619 Whitfield, M. The hydrolysis of ammonium ions in sea water – A theoretical study Sée Willlams, T., see Holden and Williams Williams, T., see Holden and Williams Williams, D. P. Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973 393 Young, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch)	· · · · · · · · · · · · · · · · · · ·	hine_	rreen	ചിരാ	on th	e che	more	ento	r setae	of th	A
SIDWELL, J. M. C., see BOALCH, HOLME, JEPHSON and SIDWELL SOUTHWARD, A. J. Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth. See also DEMIR and SOUTHWARD SEE also DEMIR and SOUTHWARD STEVENS, J. D. The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters See also CLARKE and STEVENS SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN and WATERS SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN and WATERS PHOMPSON, R. J., RATCLIFFE, N. A. and BAYNE, B. L. Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.) WALNE, P. R., see Helm, Hepper, Spencer and Walne WATERS, V. L., see EDMUNDS, SWINFEN and WATERS WARWICK, R. M., see BUCHANAN and WARWICK WATERS, V. L., see EDMUNDS, SWINFEN and WATERS WEAR, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development WESTERNHAGEN, H. VON Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions WHEELER, A., DE GROOT, S. J. and NIJSSEN, H. The occurrence of a second species of Lophius in northern European waters 619 WHITTIBLD, M. The hydrolysis of ammonium ions in sea water – A theoretical study WILLIAMS, T., see HOLDEN and WILLIAMS WILLSON, D. P. Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973 393 YOUNG, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch)		·	green	aiga .		·		.cptoi	·		
SOUTHWARD, A. J. Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth		v and	Smw	ELI.							_
Long term changes in abundance of eggs of the Cornish pilchard (Sardina pilchardus Walbaum) off Plymouth			022		•	Ť					. ,,,,
See also Demir and Southward Spencer, B. E., see Helm, Hepper, Spencer and Walne Stevens, J. D. The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters See also Clarke and Stevens Swinder, R. C., see Edmunds, Potts, Swinder and Waters Swinders, R. C., see Edmunds, Potts, Swinder and Waters Swinders, R. J., Ratcliffe, N. A. and Bayne, B. L. Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.) Walne, P. R., see Helm, Hepper, Spencer and Walne Warners, V. L., see Edmunds, Swinder and Waters Warters, V. L., see Edmunds, Swinder and Waters Wear, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development Westernhagen, H. von Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions Wheeler, A., de Groot, S. J. and Nijssen, H. The occurrence of a second species of Lophius in northern European waters 619 Whitfield, M. The hydrolysis of ammonium ions in sea water – A theoretical study 565 Williams, T., see Holden and Williams Wilson, D. P. Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973 393 Young, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch)	Long term changes in abundance of eggs of the	e Cor	nish p	oilcha	rd (S	ardin	a pilo	hardı	ıs Wa	lbaum	
SPENCER, B. E., see Helm, Hepper, Spencer and Walne	•	•	•	•		•		•	•	•	-
STEVENS, J. D. The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters See also Clarke and Stevens Swinfen, R. C., see Edmunds, Potts, Swinfen and Waters Swinfen, R. C., see Edmunds, Potts, Swinfen and Waters Swinfen, R. C., see Edmunds, Potts, Swinfen and Waters Significance of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.) Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.) Walne, P. R., see Helm, Hepper, Spencer and Walne Warwick, R. M., see Buchanan and Warwick Waters, V. L., see Edmunds, Swinfen and Waters Waters, V. L., see Edmunds, Swinfen and Waters Wear, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development Westernhagen, H. von Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions Wheeler, A., De Groot, S. J. and Nijssen, H. The occurrence of a second species of Lophius in northern European waters 619 Whitffeld, M. The hydrolysis of ammonium ions in sea water – A theoretical study 565 Williams, T., see Holden and Williams 91 Wilson, D. P. Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973 393 Young, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch)		WATE	TF.		Ť	·	-			-	
The occurrence and significance of tooth cuts on the blue shark (Prionace glauca L.) from British waters		WAL	AL.	•	•	•	•	•	•	•	. 657
Waters	• •	n the	blue	shark	(Pri	onace	plaud	a L.)	from	Britis	sh.
See also Clarke and Stevens								,			
Thompson, R. J., Ratcliffe, N. A. and Bayne, B. L. Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.)	See also Clarke and Stevens										
Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.)	SWINFEN, R. C., see EDMUNDS, POTTS, SWINFEN	and W	ATER	s							. 939
Effects of starvation on structure and function in the digestive gland of the mussel (Mytilus edulis L.)	THOMPSON, R. J., RATCLIFFE, N. A. and BAYNE,	B. L.									
Walne, P. R., see Helm, Hepper, Spencer and Walne			dige	stive	gland	of th	e mu	ssel (Mytilı	ıs edul	is
WARWICK, R. M., see BUCHANAN and WARWICK WATERS, V. L., see EDMUNDS, SWINFEN and WATERS 939 WEAR, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development 745 WESTERNHAGEN, H. VON Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions 625 WHEELER, A., DE GROOT, S. J. and NIJSSEN, H. The occurrence of a second species of Lophius in northern European waters 619 WHITFIELD, M. The hydrolysis of ammonium ions in sea water – A theoretical study 756 WILLIAMS, T., see HOLDEN and WILLIAMS 777 Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973 393 YOUNG, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch)	L.)	•			•			•	•		. 699
Waters, V. L., see Edmunds, Swinfen and Waters	WALNE, P. R., see Helm, Hepper, Spencer and V	Waln	E	•							. 857
Wear, R. G. Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development	WARWICK, R. M., see BUCHANAN and WARWICK										. 197
Incubation in British decapod Crustacea, and the effects of temperature on the rate and success of embryonic development	WATERS, V. L., see EDMUNDS, SWINFEN and WATE	ERS									. 939
embryonic development	Wear, R. G.										
Westernhagen, H. von Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions	Incubation in British decapod Crustacea, and the	ne effe	cts of	tem	perati	ıre or	the i	ate a	nd su	ccess c	of
Incubation of garpike eggs (Belone belone Linné) under controlled temperature and salinity conditions	embryonic development	•		•		•	•	•	•	•	• 745
conditions	Westernhagen, H. von										
WHEELER, A., DE GROOT, S. J. and NIJSSEN, H. The occurrence of a second species of Lophius in northern European waters		inné)	unde	r cor	itrolle	ed te	mpera	ture	and	salinit	-
The occurrence of a second species of Lophius in northern European waters		•	•	•	•	•	•	•	•	•	. 625
The hydrolysis of ammonium ions in sea water – A theoretical study		in no	rther	n Eu	ropea	n wa	ters				. 619
WILSON, D. P. Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973	WHITFIELD, M. The hydrolysis of ammonium ions in sea wate	r – A	theor	etica	l stud	y					. 565
WILSON, D. P. Sabellaria colonies at Duckpool, North Cornwall, 1971–1972, with a note for May 1973 393 Young, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch) 599	WILLIAMS, T., see HOLDEN and WILLIAMS .										. 91
Young, J. A. C. The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch) 599	WILSON, D. P. Sabellaria colonies at Duckpool, North Cornw	all, 10	071-1	972,	with :	a note	e for i	Mav	1973		. 303
The nature of tissue regeneration after wounding in the sea anemone Calliactis parasitica (Couch) 599								•	,,,		373
		ng in	the se	a ane	mone	Call	iactis 1	parasi	itica (Couch	ı) 599
	Zibrowius, H.	-							,		. 577
Caryophyllia sarsiae n.sp. and other recent deep-water Caryophyllia (Scleractinia) previously referred to little-known fossil species (C. arcuata, C. cylindracea)	Caryophyllia sarsiae n.sp. and other recent	_					Sclera	ctinia	a) pre	viousl	•

ABSTRACTS OF MEMOIRS RECORDING WORK DONE IN THE PLYMOUTH LABORATORY

	PAGE
BAKER, P. F., MEVES, H. and RIDGWAY, E. B., 1973. Effects of manganese and other agents on the calcium uptake that follows depolarization of squid axons.	257
BAKER, P. F., Meves, H. and RIDGWAY, E. B., 1973. Calcium entry in response to maintained depolarization of squid axons	257
BAKER, P. F. and POTASHNER, S. J., 1973. The role of metabolic energy in the transport of glutamate by invertebrate nerve	763
BEST, A. C. G. and BONE, Q., 1973. The terminal neuromuscular junctions of lower chordates	505
Briggs, R. P. and Gotto, R. V., 1973. A first record of <i>Lichomolgus actiniae</i> Della Valle, 1880 (Copepoda, Cyclopoida) in British waters	505
CARTER, N. and DANDO, P., 1973. Phosphoglucose isomerase in teleostean fish	763
COHEN, L. B. and LANDOWNE, D., 1974. The temperature dependence of the movement of sodium ions associated with nerve impulses	763
DANDO, P. R., 1974. Distribution of multiple glucosephosphate isomerases in teloestean fishes .	763
DENTON, E. J., 1974. On buoyancy and the lives of modern and fossil cephalopods	764
HUGHES, G. M. and Wood, S. C., 1974. Respiratory properties of the blood of the thornback ray	764
KEYNES, R. D. and ROJAS, E., 1974. Kinetics and steady-state properties of the charged system controlling sodium conductance in the squid giant axon.	1017
Meves, H. and Vcgel, W., 1973. Calcium inward currents in internally perfused giant axons .	, 764
PINGREE, R. D., 1973. The stability of small-scale structures.	505
PINGREE, R. D. and Morrison, G. K., 1973. The relationship between stability and source waters for a section in the Northeast Atlantic	505
RIEGEL, J. A., LOCKWOOD, A. P. M., NORFOLK, J. R. W., BULLEID, N. C. and TAYLOR, P. A., 1974. Urinary bladder volume and the reabsorption of water from the urine of crabs	764
SOUTHWARD, A. J., 1974. Changes in the plankton community of the western English Channel.	1018
STEBBING, A. R. D., 1973. Observations on colony overgrowth and spatial competition	765
WHITFIELD, M., 1973. A chemical model for the major electrolyte component of sea water based on the Brønsted-Guggenheim hypothesis	765
WHITFIELD, M., 1974. A comprehensive specific interaction model for sea water. Calculation of the osmotic coefficient	765
WHITFIELD, M., 1974. Accumulation of fossil CO ₂ in the atmosphere and in the sea	1018
WHITFIELD, M., 1974. Temperature, fossil CO ₂ accumulation and carbonate ion concentration of the oceanic mixed layer	1018
BOOKS RECEIVED	
Shallow-water Gammaridean Amphipoda of New England. By E. L. Bousfield	259
A Handbook to the Common Intertidal Invertebrates of the Gulf of California. By R. C. BRUSCA .	259
Bibliography of Oysters and Other Marine Organisms Associated with Oyster Bottoms and Estuarine Ecology. By P. S. GALTSOFF	259

									PAGE
A Bibliography of the Genus Fundulus. By C. W. HUVER	٠						•		259
Pycnogonids. By P. E. KING				•					259
Northwest Pacific Ocean Waters in Winter. By J. L. REID									259
The Biology of the Indian Ocean. Edited by B. ZEITZSCHEL				•					259
Fish Chromosome Methodology. By T. E. DENTON									507
Biological Nomenclature. By C. Jeffrey									507
Oceanography and Marine Biology - Annual Review. Edited	l by l	Н. Ва	RNES			•		•	5¢7
The Fine Structure of Algal Cells. By J. D. Dodge .				•					767
The Blue-Green Algae. By G. E. FOGG, W. D. P. STEWART,	, P. F	`AY ar	ıd A.	E. W	ALSBY				767
Interrelationships of Fishes. Edited by P. H. GREENWOOD, F	R. S. I	Miles	and	C. PA	TTER	SON			767
The Sea is All About Us. By S. F. ROBBINS and C. M. YEN	ITSCH						٠		767
The Biology of the Algae. By F. E. ROUND									767
The Management of Marine Fisheries. By J. A. Gulland									1019
The Ciliates. By A. R. Jones									1019
Energy Under the Oceans: a Technology Assessment of Outer	Conti	nental	Shel	f Oil a	nd G	as Op	eratio	ns.	
By D. E. Kash et al	•	•		•	•	•		•	1019
Life at the Sea's Frontiers. By R. Perry		٠							1019
Sea Turtles and the Turtle Industry of the West Indies, Florid	a, and	d the (Gulf o	f Mex	ico. E	By T. 1	P. Rei	3EL	1019
The Structure of Marine Ecosystems. By J. H. Steele .									1019

CORRIGENDA

```
Page 159, Table 1, for medium culture read culture medium Page, 164, bottom line, for = 1/K_i - q_0/q_iK_0 read = 1/K_i + q_0/q_iK_0 Page 166, paragraph 2, line 1 for q_0/q_t read q_0/q_i Page 345, paragraph 2, line 4, for West Channel read Western Channel Page 351, Note added in proof, line 8, for p. 13 read p. 345 line 11, for p. 16 read p. 348 Page 459, Table 1, for 0·11 read 0·115
```

Page 470, Table 1, second bracket, for A* read A

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

Annual Men	bers	, rece	iving	the	Tourn	al.		pe	r ann	um	5.00
Annual Men		-	_						r ann		1.05
Junior Mem	bers,	recei	iving	the J	ourna	1.		pe	r ann	um	2.00
Life Membe	rs				*.		Co	mpos	ition	fee	60.00
Founders											100.00
Governors											500.00

Members of the Association have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION Vol. 54 No. 4

CONTENTS

	PAGE
ZIBROWIUS, H. Caryophyllia sarsiae n.sp. and other recent deep-water Caryophyllia (Scleractinia) previously referred to little-known fossil species (C. arcuata, C. cylindracea)	769
Buchanan, J. B., Kingston, P. F. and Sheader, M. Long-term population trends of the benthic macrofauna in the offshore mud of the Northumberland coast	785
Berrill, M. The burrowing behaviour of newly-settled lobsters, Homarus vulgaris (Crustacea-Decapoda)	797
BENNETT, D. B. Growth of the edible crab (Cancer pagurus L.) off south-west England .	803
Droop, M. R. The nutrient status of algal cells in continuous culture	825
HELM, M. M., HEPPER, B. T., SPENCER, B. E. and WALNE, P. R. Lugworm mortalities and a bloom of Gyrodinium aureolum Hulburt in the eastern Irish Sea, Autumn 1971.	857
GIBBS, P. E. Golfingia margaritacea (Sipuncula) in British waters	871
ANGEL, M. V. and FASHAM, M. J. R. SOND Cruise 1965: Further factor analyses of the plankton data	879
Armstrong, F. A. J., Butler, E. I. and Boalch, G. T. Hydrographic and nutrient chemistry surveys in the western English Channel during 1965 and 1966	895
SHEADER, M. and Evans, F. The taxonomic relationship of Parathemisto gaudichaudi (Guerin) and P. gracilipes (Norman), with a key to the genus Parathemisto	915
Potts, G. W. The colouration and its behavioural significance in the corkwing wrasse, Crenilabrus melops	925
EDMUNDS, M., POTTS, G. W., SWINFEN, R. C. and WATERS, V. L. The feeding preferences of Aeolidia papillosa (L.) (Mollusca, Nudibranchia)	939
CLARKE, M. R. and STEVENS, J. D. Cephalopods, blue sharks and migration	949
CLARKE, M. R. and MACLEOD, N. Cephalopod remains from a sperm whale caught off Vigo, Spain	959
CLARKE, M. R. and Lu, C. C. Vertical distribution of cephalopods at 30°N 23°W in the North Atlantic	969
Lu, C. C. and Clarke, M. R. Two new species of cranchild cephalopod from the North Atlantic Uranoteuthis bilucifer n.gen., n.sp. and Galiteuthis triluminosa n.sp.	985
ALDRED, R. G. Structure, growth and distribution of the squid Bathothauma lyromma Chun	995
HOLLAND, D. L. and HANNANT, P. J. Biochemical changes during growth of the spat of the oyster, Ostrea edulis L.	1007
Abstracts of Memoirs	1017
List of Books Received	1019
Report of the Council for 1973-74	1021
Balance Sheet 1973–74	1056

© Copyright by the Marine Biological Association of the U.K. 1975

The 1974 subscription price of the Journal to non-members of the Association is £28.00 net a volume of four parts, post free, or US\$90.00 in U.S.A. and Canada, payable in advance. Subscriptions may be sent to any bookseller or to the Cambridge University Press, and in U.S.A. and Canada to the Cambridge University Press American Branch.

CAMBRIDGE UNIVERSITY PRESS

BENTLEY HOUSE, 200 EUSTON ROAD, LONDON NW1 2DB
AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y.10022