

A list of the
JOURNALS

*Published by the
Cambridge University
Press, may be had
from*

THE MANAGER
CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE
200 EUSTON ROAD
LONDON, N.W. 1

Over 3000 available
MICHROME STAINS
and Reagents for Microscopy, etc.

Aquamount	Giemsa Stain	Peptones
Astrazone Pink	Laktoseal	*Rhodanile Blue
Celloidin	Lipid Crimson	Sudan Black
*Chromosome Red	Luxol Fast Blue	Thiofluorescein
Fluormount	Magneson	Trifalgic acid
Fluoroil	Nile Blue	Urease, etc.

OPTOIL: synthetic, non-sticky immersion oil
DPX (Kirkpatrick & Lendrum) a colourless, neutral, synthetic xylo-miscible mountant

* See 1965 Catalogue available on request

NOW READY: Books by Edward Gurr:

RATIONAL USE OF DYES IN BIOLOGY
and General Staining Methods
422 pages, Royal 8vo, price 105/-
STAINING ANIMAL TISSUES
about 637 pages, about 84/-
ENCYCLOPAEDIA OF MICROSCOPIC STAINS
500 pages, Royal 8vo, price 95/-

Reprint available (gratis) on request: 'Role of eosin in Romanowsky staining of Malaria nucleus' (E. Gurr (1964). *Nature*, 202, No. 4936, 1022/3).

EDWARD GURR, LTD
42 Upper Richmond Road West
LONDON, S.W.14

Publications issued by

COMMONWEALTH INSTITUTE OF ENTOMOLOGY
56 Queen's Gate, London, S.W. 7

BULLETIN OF ENTOMOLOGICAL RESEARCH

Published quarterly and containing original articles on economic entomology. *Post free.*
Annual subscription (payable in advance) 150s. *od.*
Prices of back parts and volumes on application.

REVIEW OF APPLIED ENTOMOLOGY

Consisting of abstracts or reviews of current literature on economic entomology throughout the world. Published monthly in two series:

Series "A" dealing with insect and other arthropod pests of cultivated plants, forest trees and stored products of animal and vegetable origin.

Series "B" dealing with insects, ticks, etc. conveying disease or otherwise injurious to man and animals. *Post free.*

Series "A" Series "B"
Annual subscription (payable in advance) 120s. *od.* 60s. *od.*
Prices of back parts and volumes on application.

ZOOLOGICAL RECORD, part INSECTA

Published annually and containing as complete a record as possible of the literature of the previous year, chiefly from the systematic standpoint.

Annual subscription 130s. *od.* *Post free*
Prices of back volumes on application.

The Journal of General Microbiology

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Contents of Vol. 41, No. 2 November 1965

- H. D. MENNIGMANN. Electronmicroscopy of the anti-bacterial agent produced by *Escherichia coli* 15.
- M. M. GRULA and E. A. GRULA. Effects of certain penicillins on growth and cell division in a species of *Erwinia*.
- I. G. MURRAY and A. G. J. PROCTOR. Paper chromatography as an aid to the identification of *Nocardia* species.
- D. J. STEWART. The urease activity of fluorescent pseudomonads.
- J. M. T. HAMILTON-MILLER. Modes of resistance to benzylpenicillin and ampicillin in twelve *Klebsiella* strains.
- R. MILBAUER and N. GROSSOWICZ. γ -Glutamyl transfer reactions in bacteria.
- A. R. GRAY. Antigenic variation in a strain of *Trypanosoma brucei* transmitted by *Glossina morsitans* and *G. palpalis*.
- L. M. LEWIN. Effects of meso-inositol deficiency on some important biological and chemical characteristics of yeast.
- A. D. BROWN, C. D. SHOREY and H. P. TURNER. An alternative method of isolating the membrane of a halophilic bacterium.
- D. E. BRADLEY. The isolation and morphology of some new bacteriophages specific for *Bacillus* or *Acetobacter* species.
- R. K. GRAHAM and J. W. MAY. Composition of cell walls of some gram-negative cocci.
- M. R. MOTT. Electron microscopy studies on the immobilization antigens of *Paramecium aurelia*.
- D. G. FF. EDWARD and E. A. FREUNDT. A note on the taxonomic status of strains like 'Campo', hitherto classified as *Mycoplasma hominis*, Type 2.
- D. W. TEMPEST and J. R. HUNTER. The influence of temperature and pH value on the macromolecular composition of magnesium-limited and glycerol-limited *Aerobacter aerogenes* growing in a chemostat.
- J. A. CHAPMAN and R. VUJICIC. The fine structure of sporangia of *Phytophthora erythroseptica*.
- J. D. WILLIAMSON and N. R. GRIST. Studies on the haemagglutinin present in Coxsackie A7 virus-infected suckling mouse tissue.

The subscription rate is 80s. net per volume of 3 parts. Single parts 35s. each, plus postage. Four volumes will be issued each year. Orders should be sent to

CAMBRIDGE UNIVERSITY PRESS
BENTLEY HOUSE, 200 EUSTON ROAD, LONDON, N.W.1

NOTES FOR CONTRIBUTORS

CONTRIBUTIONS will be welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to the Editor, Dr P. Tate, The Molteno Institute, Downing Street, Cambridge.

GENERAL. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers published in *Parasitology* may not be reprinted or published in translation without permission from the Editorial Board. Papers should be as concise as clarity permits, and illustrations kept as few as possible. Attention to the following instructions will assist rapid publication:

TYPESCRIPTS. Papers should be typewritten with double spacing, on one side only of quarto paper leaving a margin of about 4 cm. on the left-hand side of each sheet. Sheets should be numbered consecutively. Heavily corrected typescripts may have to be returned to the author for retyping. Papers should state the name of the author and the address to which proofs are to be sent. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper. A short title, not exceeding 44 letters, should be supplied for running headlines.

The general arrangement of the paper should be as follows: Introduction; Methods; Results; Discussion; Summary of results; References. Tables, explanations of text-figures or plates, and keys to the abbreviations used on figures should be on separate sheets (see below).

PLATES should only be included where they are absolutely essential, as in the reproduction of photomicrographs and similar illustrations demanding very fine detail. Plates are expensive and authors may be required to bear part of the cost if an unduly large number is required. Photographs should be sharp glossy prints, trimmed and mounted on white card and grouped and numbered as they are required to appear in print (oversea contributors may prefer to submit unmounted prints with a sketch to indicate the proposed grouping, in order to reduce postage costs). Please remember that the area of a group cannot exceed 17 by 12.5 cm., after reduction (if any). Lettering is best indicated on an overlay or separate sketch.

TEXT FIGURES should not be more than about twice the size of the finished block, and the thickness of lines and size of points, stipples, etc. determined accordingly. The maximum size of any one group of figures, after reduction, is 17 by 12.5 cm. They must be drawn in Indian ink on white Bristol Board, heavy drawing paper, tracing paper or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Explanatory lettering should be lightly inserted in blue pencil, with tally lines showing the position of the feature to which it refers, so that the printer may put in the finished lettering. Properly prepared scraperboard drawings may be suitable for reproduction as line drawings, but drawings with gradations of shading (e.g. washdrawings) are not. Please try to avoid creasing or folding illustrations. Legends to illustrations must be given on a separate sheet of paper, but scales of magnification are preferably given alongside the illustrations. Each illustration must have the name of the author and figure number pencilled on the back. Plates and

diagrams should be numbered separately and their approximate positions indicated in the margin of the typescript. It is very convenient if photographs of illustrations are sent with the papers in addition to the original figures; they are essential when the originals are very large, so that they may be sent through the post to referees.

TABLES should be kept to a minimum and the duplication of information in tables and graphs avoided. They should be typed on separate sheets of paper and their approximate positions indicated in the margin of the typescript. Each table should be numbered and be designed to be printed in the normal orientation of the text with the data so grouped as to make the use of rules unnecessary, whenever possible.

NOMENCLATURE. Authors should follow the *International Rules of Nomenclature* in the names of organisms. When new names are introduced the recommendations of the *International Code of Zoological Nomenclature*, 1961, should be strictly adhered to, especially with regard to the designation of types and statements as to where such types are deposited.

REFERENCES should be given only when cited in the text and should be listed in alphabetical order at the end of the paper, in the following form:

Surname of author(s), initials; year of publication; title of paper; title of journal (abbreviated according to the *World List of Scientific Periodicals* and underlined); volume number; first and last page numbers of the work cited. When books are listed, the title of the book should be underlined and it should be followed by the town of publication and the name of the publisher.

Where there is more than one reference to a particular author or group of authors with the same date, references should be distinguished by letters placed after the date, the letter *a* being used for the first reference cited and so on.

PROOFS sent to authors are already in page form and only essential corrections should be made on them. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author; they are in any case liable to delay publication. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958 (British Standards Institution, 2 Park Street, London, W. 1). After correction, the printers' marked proof should be returned to the Editor.

OFFPRINTS. Fifty offprints of each paper are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

MORE DETAILED INFORMATION on the preparation of manuscripts for publication is to be found in the following:

NUTTALL, G. H. F. (1940). Notes on the Preparation of Papers for Publication in the *Journal of Hygiene* and in *Parasitology*, *Parasitology*, 32 1-62 and *J. Hyg.* 40, 1-62. (Now out of print and also out of date in some respects.)

The Journal of Physiology (1960) Suggestions to Authors 150, 1-33. Cambridge University Press.
THE ROYAL SOCIETY (1950) General Notes on the Preparation of Scientific Papers. The Royal Society, London, W.1

CONTENTS

	PAGE
WALLIKER, D. <i>Trypanosoma superciliosae</i> sp.nov. from the lizard <i>Uranoscodon superciliosa</i> L. (With 1 Figure in the Text)	601
MACKENZIE, K. The plerocercoid of <i>Gilquinia squali</i> Fabricius, 1794. (With 13 Figures in the Text)	607
REES, GWENDOLEN and WILLIAMS, H. HARFORD. The functional morphology of the scolex and the genitalia of <i>Acanthobothrium coronatum</i> (Rud.) (Cestoda: Tetraphyllidea). (With 3 Plates and 43 Figures in the Text)	617
HOPKINS, C. A. and CALLOW, L. L. Methionine flux between a tapeworm (<i>Hymenolepis diminuta</i>) and its environment. (With 4 Figures in the Text)	653
PALING, J. E. The population dynamics of the monogenean gill parasite <i>Discocotyle sagittata</i> Leuckart on Windermere trout, <i>Salmo trutta</i> , L. (With 8 Figures in the Text)	667
SMITHERS, S. R. and TERRY, R. J. The infection of laboratory hosts with cercariae of <i>Schistosoma mansoni</i> and the recovery of the adult worms. (With 1 Plate)	695
SMITHERS, S. R. and TERRY, R. J. Naturally acquired resistance to experimental infections of <i>Schistosoma mansoni</i> in the rhesus monkey (<i>Macaca mulatta</i>). (With 6 Figures in the Text)	701
SMITHERS, S. R. and TERRY, R. J. Acquired resistance to experimental infections of <i>Schistosoma mansoni</i> in the albino rat. (With 3 Figures in the Text)	711
MORIARTY, F. The development of the beet eelworm <i>Heterodera schachtii</i> Schm. in monoxenic culture. (With 1 Figure in the Text)	719
OGILVIE, BRIDGET M. Use of cortisone derivatives to inhibit resistance to <i>Nippostrongylus brasiliensis</i> and to study the fate of parasites in resistant hosts. (With 3 Figures in the Text)	723
INGLIS, WILLIAM G. and COSGROVE, G. E. The pin-worm parasites (Nematoda: Oxyuridae) of the Hapalidae (Mammalia: Primates). (With 6 Figures in the Text)	731
DUNN, ANGUS M. The gastro-intestinal helminths of wild ruminants in Britain. I. Roe deer, <i>Capreolus capreolus capreolus</i>	739
AWACHIE, J. B. E. The ecology of <i>Echinorhynchus truttae</i> Schrank, 1788 (Acanthocephala) in a trout stream in North Wales. (With 6 Figures in the Text)	747
Proceedings of the British Society for Parasitology	1 P