Potential conflicts of interest. S.S.-S. reports that he is a shareholder and employee of the Deutsches Beratungszentrum für Hygiene (BZH GmbH). All other authors report no conflicts of interest relevant to this article.

Sebastian Schulz-Stübner, MD, PhD; 1 Petra Zimmer, RN;² Peter Leonards, RN²

Affiliation: 1. Deutsches Beratungszentrum für Hygiene (BZH), Freiburg im Breisgau, Germany; 2. Klinikum Mutterhaus der Borromäerinnen, Trier;

Address correspondence to Sebastian Schulz-Stübner, MD, PhD, Deutsches Beratungszentrum für Hygiene (BZH), Schnewlinstr. 10, 79098 Freiburg im Breisgau, Germany (Schulz-stuebner@bzh-freiburg.de).

Infect. Control Hosp. Epidemiol. 2015;36(11):1373-1375

© 2015 by The Society for Healthcare Epidemiology of America. All rights reserved. 0899-823X/2015/3611-0028. DOI: 10.1017/ice.2015.198

REFERENCES

- 1. Chattopadhyay B, Thomas E. Bacterial contamination of laboratory forms. J Clin Pathol 1978;31:1004-1005.
- 2. Chen KH, Chen LR, Wang YK. Contamination of medical charts: an important source of potential infections in hospitals. PLOS ONE 2014;9:e78512. doi:10.1371/journal.pone.0078512.
- 3. Teng SO, Lee WS, Ou TY, Hsiew YC, Lee WC, Lin YC. Bacterial contamination of patients' medical charts in a surgical ward and the intensive care unit: impact on nosocomial infections. J Microbiol Immunol Infect 2009;42:86-91.
- 4. Bebbington A, Parkin I, James PA, Chichester LJ, Kubiak EM. Patients' case-notes: look but don't touch. J Hosp Infect 2003;55:299-301.
- 5. Podbielski A, Herrmann M, Kniehl E, Mauch H, Rüssmann H. eds. MiQ: Qualitätsstandards in der mikrobiologisch-infektiologischen Diagnostik [in German]. Munich: Elsevier, 2007.
- 6. Kalita M, Palusinska-Szysz M, Turska-Szewczuk A, Wdowiak-Wrobel S, Urbanik-Sypniewska T. Isolation of cultivable microorganisms from Polish notes and coins. Pol J Microbiol 2013;62:281-286.
- 7. Panhotra BR, Saxena AK, Al-Mulhim AS. Contamination of patients' files in intensive care units: an indication of strict handwashing after entering case notes. Am J Infect Control 2005;33:398–401.

Infection Control in Therapeutic Hyperbaric Chambers: Practical Inventory in France

To the Editor—Hyperbaric oxygen therapy (HBOT) is a noninvasive treatment that involves breathing pure oxygen in a pressurized room or tube. HBOT can be used for chronic wound-healing problems, soft-tissue infections, gas gangrene,² and as an emergency treatment for diving decompression sickness³ or carbon monoxide poisoning.⁴ Multiplace hyperbaric therapeutic chambers can accommodate several patients at once, allowing contact among patients who may be infected or colonized.

Prevention of cross infection is mainly based on hand hygiene and on the use of alcohol-based hand rubs (ABHRs), which have proven effective in reducing nosocomial infections.⁵ However, in hyperbaric conditions, fire is the main danger and the most feared risk^{6,7} because people cannot quickly leave the chamber during a session. Flash fire associated with the use of alcohol-based antiseptic agent has already been described.8 Thus, the use of ABHR during HBOT sessions is not recommended. The alternative to hand rubbing is simple hand washing with mild soap, but these soaps generally contain flammable substances (such as glycerin) that should also be avoided inside the chamber.⁹

There are no specific recommendations for preventing infection in hyperbaric chambers. Moreover, safety measures reinforce the difficulty of implementing infection prevention recommendations in daily practice. To address these issues, we made an inventory of infection control practices in French HBOT chambers.

We sent a questionnaire to 18 hyperbaric medicine units in France. This survey concerned environmental and medical equipment cleaning (ie, frequency and products used for the cleaning of surfaces and disinfection of breathing circuit components) and infection control precautions. The last part of the survey concerned additional precautions in place according to the patient profile (eg, tracheotomy, carrying multidrugresistant bacteria, or immunosuppressed) and the existence of specific procedures in the unit for patients requiring additional precautions (ie, contact or airborne precautions).

Between September 2014 and February 2015, we collected 16 completed questionnaires (89% response rate). Environmental disinfection management among HBOT units was quite variable (Table 1); there was heterogeneity in the maintenance frequencies of the different surfaces of the chamber although the products used for cleaning were generally the same. Overall, 87% of units declared they used a cleaner combined with a disinfectant. These cleaning products were not always appropriate to the hygiene recommendations (eg, disinfection products for medical devices were used for the maintenance of soil and surfaces) or to safety instructions related to the hyperbaric conditions (eg, products containing alcohol were used for the disinfection of surfaces).

Most chambers (63%) were equipped with a sink. In these chambers, hand hygiene was achieved by simple hand washing using mild soap (30%), using ABHR (30%), using either of these two techniques (30%), or by washing hands with an antiseptic soap (10%). For those without sinks, hand hygiene was performed using ABHR or by simple washing outside the box, and in some cases professionals wore gloves. Practitioners wore professional attire, and in 56% of cases, specific recommendations were given to patients regarding their dress. In 75% of the HBOT units responding, cotton outfits were recommended, and synthetic fabrics and makeup (fats) were disapproved. Disinfection of oxygen masks was performed by soaking the mask in a disinfection solution in 94% of units, but the frequencies of disinfection varied among facilities: every

TABLE 1. Environmental Cleaning Management of Hyperbaric Chambers and Treatment Modalities Depending on Patient Type

| Subject | Modalities | N (%) |
|----------------------------|--------------------------------------|--------------|
| Cleaning of surfaces | | |
| In contact with patients | Daily | 15 (93.7) |
| | Monthly | 1 (6.3) |
| Floors | Daily | 12 (75.0) |
| | Weekly | 2 (12.5) |
| | Monthly | 2 (12.5) |
| Inside walls | Daily | 7 (43.8) |
| | Weekly | 3 (18.7) |
| | Monthly or less | 4 (25.0) |
| Exterior wall | Daily | 2 (12.5) |
| | Weekly | 5 (31.2) |
| | Monthly or less | 9 (56.3) |
| Steering console | Daily | 8 (50.0) |
| | Weekly | 6 (37.5) |
| | Monthly or less | 2 (12.5) |
| Care of special patients | | |
| Tracheotomy patient | | 15/16 (93.7) |
| | Joint sessions | 10/15 (66.6) |
| | Tracheostomy suctioning | 12/15 (80.0) |
| | Use of PPE | 10/15 (66.6) |
| Carriers of MRB | | 15/16 (93.7) |
| | Specifics sessions | 8/15 (53.3) |
| | Joint sessions | 4/15 (26.6) |
| | As prescribed | 3/15 (20.0) |
| Immunocompromised patients | | 11/16 (68.7) |
| | Specifics sessions | 9/11 (81.8) |
| | Wearing a mask outside HBOT sessions | 5/11 (45.5) |

NOTE. PPE, personal protective equipment; MRB, multidrug-resistant bacteria; HBOT, hyperbaric oxygen therapy.

day (50%), every week (19%), or at the end of the treatment cycle (12.5%). Most chambers were used to care for tracheotomy patients, carriers of multidrug-resistant bacteria, or immunocompromised patients. Patients were cared for during specific sessions or in joint sessions with other patients. Two units reported refusing patients who had tuberculosis, chickenpox, or methicillin-resistant Staphylococcus aureus respiratory infection. No unit reported an outbreak linked to an HBOT session.

This study highlights the fact that environmental cleaning management, disinfection of medical equipment, and application of hygiene precautions are highly variable among HBOT chambers. Some professionals believe that the use of ABHR in hyperbaric chambers is not dangerous, whereas others strictly forbid their use. Maintaining a clean and safe healthcare environment is an essential component of infection prevention and control. Likewise, it is very important to know the infection status (colonized or infected) of patients to prevent cross transmission.

Patients under airborne precautions should not undergo HBOT treatment because the risk of transmission of infection by this route is too difficult to control. The same safeguard applies to patients under droplet precautions. Specific sessions should be organized for patients under contact precautions. If postponement of the treatment is not possible, care inside the chamber should be limited, and the chamber should be cleaned immediately after the session. However, these precautions should not delay the treatment of patients in life-threatening emergencies.

The diversity of practices reported illustrates the difficult position of hyperbaric practitioners who must balance prevention of infection with safety practices. These difficulties extend to the safety of medical devices used in hyperbaric chambers, such as defibrillation units, which have been associated with a risk of sparks and fire, for example.¹⁰

Following this study, the French Society of Hyperbaric Medicine and the French Society for Hospital Hygiene decided to develop specific guidelines for infection control in therapeutic hyperbaric chambers.

ACKNOWLEDGMENTS

The authors are grateful to the French therapeutic hyperbaric chamber practitioners for their contribution to the study.

Financial support: No financial support was provided relevant to this article. Potential conflicts of interest: All authors report no conflicts of interest relevant to this article.

Doriane Huart, MD;^{1,2}
Anne Henckes, MD;³
Guy Cochard, MD;³
Jean-Ralph Zahar, MD, PhD;^{2,4}
Raoul Baron, MD;¹
Philippe Saliou, MD, PhD¹

Affiliation: 1. Infection Control Unit, Brest Teaching Hospital, Brest, France; 2. Medical University of Angers, Angers, France; 3. Hyperbaric Medicine Unit, Brest Teaching Hospital, Brest, France; 4. Infection Control Unit, Angers Teaching Hospital, Angers, France

Address correspondence to Philippe Saliou, Service d'hygiène hospitalière, CHRU Morvan, 2 avenue Foch, 29200 Brest, France (philippe.saliou@chu-brest.fr).

Infect. Control Hosp. Epidemiol. 2015;36(11):1375–1377
© 2015 by The Society for Healthcare Epidemiology of America. All rights reserved. All rights reserved. 0899-823X/2015/3611-0029. DOI: 10.1017/ice.2015.175

REFERENCES

 Gesell LB. Hyperbaric Oxygen Therapy Indications, 12th ed. Kensington, MD: Undersea & Hyperbaric Medical Society, 2008.

- Goldman RJ. Hyperbaric oxygen therapy for wound healing and limb salvage: a systematic review. PM&R 2009;1:471–489.
- 3. Vann RD, Butler FK, Mitchell SJ, Moon RE. Decompression illness. *Lancet* 2011;377:153–164.
- Buckley NA, Juurlink DN, Isbister G, Bennett MH, Lavonas EJ. Hyperbaric oxygen for carbon monoxide poisoning. *Cochrane Database Syst Rev* 2011:CD002041.
- 5. Pittet D, Hugonnet S, Harbarth S, et al. Effectiveness of a hospital-wide programme to improve compliance with hand hygiene. *Lancet* 2000;356:1307–1312.
- Sheffield PJ, Desautels DA. Hyperbaric and hypobaric chamber fires: a 73-year analysis. *Undersea Hyperb Med J* 1997;24:153–164.
- 7. Simini B. Fire fuels concerns over hyperbaric oxygen facilities. *Lancet* 1997;350:1375.
- Bryant KA, Pearce J, Stover B. Flash fire associated with the use of alcohol-based antiseptic agent. Am J Infect Control 2002;30: 256–257
- European Committee for Hyperbaric Medicine. The applications
 of Hyperbaric Oxygen; standards for education and training,
 future directions of research; technical requirements. First
 European Consensus Conference on Hyperbaric Medicine. 1994.
 Lille, France.
- 10. Kot J. Medical devices and procedures in the hyperbaric chamber. *Diving Hyperb Med* 2014;44:223–237.