### CAMBRIDGE

## **JOURNALS**


# Behaviour Change

Journal of the Australian Association for Cognitive and Behaviour Therapy (AACBT)

#### **Editor**

Ross Menzies, University of Sydney, Australia

Behaviour Change has long been considered a leader in its field. It is a quarterly journal that publishes research involving the application of behavioural and cognitive-behavioural principles and techniques to the assessment and treatment of various problems.



#### Behaviour Change

is available online at: http://journals.cambridge.org/bec

#### To subscribe contact Customer Services

#### in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

#### in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions\_newyork@cambridge.org

#### **Free email alerts**

Keep up-to-date with new material – sign up at journals.cambridge.org/bec-alerts

For free online content visit: http://journals.cambridge.org/bec



#### **INSTRUCTIONS FOR CONTRIBUTORS**

#### SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

**REFERENCES** (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

**World Bank** (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/ Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

**PROOFS AND OFFPRINTS** Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

# PSYCHOLOGICAL MEDICINE

### **CONTENTS**

REVIEW ARTICLE		The effects on children of depressed mothers' remission and	
Cognitive/affective and somatic/affective symptoms		relapse over 9 months	
of depression in patients with heart disease and their		Weissman MM, Wickramaratne P, Pilowsky DJ, Poh E,	
association with cardiovascular prognosis: a meta-analysis		Hernandez M, Batten LA, Flament MF, Stewart JW & Blier P	2811
de Miranda Azevedo R, Roest AM, Hoen PW & de Jonge P	2689	Alterations in white matter micro-integrity of the superior	
COMMENTARY		longitudinal fasciculus and anterior thalamic radiation of	
The onset and offset of psychosis – and what happens in between		young adult patients with depression Lai C-H & Wu Y-T	2825
McGrath JJ, Miettunen J, Jääskeläinen E & Dark F	2705	Reduced gray matter volume in the anterior cingulate,	
ORIGINAL ARTICLES		orbitofrontal cortex and thalamus as a function of mild	
Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study		depressive symptoms: a voxel-based morphometric analysis Webb CA, Weber M, Mundy EA & Killgore WDS	2833
Morgan C, Lappin J, Heslin M, Donoghue K, Lomas B,		Early development, stress and depression across the	
Reininghaus U, Onyejiaka A, Croudace T, Jones PB, Murray RM, Fearon P, Doody GA & Dazzan P	2713	life course: pathways to depression in a national British birth cohort	
Impaired integration of disambiguating evidence in delusional schizophrenia patients		Colman I, Jones PB, Kuh D, Weeks M, Naicker K, Richards M & Croudace TJ	2845
Sanford N, Veckenstedt R, Moritz S, Balzan RP & Woodward TS	2729	Allowing for non-adherence to treatment in a randomized	
Amusia and protolanguage impairments in schizophrenia		controlled trial of two antidepressants (citalopram versus reboxetine): an example from the GENPOD trial	
Kantrowitz JT, Scaramello N, Jakubovitz A, Lehrfeld JM,		Wiles NJ, Fischer K, Cowen P, Nutt D, Peters TJ,	
Laukka P, Elfenbein HA, Silipo G & Javitt DC	2739	Lewis G & White IR	2855
A phase-specific psychological therapy for people with		Partitioning the etiology of hoarding and	
problematic cannabis use following a first episode of		obsessive-compulsive symptoms	
psychosis: a randomized controlled trial		Mathews CA, Delucchi K, Cath DC, Willemsen G & Boomsma DI	2867
Barrowclough C, Marshall M, Gregg L, Fitzsimmons M,		Mattlews CA, Delucchi N, Cath DC, Willemsen G & Boomsina Di	2001
Tomenson B, Warburton J & Lobban F	2749	Long-term efficacy of Internet-based cognitive behavior	
Towards a cognitive model of hallucinations in the course of alcohol dependence? A source monitoring-based pilot study		therapy for obsessive–compulsive disorder with or without booster: a randomized controlled trial	
Gaweda Ł, Mikuła J, Szelenbaum W and Kokoszka A	2763	Andersson E, Steneby S, Karlsson K, Ljótsson B, Hedman E,	
Gavvçua E, Mikula J, Ozelelibaum W and Nokoszka A	2100	Enander J, Kaldo V, Andersson G, Lindefors N & Rück C	2877
White matter integrity in alcohol-naive youth with a family history of alcohol use disorders		Amygdala and anterior cingulate resting-state functional	
Squeglia LM, Jacobus J, Brumback T, Meloy MJ & Tapert SF	2775	connectivity in borderline personality disorder patients with a history of interpersonal trauma	
Neural substrates of impulsive decision making modulated by modafinil in alcohol-dependent patients		Krause-Utz A, Veer IM, Rombouts SARB, Bohus M, Schmahl C & Elzinga BM	2889
Schmaal L, Goudriaan AE, Joos L, Dom G, Pattij T, van den Brink W & Veltman DJ	2787	Are illness perceptions related to future healthcare expenditure in patients with somatoform disorders?	
Consultation actor maternal distance in consumption with a site of		Frostholm L, Petrie KJ, Ørnbøl E & Fink P	2903
Second-trimester maternal distress increases the risk of small for gestational age		Corrigendum	2727
Khashan AS, Everard C, McCowan LME, Dekker G, Moss-Morris R, Baker PN, Poston L, Walker JJ, Kenny LC & the			_,_,



2799



SCOPE Consortium