VOL. VII.—1893.

THE JOURNAL

OF

LARYNGOLOGY,

RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO

THE THROAT, NOSE, AND EAR.

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,
JOHN MACINTYRE, M.B. Glasgow,

AND

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

Dr. BARCLAY J. BARON (Bristol). Dr. SANDFORD (Cork).

And with the co-operation of

DR. RICARDO BOTEY (BARCELONA)

DR. BRYSON DELAVAN (NEW YORK)

DR. DRAISPUL (ST. PETERSBURG)

Prof. GUYE (AMSTERDAM)

DR. MIDDLEMASS HUNT (LIVERPOOL)

DR. VALERIUS IDELSON (BERNE)

DR. JOAL (PARIS)

Dr. KARWOWSKI (WARSAW)

DR. JOHN N. MACKENZIE (BALTIMORE)

DR. GRAZZI (FLORENCE)

DR. SANDFORD (CORK)

DR. LUBET-BARBON (PARIS)

DR. G. W. MAJOR (MONTREAL)

Prof. MASSEI (Naples)

DR. W. ROBERTSON (NEWCASTLE-ON-TYNE)

DR. J. MICHAEL (HAMBURG)

DR. HOLGER MYGIND (COPENHAGEN)

DR. PORTER (ST. Louis)

DR. SAJOUS (PHILADELPHIA)

DR. SENDZIAK (WARSAW)

PROF. RAMON DE LA SOTA (SEVILLE)

DR. HICGUET (BRUSSELS)

DR. MILLIGAN (MANCHESTER)

DR. LICHTWITZ (BORDEAUX)

Published Monthly.

LONDON:

F. J. REBMAN,

Albion Chambers, 11, Adam Street, Strand.

PHILADELPHIA, PA.:
THE F. A. DAVIS COMPANY,

1914-16, Cherry Street.

ENTERED AT STATIONERS' HALL.

CONTENTS.

Original Article .—A Portion of Beef Bone lodged in the Larynx. By Sir P. C. SMYLY. Pages	163 to 165.
Annotations.—Malignant Transformation of Innocent Growths. The International Congress of Rome. The French Society of Laryngology, etc. The Pan-American Congress. Dr. Hunter Mackenzie.	Page 165. ,, 165. ,, 166. ,, 166.
The British Laryngological and Rhinological Association Meeting— Case of Lupus of the Palate, Tongue, Larynx, and Nose. Mr. Lennon Browne. Case of Laryngeal Stenosis in a Boy of Fourteen. Dr. Whistler Notes on Reflexes. Dr. Woakes. Case of Papilloma; Pathological Specimen from Inferior Turbinal. Dr. Sandford. Fracture of the Thyroid Carvillage by Direct Violence. Dr. Sandford. Case of Pharyngo-Mycosis. Dr. Grant and Mr. Wingrave. Case of Naso-Pharyngeal Growth Dr. Robertson. The Morbid Anatomy of Hypertrophic and Atrophic Turbinal Disease. Mr. Wingrave.	Page 167. ,, 170. ,, 170. ,, 172. ,, 174. ,, 175. ,, 176.

Diphtheria.—Croup of the Nose, Sendziak——Diphtheria in Belgium, Godart, Gallez, Bairy—Post-Scarlatinal Diphtheria, Sweeting——Diphtheritic Paralysis with temporary absolute Deafness, Tooth—Diagnosis and Treatment of Diphtheria, Aitken.

Pages 183 to 185.

Nose, Naso-Pharynx, &c.—Improved Ecraseur, Wilkin——Transillumination of the Antrum, Johnstone—Massage of the Mucous Membrane. 19 ton——Iti long of Attribit Rhinitis, McClure—Headache in Diseases of the Nose and Pharynx, the con——Rh. Acht, Fearm 19—Conservative Treatment of Nasal Affections, Jeffery——Tuberculosis of its Nose, Herning——Indicated Nasal Affections upon the Respiratory Apparatus, Chabory——Post-Nasal Growths in Children, Owen. Pages 185 to 191.

Pharynx.—Tincture of Iodine in Diseases of the Nose and Throat, Wroblewski——Affections of the Lingual Tonsil, Boulangier——Angina Follicularis in Children, Wolberg——Calculus of Tonsil, Lecogg——Hypertrophy of Tonsils, Heryng ——Angina Ulcerosa Benigna, Sendziak ——Second Case of, Sendziak ——Papillomata of Palate and Uvula, Wagner——Tuberculosis of Pharynx, Heryng——Diverticulum of Esophagus, Mintz.

Larynx.—Treatment of Stuttering, Gutzmann, Olluszewski—Innervation of the Crico-thyroid Muscle, Katzenstein.—Study of Laryngeal Paralysis, Semon.—Pachydermia Laryngis, McBride—Adenoma of Larynx, Lubliner.—Flies as Foreign Bodies in the Trachea, Pflüger.—Symptoms attributed to Dislocation of the Neck, Thorburn.

Pages 194 to 197.

Thyroid Gland, &c.—Tremor of the Limbs in Basedow's Disease, Rosenblatt—Abscess of Thymus Gland, Westmatt.

Page 197.

Ear.—New Form of Osteo-Tympanal Acoumeter, Carlin, Maria of Inflating the Tympanum, Lowe—Anatomical Specimens, Brance—Mission—— Cedema, Harris—Clinical Evidences of Affections of the Audit Carlin, Active Nerve Deafness and Pilocarpin, Baber—Monauricular Diplacusis, Carlin, Carl

Association Meeting.—Parisian Society of Laryngology, Rhinology, &c.—The Phonetic Rôle of the Trachea, by Dr. Moura.

Pages 204 to 207.

Reviews,—Sallard, Acute Inflammations of the Tonsils—Bourges, Diphtheria—Luc, Laryngeal Neuroses. Pages 208 to 210.

New Preparations.—Kutnow, Bullock, Burroughs and Wellcome, Allen and Hanburys.
Pages 210 to 212.

GUIDE TO ADVERTISEMENTS.

PAGE		PAGE
Allen & Hanburysvii., xiii.	Ivins	vi.
Balcomb iv.	Krohne & Sesemann	iv.
Bullock & Co iii.	Lambert Pharmacal Co	ii.
Burroughs, Wellcome & Coviii., x., xii.	Liquor Carnis Co	xi.
Central London Throat Hospital xiv.	Mayer & Metzler	iii.
Christy & Co iv.	Parke, Davis & Co	vi.
Godfrey & Cooke iv.	Simsky	vi.
Ingram & Royle v.	Willows, Francis & Butler	iii

THE KEPLER SOLUTION

OF

COD LIVER OIL.

PO overcometherepugnance, natural I to so many people and especially to invalids, to the odour and taste of that invaluable medicinal agent—Cod Liver Oil—pharmacists for years tried every dodge and process in a vain endeavour to produce something palatable. The problem was as far off as ever from a satisfactory ending until the Kepler Solution of Cod Liver Oil in Extract of Malt appeared. and the value of the discovery cannot be more forcibly put than in the words of the BRITISH MEDICAL JOURNAL at that time:—The Kepler Solution is a great advance on anything hitherto attempted in this direction. The production of a Solution of Cod Liver Oil in Malt is a great advance and marks an epoch in the history of rational therapeutics." the Kepler Solution the taste and smell of the oil are completely masked, so that it is cheerfully taken and even relished by the most delicate patient. The value of Cod Liver oil in therapeutics depends exactly upon the percentage of it assimilated, which accounts for the superiority of this Solution over all forms of emulsion: because in the Kepler Solution the association between the oil and the Malt Extract is more intimate, the oil is more finely divided, so that,

apart from the digestive power which the Malt Extract itself will exert in the process of digestion, it is in the most favourable condition for effective This explains to some digestion. extent the important service the Kepler Solution has rendered in the treatment of Phthisis, and all those diseases wherein a rapid tissue metamorphosis has to be combated and the patient has to be maintained on the most nutritious food-material to balance the waste. The result of clinical experience, to an extent never before experienced in connection with any similar preparation, clearly shows the superiority of the Kepler Solution over its imitations. It is always palatable, is comfortably taken by those who cannot take Cod Liver Oil in any other form, is easily digested and does not cause those unpleasant eructations so common after the administration of plain oil and many emulsions. In fact, the Kepler Solution is "an ideal form for the administration of fat," and the only preparation which may be comfortably taken all the year round.

Kepler Solution of Cod Liver Oil is supplied to the Medical Profession in $\frac{3}{4}$ -lb. and $1\frac{1}{2}$ -lb. bottles at 1s. 8d, and 3s. each. Retail 2s. 6d. and 4s.

Samples sent to Medical Men free on request.

BURROUGHS, WELLCOME & CO., Manufacturing Chemists, SNOW HILL BUILDINGS. LONDON, E.C.